

UNCLASSIFIED

---

AD 277 689

*Reproduced  
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY  
ARLINGTON HALL STATION  
ARLINGTON 12, VIRGINIA



---

UNCLASSIFIED

## **REPRODUCTION QUALITY NOTICE**

This document is the best quality available. The copy furnished to DTIC contained pages that may have the following quality problems:

- Pages smaller or larger than normal.
- Pages with background color or light colored printing.
- Pages with small type or poor printing; and or
- Pages with continuous tone material or color photographs.

Due to various output media available these conditions may or may not cause poor legibility in the microfiche or hardcopy output you receive.

☐ If this block is checked, the copy furnished to DTIC contained pages with color printing, that when reproduced in Black and White, may change detail of the original copy.

This Document Contains Missing  
Page/s That Are Unavailable In  
The Original Document

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY ASTIA  
AS AD NO. 277 689

277 689

277 689

A SURVEY OF COMPOUNDS FOR RADIATION PROTECTION

62-29

4 6 2

SCHOOL OF AEROSPACE MEDICINE  
USAF AEROSPACE MEDICAL DIVISION (A6SC)  
BROOKS AIR FORCE BASE, TEXAS

# **A SURVEY OF COMPOUNDS FOR RADIATION PROTECTION**

**JOHN DOULL  
VIVIAN PLZAK  
STANLEY J. BROIS**

**USAF Radiation Laboratory  
University of Chicago  
Chicago, Illinois**

**62-29**

**SCHOOL OF AEROSPACE MEDICINE  
USAF AEROSPACE MEDICAL DIVISION (AFSC)  
BROOKS AIR FORCE BASE, TEXAS**

**April 1962**

**7757-07000**

# TABLE OF CONTENTS

	<i>Page</i>
INTRODUCTION .....	1
EXPERIMENTAL METHODS .....	1
RESULTS .....	2
Alcohols .....	5
Thiols .....	9
Ethers and thioethers .....	13
Aldehydes and oximes .....	17
Ketones and phenones .....	19
Acids and thioacids .....	23
Esters and thioesters .....	27
Amides and thioamides .....	31
Carbamates and thiocarbamates .....	37
Ureas and thioureas .....	43
Isothioureas .....	49
Guanidines .....	59
Amines and imines .....	61
Nitriles .....	65
Hydrazines .....	71
Oxacyclopentanes and oxacyclohexanes .....	73
Thiacyclopentanes .....	75
Azacyclopentanes and azacyclohexanes .....	77
Oxazoles and oxazines .....	81
Thiazoles and thiamorpholines .....	83
Diazoles and diazines .....	87
Triazoles and dioxanes .....	97
Miscellaneous .....	99
INDEX .....	103

# A SURVEY OF COMPOUNDS FOR RADIATION PROTECTION

## INTRODUCTION

The purpose of the radiation screening program of the University of Chicago USAF Radiation Laboratory is to find chemical or biologic agents which exhibit prophylactic or therapeutic effectiveness against radiation injury. Testing the ability of such agents to prolong survival or to reduce lethality in x-irradiated mice is one phase of our efforts to find practical methods to modify radiation injury in animals. Other phases of the program include: (1) the investigation of the physiologic and biochemical mechanisms responsible for the toxic and protective effects of radioprotective agents in mice and other species; (2) the evaluation of the efficacy of such agents against chronic radiation exposure and against exposure to other types of ionizing radiation; and (3) the ability of various environmental and pharmacologic factors to modify either the toxic or the protective properties of single agents or of combinations of radioprotective agents.

The present report summarizes the results that were obtained with approximately 1,200 compounds tested before 1 January 1961. It has a twofold purpose: (1) to facilitate the comparison of chemically related groups for structure-activity relationships and (2) to indicate the types of structures which offer the greatest promise as a source of more effective and less toxic radioprotective agents. As relatively few radioprotective agents were available at the time these studies were initiated, the compounds used in the testing program

were selected with the idea of obtaining examples of as many different chemical types as possible. Since more information has been accumulated on potentially radioprotective agents of a rather large number of chemical types, it is now possible to depend less on the survey approach of selection and more on trying to obtain compounds designed to provide more specific data on the structure-activity relationships within each chemical type. Therefore, the logical outcome of this approach would be to increase ability in predicting whether a compound would exert radioprotective effects on the basis of its chemical structure. The survey, or nondirective, type of selection cannot be completely abandoned, however, because the radioprotective effect of a compound often appears to represent a unique property of the particular compound which is not exhibited by closely related derivatives.

## EXPERIMENTAL METHODS

Adult male mice (6 to 8 weeks old) from the Carworth Farms (CF<sub>1</sub>) were used in the studies. The average weight was from 20 to 25 gm. The mice were housed, 10 mice to the cage, in an air-conditioned room (75° to 80° F.), and were provided with Rockland mouse pellets and water ad libitum. Both control and treated animals were selected at random from a single shipment so that their age and physical condition would be comparable. All the mice were kept under observation for at least one week before they were used. Those that appeared to be unhealthy or failed to gain weight at a normal rate were removed for autopsy.

To evaluate the radioprotective activity of the compounds, the mice were divided into group of 10 and injected intraperitoneally. Ten to 15 minutes after the injection, they were exposed to 800 r of whole-body x-radiation. Each compound was tested for protective effects at two dosage levels or more, one of which was near the maximum tolerated dosage level for the particular compound. Distilled water was used as the vehicle whenever possible and the concentration of the injection solutions was adjusted so that no animal received more than 2 percent of its body weight with each injection. When it became necessary, the pH of the injection solution was adjusted to approximately 7.0 with dilute HCl or NaOH. Compounds which were insoluble in water, or in mixtures of water and propylene glycol, were either dissolved in cottonseed oil or suspended in a 0.5 percent solution of carboxymethylcellulose. Control animals were injected with equivalent quantities of the vehicle used to prepare the injection solution and were irradiated simultaneously with the treated groups. The loss of weight and the mortality of the control groups and the treated irradiated groups were observed daily for 30 days after the x-ray exposure, or until all the mice in the treated groups were dead.

The radiation exposures were given as single whole-body exposures of 250 kvp, 15 ma. x-ray by means of either a G. E. Maximar or a Keleket x-ray therapy unit. The added filtration consisted of 0.25 mm. of copper and 1.0 mm. of aluminum, and the target-skin distance was 75 cm. The dose rate in air was determined before each radiation period by using Victoreen ionization thimbles (100 r) and was found to be between 40 and 43 r per minute during the entire period of these studies. The animals were irradiated in individual plastic tubes (50 ml. centrifuge tubes provided with numerous air holes). The tubes were placed radially on a rotating turntable so that each animal would receive an equal radiation exposure. The mice were irradiated in groups of 16, and control mice (vehicle only) were included with each group of 10 treated mice. The environmental temperature was maintained at 75° F. during the irradiation

period to minimize the effect of variations in the environmental stress in both the control and the treated groups.

## RESULTS

Preliminary toxicity studies were made of each compound before the tests were made for radioprotective activity. These studies were necessary to determine the amount of each compound the mice could receive before the chemical toxicity caused death. For the studies small groups of mice were injected intraperitoneally with increasing dosage levels of each compound, and the resulting mortality was recorded for one week. The approximate LD<sub>50</sub> (7-day) thus obtained was used as the basis for selecting the dosage levels to be used in the radiation studies.

Doses of the compounds larger than 1,000 mg./kg. are usually impractical in studies of radiation protection because of the size of the sample dose and because of the disadvantages of injecting increased amounts of the vehicle. Therefore, compounds which did not produce mortality when given in doses of 1,000 mg./kg. were not tested at higher dosage levels. The approximate LD<sub>50</sub> in milligrams per kilogram for each of the compounds tested is included in the tables which comprise the remaining part of this report. It can be seen that the dosage levels used for the studies in radiation protection are frequently lower than might be anticipated on the basis of results of the toxicity studies. As the mice were confined in rather tight-fitting tubes during the radiation exposure, and as the compounds produced a severe depression, the radiation exposure in the studies caused early mortality. Therefore, it was necessary to reduce the dosage level to less than the apparent maximum that otherwise might be tolerated.

The x-ray dosage level uniformly caused a mortality of nearly 100 percent within a period of 2 weeks under our experimental conditions. Radiation deaths usually began on the fifth or sixth day after the x-ray exposure and the



median survival time ( $ST_{50}$ ) of untreated animals was  $9 \pm 3$  days. A compound is considered to exhibit radioprotective activity if it increases the median survival time ( $ST_{50}$ ) by 5 days or more, or if it permits any of the treated animals to survive for 30 days after the x-ray exposure.

Of the compounds included in this report 211 exhibited radioprotective activity by these criteria. About 40 of the 211 radioprotective compounds permitted half or more of the irradiated mice to survive for 30 days after the lethal x-ray exposure. Although most of the protective compounds are related to previously known radioprotective agents, several new types of chemical configurations have been demonstrated to show radioprotective activity. Moreover, a sufficient number of compounds has been tested to permit preliminary structure-activity correlations to be made within a number of the different types of chemical structures.

Since all these studies were carried out by using a single dose of x-radiation (800 r), the results do not provide a precise quantitation of the radioprotective effects of each compound tested. The protective effect, however, or dose-reduction factor (DRF), resulting from the preirradiation administration of a compound can be estimated on the basis of the x-ray dosage level which would be required to pro-

TABLE I  
*Estimated dose-reduction factors based on 30-day mortality data*

Percent of treated animals surviving at 30 days after the 800 r x-ray exposure	Administered radiation dose divided by the effective radiation dose (DRF)
10 to 20	1.3
30 to 40	1.4
50 to 60	1.5
70 to 80	1.6
90 to 100	1.7

duce a comparable mortality at 30 days after the irradiation exposure. The  $LD_{50}$  (30-day) value for acute whole-body x-ray exposure in adult CF<sub>1</sub> male mice is  $542 \pm 18$  r under our experimental conditions, and the estimated DRF values are given in table I.

In the tables which comprise the remaining part of the report the compounds are listed in order of increasing complexity within each of the chemical types. The name and code designation of each compound is listed with the vehicle used. In the radiation studies the change in  $ST_{50}$  indicates the increase or decrease (in days) of the median survival time of the treated animals when compared to that of simultaneously irradiated control (vehicle only) groups.

# ALCOHOLS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2-Aminoethanol EK-1597 (PG)	50-100	50 25	-3 +2	10/10 8/10
2-Methylaminoethanol DO-50 (H <sub>2</sub> O)	125-250	100 50	0 -3	10/10 10/10
t-Butylaminoethanol RH-2 (H <sub>2</sub> O)	>1,000	1,000 500	+4 -4	10/10 10/10
Isotonic acid DO-14 (H <sub>2</sub> O)	50-100	25 10	-1 -4	10/10 10/10
2-Dimethylamino-2-methyl-1-propanol CS-1 (H <sub>2</sub> O)	25-50	25 10	-1 0	10/10 10/10
2,3-Dibromo-1-propanol DO-42 (PG)	125-250	100 50	+1 -2	10/10 10/10
2-Chloro-2-nitro-1-butanol CS-257 (PG)	200-300	200 100	0 -2	10/10 10/10
1-Amino-2-pentanol CS-3 (H <sub>2</sub> O)	100-200	100 50	-1 -1	10/10 10/10
2,2'-(Methyl imino) diethanol DO-52 (H <sub>2</sub> O)	500-1,000	500 300	-1 0	10/10 10/10
2-Amino-3-hexanol CS-2 (H <sub>2</sub> O)	50-100	50 25	-1 +2	10/10 10/10
4-Amino-2-methyl-3-hexanol CS-4 (H <sub>2</sub> O)	25-50	25 10	-2 +2	10/10 10/10
2-Amino-2-methyl-3-hexanol CS-5 (H <sub>2</sub> O)	300-500	300 100	+2 +3	10/10 10/10
2-Allyloxyethanol DO-47 (PG)	250-500	250 100	-1 0	10/10 10/10
2-Chloro-2-nitro-3-nonanol CS-1295 (PG)	50-100	50 25	0 0	10/10 10/10
d-N-(Pantoyltauryl) amino-octadecane SN-5 (CMC)	1,000	1,000 200	-3 1	10/10 10/10
Cyclohexane methanol DO-49 (PG)	250-500	250 100	-5 0	10/10 10/10

**(ALCOHOLS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-Cyclohexylamino-2-propanol DO-19 (H <sub>2</sub> O)	100-200	100 50	-2 -5	10/10 10/10
4-Tert-butyl cyclohexanol (Padaryl) DO-20 (PG)	50-100	50 25	-2 -4	10/10 10/10
3-Dimethylamino-1-phenyl- 1-propanol EL-80 (H <sub>2</sub> O and PG)	200-300	200 100	-2 -2	10/10 10/10
2-Amino-1-phenyl-1-propanol CS-6 (H <sub>2</sub> O)	200-300	100 50	-4 0	10/10 10/10
2-Amino-1-phenyl-1-propanol CS-7 (H <sub>2</sub> O)	100-200	100 50	+2 +1	9/10 10/10
2-Amino-2-methyl-1-phenyl- 1-propanol CS-8 (H <sub>2</sub> O)	25-50	25 10	0 +2	10/10 10/10
N-Isopropyl-2-hydroxy-2- (o-chloro-phenyl) ethyl- amine hydrochloride EL-50 (H <sub>2</sub> O)	100-200	100 25	+2 -1	10/10 10/10
2-p-Chlorophenyl-3-methyl- butane-2,3-diol EL-44 (PG)	200-300	200 100	0 +1	10/10 10/10
2-Bromo-2-nitro-1-phenyl- 1-ethanol CS-1301 (PG)	25-50	25 10	-9 +1	10/10 10/10
a-dl-Propoxyphenyl carbinol EL-84 (PG)	100-200	100 50	+1 +4	10/10 10/10
3-n-Pentadecyl catechol UCTL-1803 (H <sub>2</sub> O and HCl)	50-100	75 50 10	-3 -1 +4	10/10 10/10 10/10
4-Nitro-3-trifluoromethylphenol MA-6 (PG)	25-50	25 10	+2 +2	10/10 10/10
2-Chloro-4,6-dinitrophenol DO-60 (PG)	125-250	25 10	-3 +2	10/10 10/10
Octyl phenol RH-6 (PG)	25-50	25 10	0	10/10 10/10

**(ALCOHOLS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3,4-Dihydroxy-phenethylamine hydrobromide EL-47 (H <sub>2</sub> O)	500-1,000	750 500 300	-3 +3 +2	8/10 10/10 10/10
3-Hydroxytyramine CB-9 (H <sub>2</sub> O)	>1,000	1,000 500	-3 0	7/10 10/10
5-Hydroxytryptamine CB-32 (H <sub>2</sub> O)	>300	200 100 90 75 50 25	+5 +3 >+13 >+19 +2 +3	8/10 7/10 2/10 4/10 8/10 7/10
Tetrachlorohydroquinone DO-62 (PG)	25-50	10 5	-2 0	10/10 10/10
Orthophenylphenol EK-2219 (PG and H <sub>2</sub> O)	50-100	50 20 10	-2 -3 +1	10/10 10/10 10/10
p-p'-Biphenol DO-30 (PG)	100-200	100 50	+1 +1	10/10 9/10
N,N'-Ethylene diimino di (o-cresol) DO-63 (PG)	100-200	100 50	+1 +1	10/10 10/10
2,2'-Methylene bis-(4-ethyl- 6-tertiary)-butyl phenol CY-6 (PG)	50-100	50 25	-2 -1	10/10 10/10
2,5-Di-tert-amylhydroquinone B-21 (CMC)	200-300	200 100	-2 -7	10/10 10/10
Gallie acid EK-T-142 (H <sub>2</sub> O)	>1,000	1,000 400	-4 -1	10/10 10/10
5-(p-Acetamidophenylazo)- 8-quinolinol hydrochloride EK-5313 (PG)	200-300	200 100	-4 +2	10/10 10/10

# THIOLS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Ethanethiol EK-958 (PG and H <sub>2</sub> O)	>300	500 250	+4 +1	8/10 10/10
2-Mercaptoethanol EK-4196 (PG and H <sub>2</sub> O)	200-300	200 100	+3 0	9/10 8/10
Mercaptoethylamine hydrochloride EE-3 (H <sub>2</sub> O)	425	300 250 225 200	+5 -7 >+21 >+21	6/10 5/10 3/10 4/10
Diethylaminoethanethiol hydrochloride E-4 (H <sub>2</sub> O)	100-200	100 50	+2 +1	10/10 10/10
2-(Diethylamino)ethane thiol A-16784 (PG)	5-10	5 1	-1 -3	10/10 10/10
Mercaptoneetic acid (sodium salt) EK-5199 (H <sub>2</sub> O)	200-300	200 100 50	-6 +1 -3	10/10 10/10 10/10
Methyl mercaptonecetate EK-7119 (H <sub>2</sub> O)	100-200	100 25	+3 +2	10/10 10/10
Ammonium thioglycolate MO-2 (H <sub>2</sub> O)	100-200	100 50	0 -4	10/10 10/10
1-Thioglycerol B-40 (PG)	200-300	200 50	+18 -1	4/10 10/10
Dithioglycerol, 2,3-dimercapto propanol (BAL) ME-1 (PG)	25-50	25 10	+1 +1	8/10 10/10
Mercaptopropionic acid E-5 (H <sub>2</sub> O)	10-25	20 10	+2 0	10/10 10/10
Cysteine methyl ester A-18334 (H <sub>2</sub> O)	>1,000	1,000 500	-2 0	10/10 10/10
dl-Homocysteine (free base) B-12 (H <sub>2</sub> O)	500-1,000	500 200 100	+3 -1 -1	10/10 10/10 10/10
Penicillamine hydrochloride A-1705; EL-23 (H <sub>2</sub> O)	1,000 (A-1705)  200-300 (EL-23)	500 200  200 100	-1 0  -4 +1	10/10 10/10  10/10 10/10

**(THIOLS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Mercaptosuccinic acid EK-P-6297; M-2 (H <sub>2</sub> O)	300-500 (M-2)	300 100	-6 -2	10/10 10/10
	200-300 (EK-6297)	200 100	-1 -2	10/10 10/10
Diisopropyl thiomalate ND-62 (PG)	100-200	100 50	-3 0	10/10 10/10
Dimethyl thiomalate ND-61 (PG)	50-100	50 25	-2 -1	10/10 10/10
Dilauryl thiomalate ND-63 (PG)	100-200	100 50	0 +1	9/10 10/10
1-Thiosorbitol P-1 (H <sub>2</sub> O)	>2,000	1,000 500	+4 +1	9/10 10/10
Dithiodiglycol TH-9 (PG)	100-200	200 100	-2 0	10/10 10/10
dl-Dihydro- $\alpha$ -6-thioctic acid XR-12 (H <sub>2</sub> O and NaOH)	100-200	150	+1	10/10
		100	-1	10/10
		50	-2	10/10
		25	0	10/10
1-Hexanethiol EK-4628 (PG and H <sub>2</sub> O)	200-300	200 100	+1 +3	10/10 10/10
1-Heptanethiol EK-2122 (PG and H <sub>2</sub> O)	200-300	200 100	+1 6	10/10 10/10
Iso-octylthioglycolate MO-5 (H <sub>2</sub> O)	>1,000	1,000 500	-3 +1	10/10 10/10
Furfuryl mercaptan B-58 (PG)	100-200	100 50	-2 0	10/10 8/10
1,6-Hexane dithiol UCTL-72 (PG and H <sub>2</sub> O)	100	100 50	-3 +2	10/10 10/10
Keryl mercaptan B-3 (Cottonseed oil)	>2,000	2,000 1,000	0 -1	10/10 10/10
Thiogel-thiolated gelatine S-4 (H <sub>2</sub> O)	>1,000	1,000 500	+3 -1	16/10 10/10
$\alpha$ -Toluenethiol EK-1509 (PG and H <sub>2</sub> O)	100-200	100 50	+4 +3	9/10 10/10

**(THIOLS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
p-Xylyl-2-thioglycolic acid B-2 (PG and H <sub>2</sub> O)	300-400	200	-5	10/10
		50	+2	10/10
α-Mercaptoacetanilide EK-6583 (CMC)	200-300	300	+5	8/10
		250	+3	10/10
		200	+3	9/10
		150	>20	10/10
		100	+2	10/10
N-(o-Tolyl) mercaptoacetamide UCTL-1768 (H <sub>2</sub> O)	100-200	50	+4	10/10
		30	+4	10/10
α-Mercapto-N-2-naphthyl- acetamide EK-5828 (CMC)	>300	400	-3	10/10
		200	+1	10/10
		100	0	10/10
3,5-Diiodo-4-pyridine thio- glycolic acid XR-24 (H <sub>2</sub> O and NaOH)	>100	150	+3	10/10
		100	+1	10/10
Benzenethiol XR-19 (H <sub>2</sub> O and NaOH)	25-50	25	-2	10/10
		20	-3	10/10
		5	-3	10/10
p-Toluenethiol EK-510 (CMC)	200-400	200	0	10/10
		100	+3	10/10
o-Toluenethiol EK-2676 (PG and H <sub>2</sub> O)	100-200	100	-5	10/10
		50	+4	10/10
m-Toluenethiol EK-2680 (PG and H <sub>2</sub> O)	50-100	75	-4	10/10
		50	+1	10/10
2-Aminobenzenethiol hydrochloride XR-17 (H <sub>2</sub> O)	100-150	100	+3	10/10
		50	+3	10/10
		25	-1	10/10
o-Aminobenzenethiol EK-4376 (CMC)	25-50	20	+2	10/10
		10	-1	10/10
Monothiohydroquinone B-57 (PG)	100-200	100	+1	7/10
		50	0	10/10
Thiosulicylic acid (o-Mercaptobenzoic acid) EK-T-2805 (H <sub>2</sub> O and NaOH) XR-35 (H <sub>2</sub> O and NaOH); KF-2 (PG)	50-200	100	-4	10/10
		100	0	10/10
		50	+1	10/10
		50	+5	10/10
Methyl-o-mercaptobenzoate MA-15 (PG)	50-100	50	-1	10/10
		25	+1	10/10

**(THIOLS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
p-Mercaptobenzene sulfonamide LO-1 (PG)	200	200	-2	10/10
		100	+2	8/10
		50	+1	10/10
2-Amino-4-iodo benzenethiol XR-18 (H <sub>2</sub> O and NaOH)	>150	150	-3	10/10
		100	+1	10/10
		50	-1	10/10
Pentachlorothiophenol B-51 (PG)	100-200	100	+6	10/10
		50	+3	10/10
3,5-Dibromo-4-pyridinethiol XR-25 (H <sub>2</sub> O and NaOH)	100	150	+3	10/10
		100	+1	10/10
3,5-Diiodo-4-pyridinethiol XR-23 (PG)	100	100	-2	10/10
		50	+2	10/10
2-Naphthylenethiol CY-4 (PG); M-1	200-300	200	0	10/10
		100	-3	10/10
		50	0	10/10
		50	-1	10/10
Dithiol B-59 (PG)	50-100	50	-4	10/10
		20	+4	6/10
Zinc salt of 3-amino-4-mercapto- benzotrifluoride MA-7 (PG)	100-200	100	+1	10/10
		50	+2	10/10



# ETHERS and THIOETHERS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3-Methyl-3-(mercaptomethyl) oxetane (polymer of) PD-13 (PG)	200-300	200 100	-2 -4	10/10 10/10
Allyl phenyl ether DO-23 (PG)	100-200	100 50	-6 -4	10/10 10/10
4-Phenoxy-N-butylamine hydro- chloride EL-12 (H <sub>2</sub> O)	100-200	100 50	0 0	10/10 10/10
Hydroquinone dimethyl ether UCTL-1791 (PG and H <sub>2</sub> O)	100-200	150 100	+2 +1	10/10 10/10
Bis-(p-bromophenyl) ether DO-61 (PG)	125-250	100 50	-1 +2	10/10 10/10
4-Amino-2'-ethoxy diphenylamine- 2-sulfonic acid ND-64 (H <sub>2</sub> O)	>1,000	500 200	-1 -5	10/10 10/10
2,2'-Thiodiethanol EK-T-1224; B-6 (PG and H <sub>2</sub> O)	>1,500	1,500 1,000 750 500	+4 +3 0 +2	10/10 10/10 10/10 10/10
1,2-Bis(2-bromoethylthio)ethane UCTL-904 (H <sub>2</sub> O)	100	75 50	-3 -2	10/10 10/10
Thiodiglycolic acid E-2 (H <sub>2</sub> O)	300-500	300 200	-5 -4	10/10 10/10
Ethylmercapto acetic acid EK-2070 (PG and H <sub>2</sub> O)	100-200	100 50	-1 +1	10/10 10/10
S-2-Aminoethyl-homocysteine monohydrochloride B-4 (H <sub>2</sub> O)	1,000-1,500	1,000 500	-1 -1	10/10 10/10
S-Ethyl cysteine AB-3 (H <sub>2</sub> O)	>300	100	+1	10/10
2-Amino-ethyl-cysteine mono- hydrochloride XR-43; B-5 (H <sub>2</sub> O)	>2,000 (B-5)	2,000 1,500 1,000	-3 >19 4	8/10 3/10 10/10
	300-400 (XR-43)	350 300 100	2 -3 -1	10/10 10/10 10/10

**(ETHERS and THIOETHERS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
S-2-Aminoethyl-cysteine dihydrochloride B-9 (H <sub>2</sub> O)	200-400	200 100	+2 -7	10/10 10/10
S-Benzyl cysteine AB-1 (H <sub>2</sub> O)	>250	100	0	10/10
dl-α-5-Thioctic acid XR-13 (H <sub>2</sub> O)	>150	150 100 50 25	0 -1 -2 -2	10/10 10/10 10/10 10/10
dl-α-6-Thioctic acid XR-11 (H <sub>2</sub> O)	>100	150 (i.v.) 100 50 25	0 -1 -4 -4	10/10 10/10 10/10 10/10
dl-8-Methyl-α-6-thioctic acid XR-14 (H <sub>2</sub> O)	>100	150 (i.v.) 100 50 25	+3 0 -1 -2	10/10 10/10 10/10 10/10
2-Amino-4,4'-dichlorodiphenyl sulfide AB-21 (PG and H <sub>2</sub> O)	>200	250 200 100	0 +5 +1	10/10 10/10 10/10
2,2'-Diamino-5,5'-dichlorophenyl sulfide hydrochloride hydrate AB-84 (H <sub>2</sub> O)	200-400	300 200	-6 +1	10/10 10/10
N,N-Diethyl, 2(o-acetamido- phenylthio) ethylamine methiodide A-12634 (PG)	25-50	50	+1	10/10
1,4-Bis(dimethylamine) 2-(phenyl- thio)-2-butene A-3939 (PG)	100-200	100	+3	10/10
N,N'-Dimethyl-γ-(phenylthio)- allylamine A-4720 (PG)	100-200	100	0	10/10
N,N'-Dimethyl-γ-(p-tolylthio)- allylamine A-4719 (PG)	200	100	+1	10/10
N,N'-Dimethyl-γ-(n-dodecyl- thio)-allylamine A-4718 (PG)	200	100	+2	10/10
β-(Benzylthio) ethylamine hydrochloride A-2341 (H <sub>2</sub> O)	100-200	100	0	10/10

**(ETHERS and THIOETHERS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>100</sub> in days	Mortality at 30 days
2-Amino-2'-chlorodiphenyl sulfide AB-16 (PG and H <sub>2</sub> O)	>200	300 150 100	+5 +4 +2	10/10 10/10 10/10
N,N-Dimethyl, $\beta$ (p-chloro- phenylthio)-n-propylamine hydrochloride A-12637 (H <sub>2</sub> O)	200-300	200	+1	10/10
N,N-Diethyl, $\beta$ (o-chlorophenyl- thio) ethylamine A-12633 (H <sub>2</sub> O)	100-200	100 25	+1 -1	10/10 10/10
N,N-Diethyl, $\beta$ (o-tolylthio) ethylamine A-12632 (PG)	50-100	50	0	10/10
N,N-Diethyl, $\beta$ (p-tolylthio) ethylamine hydrochloride A-12630 (H <sub>2</sub> O)	200	100	-2	10/10
N,N-Diethyl, $\beta$ (p-chlorophenyl- thio) ethylamine hydrochloride A-12621 (H <sub>2</sub> O)	100	150	-1	10/10
N,N-Dimethyl, $\beta$ (o-anisylthio)- n-propylamine hydrochloride A-12618 (H <sub>2</sub> O)	100-200	100 25	+2 -1	10/10 10/10
N,N-Diethyl, $\beta$ (o-anisylthio)- ethylamine hydrochloride A-12616 (H <sub>2</sub> O)	100-200	100	-2	10/10
N,N-Diethyl, $\beta$ (p-acetamido- phenylthio) ethylamine methiodide A-12627 (H <sub>2</sub> O)	10-25	10	+1	10/10
N,N-Dimethyl, $\beta$ (m-anisylthio)- n-propylamine hydrochloride A-12638 (H <sub>2</sub> O)	200-300	50 20	-2 3	10/10 10/10
N,N-Diethyl, $\beta$ (p-anisylthio) ethylamine hydrochloride A-12640 (H <sub>2</sub> O)	100-200	100 50	0 -3	10/10 10/10
N,N-Dimethyl, $\gamma$ (p-tolylthio)- allylamine A-5025 (PG)	100-200	100	+1	10/10
N,N-Diethyl-2[3-(phthalimido)- n-propylthio] ethylamine A-2369 (H <sub>2</sub> O)	50-100	50 20	+1 0	10/10 10/10

**(ETHERS and THIOETHERS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2-(N,N—Dimethylaminopropyl)- 4,4'-dichlorodiphenyl sulfide hydrochloride AB-373 (H <sub>2</sub> O)	100-150	150	-5	10/10
		100	-3	10/10
		50	-1	10/10
2-(N,N—Dimethylpropylamino)- 4',5-dichlorodiphenyl sulfide hydrochloride AB-74 (H <sub>2</sub> O)	50-100	75	-3	10/10
		50	0	10/10
4,4'-Thiobis-(6-tert-butyl- m-cresol) B-15 (CMC)	50-100	50	-7	10/10
		25	-2	10/10
2,2'-Thiobis(4,6-dichlorophenol) B-22 (CMC)	100-200	100	-5	10/10
		50	-6	10/10
		20	0	10/10
Diphenyl disulfide E-1 (PG)	100-200	100	-5	10/10
		50	-1	10/10
2-Acetamido-4'-chlorodiphenyl sulfide AB-19 (PG and H <sub>2</sub> O)	>400	300	+3	10/10
		200	+4	10/10
2-(3-Dimethylaminopropionamide)- 4',5-dichlorodiphenyl sulfide AB-68 (PG and H <sub>2</sub> O)	100-200	200	-5	10/10
		100	9	10/10
		50	0	10/10
(Bis)-2-acrylamido-4-chloro- phenyl sulfide AB-85 (H <sub>2</sub> O)	>400	250	0	10/10
		200	-2	10/10
2-Amino-3,4'-dichlorodiphenyl sulfide hydrochloride AB-67 (H <sub>2</sub> O)	>400	300	-4	10/10
		200	0	10/10
Bis-(2-amino-2-phenylethyl) disulfide dihydrochloride XR-34 (H <sub>2</sub> O)	50-100	100	-2	10/10
		75	0	10/10
Bis-(2-aminophenyl) disulfide AB-315 (PG and H <sub>2</sub> O)	50-100	75	+3	10/10
		50	+3	8/10
		25	+3	10/10
Bis-(2-nitro-4-trifluoromethyl phenyl) disulfide MA-9 (PG)	50-100	50	0	10/10
		25	+2	10/10

# ALDEHYDES and OXIMES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Acetaldehyde oxime AM-5 (PG)	100-200	100 50	+2 0	10/10 10/10
Trimethoxy ethoxy propane KF-24 (H <sub>2</sub> O)	>1,000	500 300	+2 -1	10/10 10/10
Tetra ethoxy propane KF-26 (PG)	200-300	200 100	-1 -2	10/10 10/10
n-Butyraldehyde oxime AM-6 (PG)	200-300	200 100	+1 -1	10/10 10/10
Isobutyraldehyde oxime AM-8 (PG)	100-200	100 50	0 -2	10/10 10/10
2-Methyl pentaldehyde FO-3 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -1	10/10 10/10
p-Hydroxybenzaldehyde M-6 (H <sub>2</sub> O)	500-1,000	500 200	-3 -1	10/10 10/10
o-Chlorobenzaldehyde M-7 (PG)	10-25	10 5	+2 +3	10/10 10/10

# KETONES and PHENONES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Acetol DO-45 (PG)	500-1,000	500 300	+1 +1	10/10 10/10
Methyl ethyl ketoxime AM-3 (H <sub>2</sub> O)	200	100 50	-3 +4	10/10 10/10
Acetone diethyl acetal DO-44 (PG)	125-250	100 50	+1 0	10/10 10/10
Methyl isobutyl ketoxime AM-4 (PG)	200-300	200 100	+1 0	10/10 10/10
Methyl isoamyl ketoxime AM-7 (PG)	100-200	100 50	-1 0	10/10 10/10
Dimethylglyoxime sodium salt B-119 (H <sub>2</sub> O)	200-300	200 100	-1 -3	10/10 10/10
4-Ethyl-3,5-heptanedione dioxime CS-503 (PG)	200-300	200 100	0 +1	10/10 10/10
Oleoyl acetone DO-9 (PG)	200-300	200 100	+2 +4	10/10 8/10
1-(Dibenzylamino)-2,3-butane- dione-2-oxime IN-7 (H <sub>2</sub> O)	300-400	300 100	-2 0	10/10 10/10
Hexachloro-2,5-cyclohexadien- 1-one DO-65 (PG)	50-100	10 5	+1 +1	10/10 10/10
Acetophenone EK-496 (PG)	200-300	200 50 25	-5 -1 +3	10/10 10/10 9/10
o-Hydroxyacetophenone KF-20 (PG)	100-200	100 50	+2 +2	9/10 10/10
p-Hydroxyacetophenone KF-15 (PG)	200-300	200 100	-4 2	10/10 10/10
4-Chloroacetophenone DO-1 (PG)	100-200	100 50	+3 +1	10/10 8/10
m-Nitroacetophenone MA-1 (PG)	200-300	200 50	-3 0	10/10 10/10

**(KETONES and PHENONES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
<b>o-Chloro-m-nitro-aceto- phenone</b> MA-8 (PG)	50-100	10 5	+1 -3	10/10 10/10
<b>m-Aminoacetophenone</b> EK-P-3598 (H <sub>2</sub> O)	>1,000	1,000 800 400 200	+2 +2 +3 0	10/10 10/10 9/10 10/10
<b>p-Aminoacetophenone</b> EK-631 (H <sub>2</sub> O)	300-400	300 200 100 50	+3 +2 +4 -2	9/10 7/10 8/10 10/10
<b>o-Chloro-o-cyano acetophenone</b> UCTL-668 (H <sub>2</sub> O)	10-20	10 5 1	-4 -2 -1	10/10 10/10 10/10
<b>2,6-Dimethoxy-acetophenone</b> K-2801 (PG)	200-400	200 100	-2 +1	10/10 9/10
<b>Propiophenone</b> EK-1235 (PG and H <sub>2</sub> O)	100-200	150 100 50	+2 0 +2	10/10 10/10 10/10
<b>Paraminopropiophenone (PAPP)</b> UCTL-1856 (PG and H <sub>2</sub> O)	80-90	90 60 30	-1 +9 +14	9/10 6/10 5/10
<b>p-Chloropropiophenone</b> EK-5296 (PG and H <sub>2</sub> O)	200-300	200 50	+2 0	10/10 10/10
<b>p-Hydroxypropiophenone</b> EK-3302 (H <sub>2</sub> O and PG)	200-300	200 100	+1 +3	10/10 10/10
<b>2,4,5-Trihydroxybutyrophenone</b> EK- (PG)	200	100 50	+2 0	10/10 10/10
<b>p-Acetylamino-N-dimethylamino- propiphenone hydrochloride</b> EL-17 (H <sub>2</sub> O)	>200	100	+1	10/10
<b>Phenyl cyclohexyl ketone</b> KF-3 (PG)	200-300	200 100	-1 +3	10/10 10/10
<b>Benzophenone</b> EK-346 (CMC)	>600	600 400 200	-2 +2 -2	10/10 10/10 10/10
<b>4-Bromobenzophenone</b> DO-3 (PG)	100-200	100 50	+4 0	10/10 10/10

## (KETONES and PHENONES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
p-Aminobenzophenone A-233 (PG)	300	100 50 25	+1 +2 +1	8/10 8/10 10/10
4-Methyl benzophenone DO 54 (PG)	250-500	250 100	-2 0	10/10 10/10
2,4-Dihydroxybenzophenone ND-54 (NaHCO <sub>3</sub> and H <sub>2</sub> O) DO-28 (PG)	1,000 100-200	300 200 100 50	+2 0 -1 0	10/10 10/10 10/10 10/10
2-Hydroxy-4-methoxy benzo- phenone CY-9 (PG)	300-400	300 100	0 -1	10/10 10/10
4,4'-Dichlorobenzophenone DO-4 (PG)	200-300	200 100	+6 0	8/10 10/10
2,4'-Benzophenone dicarboxylic acid ND-56 (NaHCO <sub>3</sub> and H <sub>2</sub> O)	>1,000	500 200	0 -4	10/10 10/10
2,2'-Dihydroxy-4-n-octoxy- benzophenone CY-18 (PG)	200	50 25	0 +4	10/10 10/10
2-Hydroxy-5-phenyl-propiophenone DO-2 (PG)	300	200 100	+2 -2	10/10 10/10
Dibenzoylethylene ND-57 (PG)	25-50	25 10	-8 0	10/10 10/10
$\beta$ -Benzylmethylamino propio- phenone hydrochloride EL-85 (H <sub>2</sub> O)	100-200	100 50	-1 +1	10/10 10/10
1,4-Naphthoquinone CY-10 (PG)	10-25	5 1	-4 +2	10/10 10/10
2,3-Dimethyl-1,4-naphthoquinone SN-29 (PG)	100-200	100 50	-1 -3	10/10 10/10
4,4'-Bis(dimethylamino)- thiobenzophenone EK-6641 (CMC)	>1,000	1,000 500	-1 +4	10/10 10/10
N,N,N',N'-Tetraethyl-4,4'-di- aminobenzophenone ND-58 (PG)	>1,000	500 200	+1 0	10/10 10/10



**(KETONES and PHENONES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2,5-Bis(phenyl thio)-p-benzo- quinone PD-18 (Sesame oil)	100-200	100 50	-3 0	10/10 10/10
4',5,7-Trihydroxy flavonone (Naringin) CF-4 (H <sub>2</sub> O)	>1,000	1,000 500	+1 -1	10/10 10/10
3,3',4',5,7-Pentahydroxy flavonone Quercetin A-8672 (H <sub>2</sub> O); CF-1 (H <sub>2</sub> O)	>1,000	1,000 1,000 500 500	-8 -1 -3 -5	10/10 10/10 10/10 10/10
Quercitrin CF-2 (H <sub>2</sub> O)	200	100 50	0 -2	10/10 10/10
Quercetin rhamnoglucoside (Rutin) CF-5 (PG)	200-400	200 100 50	-2 +2 +1	10/10 8/10 10/10
2-Ethyl-5,6,7,8-tetrahydro- anthraquinone SO-2 (PG)	200	200 100	-4 +1	10/10 10/10
2-Ethylanthraquinone SO-1 (PG)	200-300	200 100	+3 -2	10/10 10/10
1,8-Dihydroxyanthraquinone ND-59 (PG)	500-1,000	500 200	+1 -3	10/10 10/10
1-Amino-2-sulfo-4(4'-amino- 3'-sulfoanilino) anthra- quinone ND-60 (PG)	300-600	300 200	-1 +1	8/10 10/10
4-Methyl-1-tetralone- 3-carboxylic acid ND-55 (NaHCO <sub>3</sub> and H <sub>2</sub> O)	200-300	200 100	-2 -6	10/10 10/10
Quinoxaline 1,4-di-N-oxide H-1 (H <sub>2</sub> O)	500	400 200	-2 +1	10/10 10/10

# ACIDS and THIOACIDS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Iodoacetic acid sodium salt EK-6279 (H <sub>2</sub> O)	75	20 10	-4 -1	10/10 10/10
Thiolacetic acid EK-P-737 (PG and H <sub>2</sub> O)	75	100 50	-4 +3	10/10 10/10
Acetylmercaptoacetic acid EK-P-5430 (H <sub>2</sub> O)	150	50 25	+1 +2	10/10 10/10
Propionohydroxamic acid CS-502 (H <sub>2</sub> O)	500	300 200	-3 -2	10/10 10/10
Malonic acid EK-695 (H <sub>2</sub> O)	300	100 50	-2 -2	10/10 10/10
Sodium pyruvate NB-7 (H <sub>2</sub> O)	>2,000	1,000 400	-1 -1	10/10 10/10
2-Methylalanine DO-56 (H <sub>2</sub> O)	>1,000	1,000 500	-1 -2	10/10 10/10
S-Methyl-L-cysteine CB-24 (PG)	500-1,000	500 200	0 -4	10/10 10/10
dl-Isovaline DO-64 (H <sub>2</sub> O plus heat)	>1,000	1,000 500	-2 +1	10/10 10/10
dl-2-Methyl leucine DO-57 (H <sub>2</sub> O)	750-1,000	750 500	+1 +1	10/10 10/10
Glycocyamine CB-3 (H <sub>2</sub> O plus heat)	>1,000	1,000 500	+2 +1	10/10 10/10
Iminodiacetic acid DO-55 (H <sub>2</sub> O plus heat)	250-500	250 100	0 -2	10/10 10/10
Sodium iminodiacetate monohydrate DO-24 (H <sub>2</sub> O)	300-500	300 100	-5 -2	10/10 10/10
(2-Hydroxyethyl imino)-diacetic acid DO-37 (PG)	100-200	100 50	-6 -3	10/10 10/10
Cysteine-S- $\alpha$ -propionic acid AB-2 (H <sub>2</sub> O)	>250	100	0	10/10
Fumaric acid EK-P-583 (H <sub>2</sub> O)	100-200	100 50	+1 0	10/10 10/10

**(ACIDS and THIOACIDS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Methionine sulfoxide NB-4 (H <sub>2</sub> O)	>1,500	1,000 400	+1 +3	10/10 10/10
dl-Methionine NB-5 (H <sub>2</sub> O)	>2,000	1,000 400	+1 -3	10/10 10/10
dl-Ethionine NB-6 (H <sub>2</sub> O)	>1,000	1,000 400	-1 0	10/10 10/10
N-(Chloroacetyl) methionine PD-19 (dilute NaOH)	>300	425 250	+1 +1	10/10 10/10
4,4,4-Trinitrobutyric acid SE-3 (H <sub>2</sub> O)	100-200	100 50	-1 -3	10/10 10/10
Sebacic acid HC-1 (H <sub>2</sub> O and PG)	500-1,000	300 100	-6 +2	10/10 10/10
Pantoyl taurine UCTL-4 (H <sub>2</sub> O)	>800	800 400	0 +3	16/16 16/16
N-Lauroyl amino caproic acid ND-74 (PG)	>200	200 100	-9 -6	10/10 10/10
Benzene boronic acid BO-2 (H <sub>2</sub> O)	500-1,000	300 100	0 +2	10/10 10/10
O-Iodobenzoic acid (salt) EK-572 (PG and H <sub>2</sub> O)	200-300	200 100	0 +2	10/10 10/10
p-Chloro-mercuric benzoic acid D-3 (PG and H <sub>2</sub> O)	25-50	25 10	0 0	10/10 10/10
2-Chloro-4-aminobenzoic acid NB-1 (PG and H <sub>2</sub> O)	500-750	500 200	-3 +2	10/10 10/10
Benzylmalonic acid XR-36 (H <sub>2</sub> O)	200-400	200 100	0 +4	10/10 10/10
dl-2-(3,4-Dihydroxyphenyl)- glycine DO-34 (PG)	100-300	100 50	0 +1	9/10 10/10
dl-β-(3,4-Dihydroxyphenyl) alanine EL-69 (PG)	>1,000	1,000 500	+2 +3	10/10 10/10

**(ACIDS and THIOACIDS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests:	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
6-Nitroanthranilic acid AR-382 (H <sub>2</sub> O plus heat)	>400	200	-2	10/10
		100	-1	10/10
3,5-Dichlorosalicylic acid DO-68 (PG)	50-100	50	0	10/10
		25	+1	10/10
N-(5-Chloro-2-methoxyphenyl- azo) sarcosine PD-3 (H <sub>2</sub> O)	200-300	200	-4	10/10
		100	+3	10/10
Pyromellitic acid XR-20 (H <sub>2</sub> O)	300-400	100	0	10/10
		150	+1	10/10
3-Phenylsalicylic acid DO-59 (PG)	125-250	100	-2	10/10
		50	-3	10/10
4,4'-Biphenyl dicarboxylic acid DO-69 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	500-1,000	500	-2	10/10
		300	+2	10/10

# ESTERS and THIOESTERS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Dimethyl carbonate FO-2 (H <sub>2</sub> O)	>1,500	1,000 500	+2 -1	10/10 10/10
Triethyl orthoformate KF-23 (H <sub>2</sub> O)	>1,000	1,000 500	-1 0	10/10 10/10
Glycine ethyl ester hydrochloride DO-10 (H <sub>2</sub> O)	750-1,000	1,000 500	+2 -1	10/10 10/10
Ethyl propionate EK-125 (PG and H <sub>2</sub> O)	>1,500	1,000 750	0 +1	10/10 10/10
Methyl-3-chloropropionate DO-7 (PG)	500-750	300 100	+6 -4	10/10 10/10
Tris(propionoxymethyl) nitromethane CS-1744 (PG)	300	200 100	0 +2	10/10 10/10
Isopropyl palmitate KE-5 (PG)	100-200	100 50	0 +3	10/10 10/10
Ethylene glycol monostearate KE-11 (PG)	200-300	200 100	-3 +1	10/10 10/10
Glycerol monostearate KE-7 (PG)	200-300	200 100	-1 -2	10/10 10/10
Diethylene glycol monostearate KE-8 (PG)	200-300	200 100	+2 +3	10/10 10/10
Dimethylaminoethyl methacrylate RH-3 (H <sub>2</sub> O)	25-50	25 10	+3 0	10/10 10/10
Ethyl allyl acetoacetate FO-6 (H <sub>2</sub> O)	>1,000	1,000 500	+1 -3	10/10 10/10
Diethyl acetamidomalonate DO-8 (H <sub>2</sub> O)	>1,000	1,000 500	+1 0	10/10 9/10
Diethyl (mono) propargyl malonate KF-9 (PG)	100-200	100 50	-1 +1	10/10 10/10
Propylene glycol monostearate KE-13 (PG)	200-300	200 100	0 +1	10/10 10/10
Di-2-ethylhexyl isosebacate KE-2 (PG)	200-300	200 100	+2 +3	10/10 10/10

(ESTERS and THIOESTERS)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Isooctyl palmitate KE-1 (PG)	200-300	200 100	+1 +1	10/10 10/10
Polyethylene glycol monostearate #200 KE-12 (PG)	200-300	200 100	0 -1	10/10 10/10
Polyethylene glycol monostearate #1000 KE-9 (PG)	200-300	200 100	-2 +3	10/10 10/10
Polyethylene glycol monostearate #6000 KE-14 (PG)	200-300	200 100	-1 -1	10/10 10/10
Tris (2,3-dibromopropyl) phosphate DO-41 (PG)	300-600	300 200	-4 0	10/10 10/10
Diethyl dithiol oxalate EK-2251 (PG)	50-100	50 25	-3 0	10/10 10/10
2-Ethylhexyl salicylate DO-11 (PG)	200-300	200 100	+1 -1	10/10 9/10
Methoxyethyl phthalate KE-3 (PG)	300-500	300 200	+4 +1	10/10 10/10
Zinc thioacetate TH-6 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	1-1,000	1,000 500	0 +1	10/10 10/10
Phenyl o-aminothiobenzoate MA-11 (PG)	50	25 10	+1 +1	10/10 10/10
3-Di-n-butylaminopropyl- p-aminothiobenzoate A-9869 (H <sub>2</sub> O)	200-300	200 100	+2 0	10/10 10/10
2-Diethylaminoethyl-p-amino- thiobenzoate A-9870 (H <sub>2</sub> O)	200	100 50	0 +2	10/10 10/10
Zinc thiobenzoate TH-5 (H <sub>2</sub> O)	50-100	50 20	1 0	10/10 10/10
2-Acetamidophenyl thioacetate AB-14 (PG and H <sub>2</sub> O)	100-200	100 50	+3 +2	10/10 10/10
N-Lauryl caprolactam ND-72 (PG)	100-200	100 50	8 9	10/10 10/10

**(ESTERS and THIOESTERS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N-Lauroyl caprolactam ND-73 (PG)	100-200	100 50	-1 -1	9/10 10/10
Diphenyl phosphate dihydrate DO-13 (H <sub>2</sub> O)	500-750	200 100	-2 -1	10/10 10/10
Tris(2-chloro-2-nitro-1-butyl) phosphate CS-26 (PG)	100-200	100 50	-2 +1	9/10 10/10
2-Nitro-2-methyl trimethylene sulfite CS-399 (PG)	300-500	300 200	+1 -2	10/10 10/10
Triisopropanolamine borate BO-3 (H <sub>2</sub> O)	>1,000	1,000 500	-3 +1	10/10 10/10
Trihexylene glycol biborate BO-1 (PG)	750-1,000	500 300	-4 0	10/10 10/10

# AMIDES and THIOAMIDES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Chloroacetamide DO-29 (H <sub>2</sub> O)	100-200	100 50	+1 -3	10/10 10/10
Iodoacetamide D-1 (PG and H <sub>2</sub> O)	50-100	50 25 10	-5 -2 0	10/10 10/10 10/10
2-Chloro-N-methyl acetamide DO-35 (PG)	100-200	100 50	-6 -3	10/10 10/10
Cyanoacetamide KF-14 (PG)	200-300	200 100	-2 -1	10/10 10/10
Cyanoacethydrazide KF-18 (H <sub>2</sub> O)	100-200	100 50	+1 +1	10/10 10/10
Crude thioglycolamide (sol. of thioglycolamide and ammonium thiocyanate) HA-3 (PG)	300-400	300 100	+2 +2	10/10 10/10
Methacrylamide RH-1 (H <sub>2</sub> O)	200-300	200 100	+1 -1	10/10 10/10
Dibromopropamide isothionate XR-16 (H <sub>2</sub> O)	50-100	50 25	-7 -1	10/10 10/10
Dithiodiglycolamide HA-4 (PG)	100-200	100 50	+2 +1	10/10 10/10
Thiodipropionamide HA-8 (PG)	>1,000	1,000 500	-5 -2	10/10 10/10
Trithiodipropionamide HA-1 (PG)	100-200	100 50	-1 -1	10/10 10/10
γ-Hydroxy-γ-cyano valeramide A-5682 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -2	10/10 10/10
N,N-Dimethyllevulinamide Q-7 (PG)	200-300	200 100	-2 0	10/10 10/10
N-Tris(hydroxymethyl) methyl lauramide ND-75 (PG)	200	100 50 25	-10 -2 0	10/10 10/10 10/10



## (AMIDES and THIOAMIDES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Thioacetamide		600	+1	10/10
EK-1719 (H <sub>2</sub> O)	500-1,000	400	+1	10/10
CB-21 (H <sub>2</sub> O)	300-500	300	0	10/10
		200	+1	10/10
		100	0	10/10
N,N-Dimethyl-tert-butyl- sulfenarnide				
B-28 (PG)	200-300	200	+2	10/10
		100	+5	10/10
Acetanilid				
EK-3 (PG)	500	300	+1	9/10
		100	+2	10/10
Amino-acetanilid				
EK-13 (H <sub>2</sub> O)	750-1,000	750	-2	10/10
		400	+1	10/10
		200	+2	10/10
4-Bromo-acetanilide				
DO-40 (PG)	250-500	250	-6	10/10
		100	0	10/10
m-Trifluoromethyl acetanilide				
MA-14 (PG and H <sub>2</sub> O)	250-300	200	-1	10/10
		100	+3	10/10
Acetoacetanilide				
EK-1239 (PG and H <sub>2</sub> O)	300-500	300	+3	10/10
		150	-1	10/10
α-Mercaptoacetanilide carbamate				
EK-734B (PG)	400-500	400	+2	9/10
		200	+3	7/10
Thioacetanilide				
EK-1902 (CMC)	300-400	300	-1	10/10
		200	+5	10/10
		100	+2	10/10
Thiobenzanilide				
EK-2010 (CMC)	100-200	100	-1	10/10
		50	0	10/10
p-Aminobenzene sulfonilamide (sulfanilamide)				
EK-4378 (H <sub>2</sub> O); SN-7	>1,000	1,000	-3	10/10
		300	0	10/10
		200	-1	10/10
Bis 4,4'-thio sulfonamide				
LO-2 (PG)	200-300	200	-1	10/10
		100	+1	10/10
4,4'-Dithio-bis-n-diazinyl sulfonamide				
LO-4 (PG)	100	50	-2	10/10
		25	+1	10/10
o,o'-Dibenzamido-diphenyl- disulfide				
CY-8 (PG)	100-200	100	+1	10/10
		50	+2	10/10

**(AMIDES and THIOAMIDES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
p-Chlorobenzene sulfonamide MA-3 (PG)	200-300	200 100	-4 +3	10/10 10/10
p-Aminobenzenesulphonyl- taurylamide SN-4 (H <sub>2</sub> O)	500-600	500 100	-1 -3	10/10 10/10
N,N-Bis(cyanoethyl) benzene sulfonamide BE-1 (PG)	100-200	100 50	+3 -3	10/10 10/10
Dithiooxamide EK-4394 (PG and H <sub>2</sub> O) B-43 (PG)	100-200	150 100 100 50 50 50 20	+1 -1 -3 -3 -1 +3 +2	10/10 10/10 10/10 10/10 10/10 10/10 10/10
Dithiooxamide MK-6 (PG)	100-200	100 50	-3 -1	10/10 10/10
N,N'-Dimethyldithiooxamide MK-4 (PG)	50-100	50 25	0 +1	7/10 8/10
N,N'-Diethyldithiooxamide MK-20 (PG)	25	10 5	-4 -1	10/10 8/10
N,N'-Di-n-propyldithiooxamide MK-18 (PG)	25	20 10	-4 -1	10/10 10/10
N,N'-Di-n-pentyldithiooxamide MK-22 (PG)	25-50	25 10	0 +1	10/10 8/10
N,N'-Di-n-hexyldithiooxamide MK-45 (PG)	100-200	100 50	-1 -3	9/10 10/10
N,N'-Dioctyl dithiooxamide MK-77 (PG)	200-300	200 100	-3 -1	10/10 9/10
N,N'-Didodecyldithiooxamide MK-7 (PG)	100-200	100 50 25	0 0 -1	7/10 6/10 10/10
N,N'-Dioctadecyldithiooxamide MK-34 (PG)	200-300	200 100	0 >18	10/10 3/10
N,N'-Di(10-nonadecyl)- dithiooxamide MK-51 (PG)	200	200 100 50	+4 +4 +2	6/10 7/10 8/10

**(AMIDES and THIOAMIDES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N,N'-Bis(3-hexylundecyl) dithiooxamide MK-48 (PG)	200-300	200 100	0 +2	9/10 9/10
N,N'-Bis(arneen TD)- dithiooxamide MK-74 (PG)	200	100 50	-2 +2	10/10 9/10
N,N'-Bis(arneen CD)- dithiooxamide MK-75 (PG)	200	100 50	-2 +7	10/10 6/10
N,N'-Diallyldithiooxamide MK-86 (PG)	50-100	50 25	-1 +17	10/10 5/10
N,N'-Bis(2-hydroxyethyl) dithiooxamide MK-5 (PG)	750	300 200 100	+2 +15 +1	8/10 5/10 9/10
N,N'-Bis(2-hydroxy-1-propyl) dithiooxamide MK-52 (PG)	100-200	100 50	-2 +2	10/10 9/10
N,N,N',N'-Tetraethyl dithio- oxamide MK-78 (PG)	100-200	100 50	-4 -4	10/10 10/10
N,N'-Bis(2-dimethylaminoethyl) dithiooxamide MK-53 (PG)	200-300	200 100	-7 +2	10/10 8/10
N,N'-Bis(3-dimethylaminopropyl) dithiooxamide MK-43 (PG)	100-200	100 50	0 +2	10/10 6/10
N,N'-Bis(carboxymethyl) dithiooxamide MK-3 (PG)	200-300	200 100 50	-7 0 -3	10/10 9/10 10/10
N,N'-Bis(1-carboxyethyl) dithiooxamide MK-29 (PG)	200-300	200 100	-5 -1	10/10 10/10
N,N'-Bis(1-carboxypropyl) dithiooxamide MK-31 (PG)	100-200	150 100	-4 +1	10/10 10/10
N,N'-Bis(3-carboxypropyl) dithiooxamide MK-32 (PG)	200-300	200 100	0 -4	10/10 10/10

**(AMIDES and THIOAMIDES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N,N'-Bis(5-carboxypentyl) dithiooxamide MK-12 (PG)	200-300	200 100	-4 +2	10/10 5/10
N,N'-Bis(carbethoxymethyl)- dithiooxamide MK-64 (PG)	200	100 50	+1 +2	10/10 6/10
N,N'-Bis(3-methoxy-1-propyl) dithiooxamide MK-44 (PG)	100	50 25	+2 -2	9/10 8/10
N,N'-Bis(dodecyloxycarbonyl- methyl) dithiooxamide MK-79 (PG)	100-200	100 50	-7 -4	10/10 9/10
N,N'-Bis(2-acetoxyethyl) dithiooxamide MK-54 (PG)	100-200	100 50	-1 -3	7/10 9/10
N,N'-Bis(3-triethoxysilyl- propyl) dithiooxamide MK-70 (PG)	200	100 50	0 +2	9/10 9/10
N,N'-Bis(2-sulfoethyl) dithio- oxamide, disodium salt MK-35 (PG)	>1,000	500 300	+1 -1	9/10 10/10
N,N'-Bis(4,7-dioxo-9-hydroxy- 1-nonyl) dithiooxamide MK-84 (PG)	200-300	200 100	-2 -2	10/10 10/10
N,N'-Diglucityl dithiooxamide MK-90 (PG)	100-200	100 50	-1 +1	10/10 10/10
MK-83 (PG)	200-300	200 100 50	-4 -1 +2	2/3 9/10 8/10
N,N'-Difurfuryl dithiooxamide MK-40 (PG)	100-200	100 50	-1 +7	10/10 6/10
N,N'-Dibenzyl dithiooxamide MK-1 (PG)	50-100	50 25	-3 -2	10/10 10/10
N,N'-Dicyclohexyl dithiooxamide MK-2 (PG)	>1,000	500 200 100 50	-8 -6 -4 -4	10/10 10/10 10/10 10/10

**(AMIDES and THIOAMIDES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N,N'-Bis(α-methylbenzyl) dithiooxamide MK-69 (FG)	50-100	25 10	-2 0	10/10 9/10
N,N'-Bis(o-chlorobenzyl) dithiooxamide MK-63 (PG)	25	10 5	-2 -1	10/10 10/10
N,N'-Bis(p-chlorobenzyl) dithiooxamide MK-62 (PG)	100-200	100 50	-4 -3	10/10 10/10
N,N'-Bis[2-(N-ethyl-m-toluidine)- ethyl] dithiooxamide MK-67 (PG)	200	100 50	-4 -3	10/10 8/10
N,N'-Bis(p-dodecylbenzyl)- dithiooxamide MK-76 (PG)	200	100 50	-2 -1	10/10 9/10
N,N'-Ditrityl dithiooxamide MK-82 (PG)	200-300	200 100	-5 -3	10/10 10/10
Poly-1,4-bis(aminomethyl- cyclohexane) dithiooxamide MK-81 (CMC)	500-1,000	500 300	-4 -3	10/10 10/10
N,N'-Bis(2-pyridylmethyl)- dithiooxamide MK-68 (PG)	100-200	100 50	-4 +1	10/10 7/10
N,N'-Di(9-xanthenyl)dithio- oxamide MK-71 (PG)	200	100 50	-2 +3	10/10 5/10
Kessco χ-188 (fatty alkylolamide) KE-4 (PG)	200-300	200 100	+2 +1	10/10 10/10
Kessco χ-159 (fatty alkylolamide) KE-10 (PG)	100-200	100 50	-2 +2	10/10 10/10

# CARBAMATES and THIOCARBAMATES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Butyl carbamate		300	0	10/10
FO-1 (H <sub>2</sub> O)	>1,000	200	-2	10/10
EL-101 (PG)	200-300	200	+1	10/10
		100	0	10/10
$\beta$ -Aminoethyl carbamate		1,000	-1	10/10
DO-48 (H <sub>2</sub> O)	>1,000	500	-2	10/10
1,2-Dicarbamate ethane		1,000	+1	10/10
EL-103 (PG)	>1,000	500	+2	10/10
2-Ethynyl-2-butyl carbamate		100	-3	10/10
EL-108 (PG)	100-200	50	+1	10/10
Octyl carbamate		100	-3	10/10
EL-102 (PG)	100-200	50	0	10/10
Dodecyl carbamate		500	-1	10/10
FO-4 (H <sub>2</sub> O)	>1,000	300	+2	10/10
Cyclohexyl carbamate		100	+3	10/10
EL-104 (PG)	200	50	+1	10/10
1-Ethynylcyclohexyl carbamate		250	-2	10/10
EL-42 (H <sub>2</sub> O and PG)	300-500	100	+2	10/10
1-Vinylcyclohexyl carbamate		300	-4	10/10
EL-39 (PG)	300-500	100	+1	10/10
1-Ethyl cyclohexyl carbamate		300	-7	10/10
EL-37 (PG)	500	200	+2	9/10
		100	+2	10/10
		50	+3	10/10
3,5-Dimethyl-1-ethynyl cyclo- hexyl carbamate		100	-4	10/10
EL-106 (PG)	100-200	50	+2	10/10
4-t-Butyl-1-ethynyl cyclohexyl carbamate		100	+1	10/10
EL-107 (PG)	200	50	+2	10/10
Isopropyl-N-phenyl carbamate		100	-5	10/10
D-9 (PG)	200-300	50	+3	7/10
		25	-1	9/10
Isopropyl-o-methyl carbanilate		200	0	10/10
EL-74 (PG)	200-300	100	+3	8/10

**(CARBAMATES and THIOCARBAMATES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Isopropyl-p-methyl carbanilate EL-72 (PG)	150-200	100 50	+3 +2	10/10 10/10
m-Chlorophenyl-carbamic acid isopropyl ester B-25 (PG)	>1,000	1,000 500	0 +3	8/10 10/10
N-Phenacyl ethyl urethane EL-109 (PG)	100	50 25	0 +1	10/10 10/10
(9-Ethynyl fluorenyl) carbamate EL-105 (PG)	200	100 50	-3 +1	10/10 9/10
$\alpha$ -(Thio carbamyl)acetanilide UCTL-1744 (PG and H <sub>2</sub> O)	50-100	50	0	10/10
p,p'-Bis( $\alpha$ -thiol carbamyl- acetamido) biphenyl UCTL-1766 (H <sub>2</sub> O)	200	100	+3	10/10
Manganous methyl dithiocarbamate P-4 (CMC)	>1,000	1,000 500	-1 -2	10/10 10/10
Zinc dimethyl dithiocarbamate P-2 (CMC)	200	100 50	-3 +2	10/10 10/10
Ferrous dimethyl dithiocarbamate P-3 (CMC)	>1,000	1,000 500	-2 +2	10/10 10/10
Copper alkyl dithiocarbamate B-34 (PG)	100	75 40 10	-4 -4 -2	10/10 10/10 9/10
Zinc dibutyl dithiocarbamate GY-5 (PG)	100	50 25	+1 0	10/10 10/10
Tetra-methylthiuram monosulfide EK-P-6255 (PG and H <sub>2</sub> O) B-32 (PG)	300-500	300 250 150 100	-3 0 +3 +4	10/10 10/10 9/10 8/10
Dimethyldithiocarbamic acid dimethylammonium salt EK-812 (H <sub>2</sub> O)	>500	750 500 250	+6 +1 0	5/10 9/10 10/10
Glycidyl dimethyldithiocarbamate T-13 (PG)	200-300	100 50	+2 -4	8/10 10/10

**(CARBAMATES and THIOCARBAMATES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N,N'-Dimethyl-tert-butyl- sulfonyldithiocarbamate B-20 (PG and H <sub>2</sub> O)	100-200	100	0	9/10
		50	+2	8/10
		50	0	10/10
		25	0	10/10
Methylene bis(dimethyl-dithio- carbamate) SN-32 (PG)	200	100	+1	10/10
		50	+4	10/10
		25	-1	10/10
Bis(dimethylthiocarbamyl) disulfide (Thiuram) P-5 (CMC); B-30 (PG); EK-2089 (CMC)	200-300	200	-3	10/10
		150	0	10/10
		150	+3	9/10
		100	+1	10/10
		100	-2	10/10
		100	-3	10/10
2-Nitrophenyl thiodimethyl dithiocarbamate SN-33 (PG)	300	200	0	10/10
		100	+1	10/10
		50	-2	9/10
		25	-1	10/10
2,4-Dinitrophenyl-dimethyl- dithiocarbamate SN-31 (PG)	200	100	0	10/10
		50	+3	8/10
		25	+1	9/10
5-Amino-1,2,4-thiadiazole- 3-thiol hydrochloride A-10967 (H <sub>2</sub> O)	10-25	10	0	10/10
		5	-1	10/10
4-Methyl-5-methylimino- 1,2,4-dithiazolidine- 3-thione monohydrobromide PD-8 (PG)	100-200	100	+2	9/10
		50	+1	9/10
Thiuret hydrochloride B-48 (H <sub>2</sub> O)	50-100	50	-5	10/10
		20	+1	10/10
4-Chlorobenzyl N,N-dimethyl- amino dithiocarbamate T-5 (PG)	200-300	200	-1	10/10
		100	-2	10/10
Carbo-4-chloro-phenoxyethyl dimethyl dithiocarbamate T-12 (PG)	200-400	200	0	10/10
		100	-2	10/10
2-Dimethyl dithiocarbamyl benzothiazole T-7 (PG)	100-200	100	+1	9/10
		50	+2	10/10



**(CARBAMATES and THIOCARBAMATES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Diethyl dithiocarbamic acid (sodium salt) EK-2596 (H <sub>2</sub> O)	>400	1,000	+2	10/10
		800	-1	10/10
		600	+3	10/10
		400	-1	10/10
		400	-1	10/10
Diethyldithiocarbamic acid diethylammonium salt EK-2635 (H <sub>2</sub> O)	500-1,000	750	+2	8/10
		500	+2	10/10
		250	-1	10/10
3-[Bis(2-hydroxyethyl) amino- ethyl]-2-thiazolidine thione PD-2 (PG)	200-300	200	-3	10/10
		100	1	10/10
Trans-2,5-dimethyl-1-piperazine- carbodithioic acid PD-10 (PG)	200	100	0	10/10
		50	-3	10/10
Benzyl N(3-carboxypropyl) dithiocarbamate PD-6 (PG)	100-200	100	-7	10/10
		50	2	10/10
2-Mercaptobenzothiazole GY-3 (PG)	100-200	100	-2	10/10
		50	+3	10/10
2-Benzothiazolyl diethyl-di- thiocarbamate A-3841 (PG)	>1,000	500	-1	10/10
		200	-3	10/10
2-(4-Morpholinyl-thio)- benzothiazole CY-7 (PG)	100-200	100	-1	10/10
		50	-1	10/10
Zinc benzothiazyl-2-mercaptide GY-7 (PG)	200-300	200	-2	10/10
		100	3	10/10
Tetra-ethylthiuram disulfide B-33 (Cottonseed oil)	1,000	750	-2	10/10
		500	-6	10/10
		200	-3	10/10
		100	0	10/10
Bis(carboxymethyl)ethylene dithiocarbamate T-6 (PG)	500	500	3	10/10
		200	2	9/10
Sodium dibutyl dithiocarbamate (47% sol.) B-35 (H <sub>2</sub> O)	300-500	300	-5	10/10
		100	1	10/10

**(CARBAMATES and THIOCARBAMATES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Carbomethoxymethyl benzylmethyl dithiocarbamate T-11 (PG)	1,000	500 200	4 1	10/10 9/10
Carbethoxymethylmorpholinyl- dithiocarbamate T-9 (PG)	1,000	500 200	0 0	10/10 9/10
Carboxymethylpyrrolidyl- dithiocarbamate T-10 (PG)	300-500	200 100	-6 +1	10/10 10/10
Carbethoxymethyl p-chloro- phenyldithiocarbamate T-8 (PG)	200-300	100 50	+5 +1	10/10 10/10
Bis(pentamethylenethiuram)- tetrasulfide B-31 (PG)	200	100 50	-3 +2	10/10 10/10
N-Methyl-rhodanine T-2 (PG)	400	200 100	+3 +1	10/10 10/10
N-Carboxymethylrhodanine T-3 (PG)	>1,000	500 200	-4 +1	10/10 10/10
N-(4-Chlorophenyl)rhodanine T-1 (PG)	200	100 50	-2 -5	9/10 10/10
Aminomercaptothiadiazole B-46 (PG)	200-300	200 100	-3 0	10/10 10/10

# UREAS and THIOUREAS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Urea B-111 (H <sub>2</sub> O)	>1,000	1,000 750	-1 +1	10/10 10/10
Methyl allaphanate EL-70 (PG)	500	300 200	+1 +4	10/10 9/10
Hydantoic acid DO-67 (H <sub>2</sub> O)	>1,000	500 300	-5 0	10/10 10/10
3-(p-Chlorophenyl)-1,1-dimethyl- urea P-8 (PG); XR-41 (H <sub>2</sub> O and PG)	1,000	500 300 200 100	-3 +1 0 +1	10/10 10/10 10/10 10/10
1-(3,4-Dichlorophenyl)-1,1-di- methylurea P-7 (PG); XR-42 (PG and H <sub>2</sub> O)	500-1,000	1,000 500 200 100	0 -3 +1 +1	10/10 10/10 10/10 10/10
Carbanilide EK-534 (PG)	200-300	200 100 50	+2 -1 +5	10/10 10/10 10/10
1,3-Bis-(2-benzothioxoly- mercaptomethyl) urea R-18 (CMC)	100-200	100 50 25 20	-6 -6 0 -1	10/10 10/10 10/10 10/10
N,N'-Diethylcarbanilide EK-1047 (PG)	200	50 20	-1 0	10/10 10/10
Thiourea EK-497 (H <sub>2</sub> O)	100-200	100 50	+4 -3	10/10 10/10
Ethylthiourea D-7 (H <sub>2</sub> O)	>1,000	1,000 400	+2 +1	10/10 10/10
1-Acetyl-2-thiourea EK-4890 (H <sub>2</sub> O)	100-200	100 50	+1 +4	9/10 10/10
Isopropylthiourea D-6 (PG)	100-200	100 50	+4 +3	9/10 10/10
n-Butylthiourea D-5 (H <sub>2</sub> O)	300-400	300 100	+1 0	10/10 10/10
Hexanoyl thiourea B 103 (PG)	500-1,000	500 300	-2 -4	10/10 10/10

**(UREAS and THIOUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Heptanoyl thiourea B-104 (PG)	500-1,000	500 300	-3 -4	10/10 10/10
Octanoyl thiourea B-105 (PG)	500-1,000	500 300	+2 -3	10/10 10/10
1,3-Bis-(3-carboxypropyl)- thiourea MS-1 (PG)	200-300	200 100	0 -3	7/10 10/10
1,3-Bis-(5-carboxypentyl)- thiourea MS-2 (PG)	500-1,000	500 200	-9 -4	10/10 10/10
Dithiobiuret B-44 (PG); EK-P-6281	50-75	75 50 40	0 -3 0	10/10 10/10 9/10
N,N'-Bis-thiocarbamyl hydrazine B-55 (H <sub>2</sub> O)	100-200	100 50	0 -1	10/10 10/10
Thiocarbamylguanidinium ortho- phosphate A-10479 (H <sub>2</sub> O)	>1,000	1,000 500	+1 -2	10/10 10/10
Dimethylol thiourea B-74 (PG)	1,000-1,500	500 200	-1 -1	10/10 10/10
1,3-Diethyl-2-thiourea EK-1803 (PG)	500-1,000	500 200	+4 -1	9/10 10/10
N-Methyl-N'-methallyl thiourea MO-4 (H <sub>2</sub> O)	500-750	300 200	+9 0	7/10 10/10
1,3-Di-n-butyl-2-thiourea EK-2138 (PG and H <sub>2</sub> O)	800-1,000	500 200	-2 +4	10/10 10/10
6,6'-Thioureylene dihexanoic acid or (1,3-Bis(5-carboxy-pentyl)- thiourea) PD-7 (H <sub>2</sub> O)	>1,000	1,000 500	-5 -5	10/10 10/10
L-Glucosethiourea D-8 (H <sub>2</sub> O)	400	200 50	-4 +2	10/10 10/10
1-Phenyl-2-thiourea EK-1569 (H <sub>2</sub> O)	25	10 5	0 0	10/10 10/10
p-Hydroxyphenylthiourea R-75 (PG)	100-200	50 25	-1 -4	10/10 10/10

**(UREAS and THIOUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
p-Thiourea benzoic acid EL-9 (H <sub>2</sub> O)	>1,000	100	0	10/10
1-Phenyl- $\alpha$ -thiohydantoic acid EK-734A (PG)	200-300	200	+6	10/10
		100	+1	10/10
		50	+1	10/10
1,1-Diphenyl-2-thiourea EK-7087 (PG)	200	100	-2	10/10
		25	0	10/10
Thiocarbanilide EK-245 (CMC)	500-1,000	600	+1	10/10
		400	+5	9/10
		200	0	10/10
4,4'-Dimethylthiocarbanilide EK-3114 (PG)	400	200	0	10/10
		100	+1	10/10
2,2'-Dimethylthiocarbanilide EK-1651 (PG and H <sub>2</sub> O)	100	100	-3	10/10
		50	0	10/10
2,2'-Diethylthiocarbanilide EK-6859 (PG)	200	200	0	10/10
		50	+1	10/10
Phenyl-benzoyl-thiourea K-1473 (PG)	50	25	-6	10/10
		10	+3	10/10
3-Benzoyl-1-(p-tolyl)-2-thiourea K-1470 (PG)	100-200	100	-3	10/10
		50	0	10/10
3-Benzoyl-1-(o-tolyl)-2-thiourea K-1471 (PG)	100-200	100	-2	10/10
		25	-4	10/10
3-Benzoyl-1-(o-hydroxyphenyl)- 2-thiourea K-1482 (PG)	200-300	200	-4	10/10
		100	-2	10/10
3-Benzoyl-1-(p-hydroxyphenyl)- 2-thiourea K-1481 (PG)	100-200	100	0	10/10
		50	-1	10/10
3-Benzoyl-1-(p-dimethylamino- phenyl)-2-thiourea K-1467 (PG)	100	50	-1	10/10
		25	0	10/10
3-Benzoyl-1-(o-chlorophenyl)- 2-thiourea K-1469 (PG)	100-200	100	-1	10/10
		50	0	10/10
3-Benzoyl-1-(m-chlorophenyl)- 2-thiourea K-1476 (PG)	200-300	200	0	9/10
		100	+2	10/10

**(UREAS and THIOUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3-Benzoyl-1-(p-chlorophenyl)- 2-thiourea K-1477 (PG)	200	200 100	-5 -1	10/10 10/10
3-Benzoyl-1-(2,5-di-chloro- phenyl)-2-thiourea K-1466 (PG)	100-200	100 50	-4 -3	10/10 10/10
Benzoyl- $\alpha$ -naphthyl-thiourea K-1451 (PG)	100-200	100 50	-7 +4	10/10 10/10
3-Benzoyl-1-(p-biphenyl)- 2-thiourea K-1450 (PG)	100-200	100 50	-1 0	10/10 10/10
3-Benzoyl-1-(beta-naphthyl)- 2-thiourea K-1475 (PG)	200-300	200 100	-1 0	10/10 10/10
3-Benzoyl-1-( $\alpha$ -bicyclohexyl)- 2-thiourea K-1468 (PG)	100-200	100 50	-1 0	10/10 10/10
3-Benzoyl-1-[p-(phenyl-azo)- phenyl]-2-thiourea K-1480 (PG)	200-300	200 100	-5 0	10/10 10/10
1-(1-Naphthyl)-2-thiourea EK-P-5976 (PG)	10-50	10 5	0 +5	10/10 10/10
1-Ethyl-1-(1-naphthyl)- 2-thiourea EK-7162 (PG)	200	100 50	-3 0	10/10 10/10
1-Methyl-2,4-phenylene bis- 1,1'-(2-thiourea) K-1571 (PG)	500-750	500 200	0 -3	10/10 10/10
m-Phenylene-bis-benzoyl- thiourea K-1479 (PG)	100-200	100 50	-5 +1	10/10 10/10
1-Phenylene-bis-1,1'-(3-benzoyl- 2-thiourea) K-1478 (PG)	100-200	100 50	-5 +1	10/10 10/10
Thiosemicarbazide EK-1275 (H <sub>2</sub> O)	1-5	1 0.5	+3 +2	10/10 10/10

**(UREAS and THIOUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
4-Phenyl-3-thiosemicarbazide EK-5426 (H <sub>2</sub> O); EL-45 (PG)	15-25	25	+1	10/10
		15	-1	10/10
		10	-1	10/10
1-(p-Toluenesulfonyl)-4-n-butyl- thiosemicarbazide CM-1 (PG)	200-300	200	-4	10/10
		100	+1	10/10
Thiocarbohydrazide EK-7372 (H <sub>2</sub> O)	5	3	0	10/10
		1	-1	10/10
1,5-Diphenyl-3-thiocarbohydrazide EK-3110 (PG)	200	100	-3	10/10
		25	0	9/10
Diphenylthiocarbazone EK-3092 (PG)	200-300	200	+1	10/10
		100	+1	10/10
		50	+5	10/10
N,N-Diethylselenourea B-100 (PG)	10-25	10	+6	10/10
		5	+2	9/10

# ISOTHIIOUREAS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2-Aminoethylisothiuronium dichloride XR-32 (H <sub>2</sub> O)	250-350	350	>22	2/7
		300	+17	5/10
		250	>20	4/10
		200	+ 4	10/10
		100	+ 6	9/10
2-Aminoethylisothiuronium dibromide XR-31 (H <sub>2</sub> O)	400-500	450	>22	1/10
		400	>20	3/10
		350	>24	2/10
		300	+ 2	10/10
		200	+ 2	10/10
2-Aminoethylisothiuronium diiodide B-54 (H <sub>2</sub> O)	900-1,000	850	>20	4/10
		750	+ 6	7/10
		500	+ 5	10/10
		200	+ 1	10/10
2-Aminoethylisothiuronium sulfate B-53 (H <sub>2</sub> O)	300-400	500	+13	4/6
		400	>18	0/6
		300	+12	5/10
		200	5	9/10
		50	- 1	9/10
2-Aminoethylisothiuronium dinitrate B-52 (H <sub>2</sub> O)	500-600	400	+18	5/10
		200	- 1	10/10
		50	+ 3	10/10
2-Aminoethylisothiuronium phosphate B-79 (H <sub>2</sub> O)	500-1,000	500	0	10/10
		200	-4	10/10
2-Aminoethylisothiuronium acetate XR-33 (H <sub>2</sub> O)	>2,000	1,500	0	10/10
		1,000	+2	10/10
		750	+1	10/10
		500	+5	10/10
		300	+1	10/10
		250	0	10/10
2-Aminoethylisothiuronium diacetate B-13 (H <sub>2</sub> O)	500-1,000	200	+4	10/10
		500	+2	10/10
		200	-5	10/10
2-Aminoethylisothiuronium perchlorate B-118 (H <sub>2</sub> O)	500-750	100	-4	10/10
		300	>20	0/5
		250	+10	7/10
Acetyl isothiuronium chloride B-101 (H <sub>2</sub> O)	100-200	200	0	7/10
		100	-2	10/10
		50	+2	10/10



**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
S-Acetyl-1-phenyl thiourea EL-93 (PG)	25-50	10 5	-1 +2	10/10 10/10
N-Methylaminoethyl isothiuronium sulfate B-87 (H <sub>2</sub> O)	100-200	100 50	+3 -2	9/10 10/10
1-Acetyl-2-(2-methylaminoethyl)- isothiuronium sulfate B-86 (H <sub>2</sub> O)	50-100	50 25	+2 -1	10/10 10/10
N-Ethyl-2-aminoethyliso- thiuronium sulfate B-85 (H <sub>2</sub> O)	100	50 25	+2 -1	10/10 10/10
N-Ethyl-2-aminoethyliso- thiuronium diacetate B-60 (H <sub>2</sub> O)	200-300	200 100	-1 +1	10/10 10/10
2-Isopropylaminoethyliso- thiuronium sulfate B-115 (H <sub>2</sub> O)	200-300	100 50	0 -1	10/10 10/10
2-Tert-butyl aminoethyl iso- thiuronium sulfate B-114 (H <sub>2</sub> O)	200-300	200 100	-7 +2	10/10 10/10
2-Diethylaminoethylisothiuronium chloride A-173 (H <sub>2</sub> O)	100-200	100 50	-2 -2	10/10 10/10
N-Butyl-2-aminoethylisothio- urea dihydrochloride EL-1 (H <sub>2</sub> O)	>30	20 10	+2 +1	10/10 10/10
N-Butyl-2-aminoethylisothio- urionum sulfate B-89 (H <sub>2</sub> O)	100	50 25	+1 0	10/10 10/10
1-Acetyl-2-(2-butylaminoethyl)- isothiuronium sulfate B-88 (H <sub>2</sub> O)	25-50	25 15	+1 -4	10/10 10/10
4-(2-Aminothiazolyl)methyl- isothiuronium dichloride A-1149 (H <sub>2</sub> O)	200-300	200 100	+2 -2	10/10 10/10
2-Phenacylamino-1-ethyliso- thiourea hydrochloride EL-88 (H <sub>2</sub> O)	100-200	100 50	-1 +2	10/10 10/10

**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Methylene isothiourea dihydro- bromide EL-95 (H <sub>2</sub> O)	100	50 25	-1 +3	10/10 10/10
Ethyl-di(isothioureaethyl)- amine trihydrochloride EL-8 (PG and H <sub>2</sub> O)	30-50	25	+1	10/10
3-[2-(Isothioureido)ethyl thio] propyl isothiourea dihydro- chloride EL-71 (H <sub>2</sub> O)	100-200	100 50	+3 +6	10/10 7/10
N,N-Bis-(2-guanythioethyl)- methylamine trihydrochloride A-760 (H <sub>2</sub> O)	200	50 25	. -1	10/10 10/10
Trimethyleisothiuronium bromide IN-2 (H <sub>2</sub> O)	200-300	200 100	-1 +2	10/10 10/10
Decane-1,10-diisothiourea dihydrobromide EL-92 (H <sub>2</sub> O)	100	50 25	-3 +3	10/10 10/10
1,10-Decane bis-(1,3,3-tri- methyl-2-isothiourea) dihydrobromide EL-90 (H <sub>2</sub> O)	50-100	20 10	-2 +3	10/10 10/10
1-Methyl-2-(2-aminoethyl)- isothiuronium sulfate B-72 (H <sub>2</sub> O)	300-400	300 100	0 -2	8/10 10/10
1-Ethyl-2-(2-aminoethyl)- isothiuronium sulfate B-71 (H <sub>2</sub> O)	100-200	100 25	-2 -4	10/10 10/10
1-Ethyl-2-(2-aminoethyl)- isothiuronium dibromide B-61 (H <sub>2</sub> O)	100-200	100 25	+2 -2	10/10 10/10
1-Acetyl-2-(2-aminoethyl)- isothiuronium dichloride B-8 (H <sub>2</sub> O)	400-500	400 200	+1 +2	10/10 9/10
1-Acetyl-2-(2-aminoethyl)- isothiuronium sulfate B-70 (H <sub>2</sub> O)	500-600	400 300 200 100	>19 + 8 >19 + 2	2/10 10/10 2/10 9/10

**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-Acetyl-2-(2-aminoethyl)- isothiuronium acetate B-56 (H <sub>2</sub> O)	300	100 50 20	-1 -4 +5	10/10 10/10 10/10
1-Allyl-2-(2-aminoethyl)- isothiuronium sulfate B-68 (H <sub>2</sub> O)	100-200	100 50	+3 +1	10/10 10/10
Hexanoyl-2-(2-aminoethyl)- isothiuronium sulfate B-106 (H <sub>2</sub> O)	400-500	300 100	-1 +1	10/10 10/10
Heptanoyl-2-(2-aminoethyl)- isothiuronium sulfate B-107 (H <sub>2</sub> O)	400-500	300 100	-1 +2	10/10 10/10
Octanoyl-2-(2-aminoethyl)- isothiuronium sulfate B-108 (H <sub>2</sub> O)	500-750	500 300	-5 +1	10/10 10/10
1,3-Dimethyl-2-(2-aminoethyl)- isothiuronium sulfate B-83 (H <sub>2</sub> O)	200-300	150 100	-3 +1	9/10 10/10
1,3-Diethyl-2-(2-aminoethyl)- isothiuronium dibromide B-64 (H <sub>2</sub> O)	50-100	50 25	-3 -2	10/10 10/10
1,3-Diethyl-2-(2-aminoethyl)- isothiuronium sulfate B-69 (H <sub>2</sub> O)	50-100	50 25	+2 -1	10/10 10/10
N-Methyl-N-methylallyl-2-(2-amino- ethyl)-isothiuronium sulfate B-97 (H <sub>2</sub> O)	5-10	5 2	0 0	10/10 10/10
1,3-Di-isopropyl-2-(2-amino- ethyl)-isothiuronium sulfate B-66 (H <sub>2</sub> O)	100-200	100 50	+4 +1	10/10 10/10
1,3-Di-n-butyl-2-(2-aminoethyl)- isothiuronium sulfate B-67 (H <sub>2</sub> O)	25-50	25 10	+4 0	10/10 10/10
1,1,3,3-Tetramethyl-2-amino- ethyl-isothiuronium di- bromide B-92 (H <sub>2</sub> O)	5-7.5	5 1	-4 -2	10/10 10/10

**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-Phenyl-2-(2-aminoethyl)- isothiuronium sulfate B-65 (H <sub>2</sub> O)	100	50 25	-3 0	10/10 10/10
1-Phenyl-2-(2-aminoethyl)- isothiuronium dibromide B-62 (H <sub>2</sub> O)	75-100	75 25	0 +2	10/10 10/10
1-Methyl-1-phenyl-2-(2-amino- ethyl)-isothiuronium sulfate B-96 (H <sub>2</sub> O)	>200	100 50	-1 0	10/10 10/10
1-(p-Nitrophenyl)-2-(2-amino- ethyl)-isothiuronium sulfate B-80 (H <sub>2</sub> O)	300-500	300 100	+17 +2	5/10 10/10
1-(p-Hydroxyphenyl)-2-(2-amino- ethyl)-isothiuronium sulfate B-73 (H <sub>2</sub> O)	100-200	100 25	-4 -1	10/10 10/10
1-(m-Tolyl)-2-(2-aminoethyl)- isothiuronium sulfate B-84 (H <sub>2</sub> O)	100-200	75 25	+1 -6	9/10 10/10
m-Chlorophenyl-2-(2-aminoethyl)- isothiuronium sulfate B-98 (H <sub>2</sub> O)	100	50	-1	10/10
1-[4(p-Propionylphenylazo)- 3-hydroxyphenyl]-2-(2-amino- ethyl)-isothiuronium sulfate B-82 (H <sub>2</sub> O)	50-100	50 25	-2 -3	10/10 10/10
1-p-Tolyl-2-(2-aminoethyl)- isothiuronium sulfate B-95 (H <sub>2</sub> O)	50-100	50 25	0 0	10/10 10/10
1-(α-Naphthyl)-2-(2-aminoethyl)- isothiuronium sulfate B-76 (H <sub>2</sub> O)	50-100	50 25	0 4	10/10 10/10
1-(β-Naphthyl)-2-(2-aminoethyl)- isothiuronium sulfate B-77 (H <sub>2</sub> O)	100-200	100 50	0 7	10/10 10/10
α-Biphenyl-2-(2-aminoethyl)- isothiuronium sulfate B-99 (H <sub>2</sub> O)	100-200	100 50	5 2	10/10 10/10

## (ISOTHIUREAS)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-Ethyl-1-( $\alpha$ -naphthyl)-2-(2-aminoethyl)-isothiuronium sulfate B-81 (H <sub>2</sub> O)	50-100	50 25	0 1	10/10 10/10
1 (L-Glucose)-2-(2-aminoethyl)-isothiuronium dibromide B-63 (H <sub>2</sub> O)	500-750	500 200	+11 +3	10/10 9/10
Ethylene-2-(2-aminoethyl)-isothiuronium dichloride B-11 (H <sub>2</sub> O)	2-200	200 100 50	+1 +5 3	10/10 10/10 10/10
2-(Acetylaminooethyl)-isothio-barbituric acid B-38 (H <sub>2</sub> O)	1,000-2,000	1,000 500	-3 +4	10/10 9/10
N-[2-(3-Benzylthiazolidylidene)]-aniline A-841 (PG)	200-300	200 100	-2 0	10/10 10/10
2-(Acetamido-tert-butyl)-isothiosemicarbazide B-39 (H <sub>2</sub> O)	2,000	1,000 500	-2 +2	10/10 10/10
Guanyl disulfide dihydrochloride A-11071 (H <sub>2</sub> O)	100-200	100 50	2 -2	10/10 10/10
2-Aminobutyl isothiuronium sulfate B-94 (H <sub>2</sub> O)	50-75	50 25	+1 +1	10/10 10/10
2-Aminopropylisothiuronium sulfate B-90 (H <sub>2</sub> O)	250-500	250 100	-22 +7	1/10 9/10
2-Amino-2-methylpropylisothiuronium sulfate B-91 (H <sub>2</sub> O)	200-300	200 100	-22 +5	4/10 10/10
D(-) Erythro-3-amino-2-butylisothiuronium sulfate B-117 (H <sub>2</sub> O)	100-200	100 50	+3 0	10/10 10/10
dl-Threo-3-amino-2-butylisothiuronium sulfate B-109 (H <sub>2</sub> O)	200	200 100	+3 4	10/10 10/10

**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
<b>2-Amino-pentyl-isothiuronium sulfate</b> B-113 (H <sub>2</sub> O)	50-100	50 25	-4 +2	10/10 10/10
<b>Mixture of:</b> <b>α-Methyl-β-propyl aminoethyl isothiuronium sulfate</b> <b>α-Propyl-β-methyl aminoethyl isothiuronium sulfate</b> B-125 (H <sub>2</sub> O)	50-100	50 25	+1 0	10/10 10/10
<b>3-Amino-3-methyl-2-butyl isothiuronium sulfate</b> B-110 (H <sub>2</sub> O)	100-200	100 50	0 -6	10/10 10/10
<b>α-Propyl-β,β-dimethyl aminoethyl-isothiuronium sulfate</b> B-126 (H <sub>2</sub> O)	10-25	10 5	-1 +1	10/10 10/10
<b>α-Phenyl aminoethyl-isothiuronium sulfate</b> B-123 (H <sub>2</sub> O)	25-50	25 10	1 -3	10/10 10/10
<b>2-Amino-1-phenyl-propyl-isothiuronium sulfate</b> B-112 (H <sub>2</sub> O)	5-10	7.5 5	+2 -1	10/10 10/10
<b>1-Phenyl-2-aminobutyl-isothiuronium sulfate</b> B-116 (H <sub>2</sub> O)	5-10	5 1	+1 -2	10/10 10/10
<b>α-Phenyl-β,β-dimethyl aminoethyl-isothiuronium sulfate</b> B-124 (H <sub>2</sub> O)	20-25	10 5	0 0	10/10 9/10
<b>1-Benzoyl-2-(acetamido-tert-butyl) isothiohydantoin</b> B-49 (PG)	200-300	200 100	-1 +2	10/10 10/10
<b>1-Acetyl-2-(acetamido-tert-butyl) isothiohydantoin</b> B-37 (H <sub>2</sub> O)	300	200 100	+1 1	10/10 10/10
<b>3,6-Bis-(2-guanylbioethyl)-2,5-diketopiperazine dihydrochloride</b> A-4006 (H <sub>2</sub> O)	100-200	100 50	0 -1	10/10 10/10

**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
4-Phenyl-6-oxy-pyrimidine- 2-thioglycolic acid (sodium salt) EL-6 (PG and H <sub>2</sub> O)	25-50	25 10	+3 -3	10/10 10/10
Allyl-isothiurea hydrobromide EL-13 (H <sub>2</sub> O)	>100	100 25	+1 0	10/10 10/10
S-(n-Butyl)-isothiurea hydro- chloride EL-89 (H <sub>2</sub> O)	500-750	500 200	+2 +2	5/10 10/10
2-Octyl-2-thiopseudourea mono- hydrochloride PD-10 (H <sub>2</sub> O)	>100	50 25	0 -1	10/10 9/10
2-(3-Dimethyl aminopropyl)- 2-thiopseudourea dihydro- chloride PD-40 (H <sub>2</sub> O)	300-500	300 200	+1 -1	10/10 10/10
3-Diethylaminopropylisothiurea A-9337 (PG)	200-300	200 100	+2 -1	10/10 10/10
2-(2,5-Dihydroxyphenyl)-2-thio- pseudourea monohydrochloride PD-17 (H <sub>2</sub> O)	50-100	50 25	0 -3	10/10 10/10
2-Benzylisothiuronium chloride EK-2124 (H <sub>2</sub> O)	50-100	50 20	-1 +4	10/10 9/10
S-Benzylisothiuronium panto- thenate NO-1 (H <sub>2</sub> O)	100-200	50 25	+2 -1	10/10 10/10
Phenacyl isothiurea hydrochloride EL-94 (H <sub>2</sub> O)	100-200	100 50	-3 +3	10/10 10/10
Phthalimidomethylisothiuronium bromide A-964 (H <sub>2</sub> O)	100-200	50 25	+1 -1	10/10 10/10
2,2'-(p-Phenylene dimethylene) bis(2-thiopseudourea) di- hydrochloride PD-9 (H <sub>2</sub> O)	10-25	10 5	-1 -3	10/10 10/10
2,4,6-Trimethyl-m-xylylene iso- thiurea dihydrochloride EL-91 (H <sub>2</sub> O)	50-100	25 10	-3 +3	10/10 10/10

**(ISOTHIUREAS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2,2'-Oxybis-(p-phenylene- methylene)-bis-2-thio- pseudourea dihydrochloride DO-15 (H <sub>2</sub> O)	50-100	50 25	-5 -4	10/10 10/10
Bis-[p,p'-(isothiouridomethyl)- phenyl] sulfone dihydrochloride EL-4 (H <sub>2</sub> O)	50-100	50 25	+2 -1	10/10 10/10
Ethyl isothiurea hydrobromide EL-18 (H <sub>2</sub> O)	500-1,000	500 500 400	>22 + 2 + 4	3/7 10/10 7/10
3-Phthalimidopropylisothio- uronium bromide A-317 (H <sub>2</sub> O)	100-200	75 25	-1 0	10/10 10/10
1-Guanyl-mercapto-3-mercapto- benzimidazole propane di- hydrochloride EL-5 (H <sub>2</sub> O)	100	50 25	- 1 + 1	10/10 10/10
4-Amino-4-carboxy-n-butyl- isothiuronium dibromide A-404 (H <sub>2</sub> O)	500-1,000	500 200	-1 -2	10/10 10/10
Pentamethylene isothiurea dihydrobromide EL-3 (H <sub>2</sub> O)	200-500	150 50	- 3 0	10/10 10/10



# GUANIDINES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Guanidine hydrochloride EK-749 (H <sub>2</sub> O)	500	300 100	+1 +2	10/10 10/10
$\alpha$ -(Guanidino)hydrocinnamic acid A-9696 (PG)	>1,000	1,000 500	+3 0	10/10 10/10
Guanidine thiocyanate EK-705 (H <sub>2</sub> O)	300-500	300 100	+4 +1	10/10 10/10
2-Diethylaminoethylguanidinium sulfate A-7189 (H <sub>2</sub> O)	500-1,000	300 200	0 -1	10/10 10/10
Guanidoethyl disulfide (GED) B-93 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -2	10/10 10/10
1-Sulfo-3-guanylhrea A-6600 (PG)	200	100 50	+2 0	10/10 10/10
Tetramethylene bis-guanidinium sulfate A-5080 (H <sub>2</sub> O)	300-500	200 100	0 -3	10/10 10/10
Diphenylguanidine EK-1270 (PG and H <sub>2</sub> O); B-19	25-50	25	-1	8/10
		20	+1	9/10
		10	+8	10/10
Di-o-tolylguanidine A-6598 (PG)	25-50	25	-2	10/10
		10	0	10/10
1-p-Aminophenylbiguanide hydrochloride A-6599 (H <sub>2</sub> O)	200-300	200	-1	10/10
		50	5	10/10
1,3-Bis-(3-pyridyl)-2-(2-hydroxy- ethyl)guanidine A-9673 (PG)	200-300	200	0	10/10
		100	-1	10/10
1,3-Bis-(2-pyridyl)-2-(2-di- methylaminoethyl)guanidinium trichloride A-1408 (H <sub>2</sub> O)	100-200	100	0	10/10
		50	-2	10/10
$\alpha$ -Tris-(p-nitrophenyl) guanidine A-12822 (PG)	300-500	300	0	10/10
		100	+2	10/10

**(GUANIDINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1,3-Bis-(p-nitro-phenyl)- 2-p-ethoxyphenylguanidine A-12897 (PG)	>1,000	750	-8	10/10
		500	-2	9/10
		200	-2	10/10
1,3-Diacetyl-a-triphenyl- guanidine A-12969 (PG)	>500	500	-1	10/10
		200	0	10/10
N,N-Dibenzyl-2-imidazoliny- amine hydroiodide A-5424 (PG)	>1,000	200	-6	10/10
		50	-2	10/10
Guanine hydrochloride S-1 (PG)	200-300	300	-1	10/10
		200	+2	10/10
		100	0	10/10

# AMINES and IMINES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Hydroxylamine hydrochloride EK-340 (H <sub>2</sub> O)	10-25	10 5	-2 -3	10/10 10/10
Tetraethyl ammonium bromide DO-32 (H <sub>2</sub> O)	50-100	50 25	0 -2	10/10 10/10
Taurine CB-5 (H <sub>2</sub> O)	>1,000	1,000 500	-2 0	10/10 10/10
1-Amino-1-propane sulfonic acid DO-27 (H <sub>2</sub> O)	>1,000	500 200	0 -1	10/10 10/10
Sodium N-methyl tauride of cocoanut oil MO-3 (H <sub>2</sub> O)	300-500	300 100	-1 -3	10/10 10/10
N,N-Diethyl ethylenediamine AM-1 (H <sub>2</sub> O)	300-500	300 100	-9 -4	10/10 10/10
N,N-Diisopropyl ethylene- diamine AM-2 (H <sub>2</sub> O)	200	100 50	+2 +2	10/10 10/10
N'-(Butyl)-2-methyl-1,2- propanediamine CS-1745 (H <sub>2</sub> O)	200	100 50	-4 0	10/10 10/10
Menthane-1,8-diamine RH-4 (H <sub>2</sub> O)	50-100	50 25	+5 0	10/10 10/10
Benzylamine hydrochloride EL-82 (H <sub>2</sub> O)	500-750	300 100	0 +1	10/10 10/10
N-Methylbenzylamine hydro- chloride EL-81 (H <sub>2</sub> O)	300-500	200 100	-2 +1	9/10 10/10
Dimethylbenzylamine hydro- chloride EL-78 (H <sub>2</sub> O)	200	100 50	-1 +3	10/10 10/10
2-Methylbenzylamine hydro- chloride EL-49 (H <sub>2</sub> O)	200-300	200 100	+1 -1	10/10 10/10
N,N-Dimethyl-β-phenyl ethyl- amine hydrochloride EL-79 (H <sub>2</sub> O)	200-300	100 50	+3 +3	10/10 10/10

**(AMINES and IMINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Epinephrine UCTL-5 (H <sub>2</sub> O)	>5	5 3.3 3	-7 0 +3	10/10 7/10 6/10
N-Methyl-N-propargylbenzyl- amine hydrochloride A-19120, (H <sub>2</sub> O)	300	200 100	-4 +4	10/10 9/10
1-Amino-1-phenylhexane hydro- chloride EL-14 (H <sub>2</sub> O)	25-50	25 5	+2 -1	10/10 10/10
$\beta$ -Phenylethylamine hydrochloride EL-76 (H <sub>2</sub> O)	100-200	100 50	-1 +3	10/10 10/10
N-Methyl phenethylamine hydro- chloride EL-29 (H <sub>2</sub> O)	50-100	50 25	+5 -1	10/10 10/10
p-Methoxyphenethylamine EL-52 (PG)	100-200	50 25	+2 0	10/10 10/10
$\beta$ -3,4-Dichlorophenylethyl- amine hydrochloride EL-28 (H <sub>2</sub> O)	50-100	50 25	+5 +1	10/10 10/10
d-Desoxyephedrine hydrochloride EL-36 (H <sub>2</sub> O)	50-100	10 5	+2 0	10/10 10/10
2-Phenyl-1-aminobutane hydro- chloride EL-19 (H <sub>2</sub> O)	50-100	50	0	10/10
$\gamma$ -Phenyl propylamine hydro- chloride EL-41 (H <sub>2</sub> O)	50-100	100 50	-1 +2	10/10 10/10
N-Methyl-3-phenyl propylamine hydrochloride EL-75 (H <sub>2</sub> O)	200-300	100 25	0 +1	10/10 10/10
N-Methyl-3-(p-chlorophenyl) propylamine hydrochloride EL-73 (H <sub>2</sub> O)	100-200	100 50	+3 +2	10/10 10/10
N,N-Dimethyl- $\gamma$ -phenyl propyl- amine hydrochloride EL-40 (H <sub>2</sub> O)	100-200	100 50	-1 -2	9/10 10/10

## (AMINES and IMINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N,N-Dimethyl-3-(p-chlorophenyl) propylamine hydrochloride EL-77 (H <sub>2</sub> O)	100-200	100 50	-1 +3	10/10 10/10
2-Phenyl hexylamine hydrochloride EL-16 (H <sub>2</sub> O)	50-100	50 10	-1 +1	10/10 10/10
N,N-Diethyl 2-(p-toluene sulfonyl thio) ethylamine hydrochloride IN-817 (H <sub>2</sub> O)	50-100	50 25	-7 -2	10/10 10/10
1,3-Diphenyl-2-methylamine propane hydrochloride EL-11 (H <sub>2</sub> O)	50-100	50	+4	10/10
1,2-Diphenyl-3-aminopropane hydrochloride EL-21 (H <sub>2</sub> O)	50-100	50	0	10/10
N,N'-Dibenzylethylene diamine DO-53 (PG)	50-125	50 25	0 0	10/10 9/10
$\beta,\beta,\beta$ -Triphenylethylamine hydrochloride EL-20 (H <sub>2</sub> O)	150	50	-1	10/10
Aniline hydrochloride EK-442 (H <sub>2</sub> O)	300-500	300 100	-1 0	9/10 10/10
m-Aminobenzotrifluoride MA-4 (PG)	50-100	50 25	-5 +3	10/10 10/10
3-Amino-4-chlorobenzotri- fluoride MA-13 (PG)	100	50 25	-3 +4	10/10 10/10
2,4,6-Trisbromoaniline DO-43 (PG)	500-1,000	500 300	0 -1	10/10 10/10
p-Phenylene diamine EK-394 (H <sub>2</sub> O)	50-100	50 25	+2 +1	10/10 10/10
2-Methylprocaine hydrochloride EL-15 (H <sub>2</sub> O)	100-200	100	+3	10/10
Diphenylamine EK-105 (PG)	>1,000	1,000 200	-1 0	10/10 10/10
$\beta$ -Naphthylamine CB-22 (PG)	200	100 50	+2 -5	10/10 10/10

## (AMINES and IMINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Diphenylamine sulfate EK-743 (PG and H <sub>2</sub> O)	200-250	200 100	-3 -3	10/10 10/10
4,4'-Diamidinodiphenylamine dihydrochloride XR-37 (H <sub>2</sub> O)	100	75 50	0 +3	10/10 10/10
Naphthionic acid M-5 (CMC)	300-400	300 200	-3 -1	10/10 10/10
Dibenzylamine UCTL-6 (H <sub>2</sub> O)	>20	2.0 1.25	-3 -2	9/10 10/10
N,N'-Diphenyl-p-phenylene diamine GY-2 (PG)	300-400	300 100	+2 +1	10/10 10/10
N,N'-Di-o-tolyl-p-phenylene diamine GY-1 (PG)	300-400	300 100	-1 +2	10/10 10/10
N,N'-Diphenylbenzidine EK-1797 (CMC)	>2,000	1,000 500	4 1	10/10 10/10
Azobenzene EK-704 (Oil)	500-1,000	500 200	+2 0	10/10 10/10
p-Aminoazobenzene EK-1375 (PG and H <sub>2</sub> O)	200-300	200 100	+6 +2	9/10 9/10
N,N-Dimethyl-p-phenylazo- aniline EK-338 (CMC)	500-1,000	750 500 200	7 2 0	10/10 10/10 10/10
α-Benzyl α-phenylhydrazine hydrochloride EK-1666 (H <sub>2</sub> O)	300-500	300 100	0 6	10/10 10/10

# NITRILES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Cyanamide EK-1995 (H <sub>2</sub> O)	200-300	200 100	0 +2	9/10 10/10
Calcium cyanamide CY-2 (CMG)	100-200	100 25	-1 -2	10/10 10/10
Diethylcyanamide EK-6326 (PG)	50-100	50 20 10	-1 -3 +1	10/10 10/10 10/10
Thiocyanic acid (sodium salt) EK-T-434 (H <sub>2</sub> O)	500-600	400 200	+7 +2	8/10 10/10
Ammonium thiocyanate EK-P-433 (H <sub>2</sub> O)	500-1,000	400 200	+3 +3	10/10 10/10
Phenyl isothiocyanate M-4 (PG)	100	50 25	-2 +1	10/10 10/10
Acetonitrile EK-488 (H <sub>2</sub> O)	500	400 200	+3 +2	10/10 10/10
Hydroxyacetoneitrile A-8565 (H <sub>2</sub> O)	10-25	10 7.5 5 2.5	-2 >20 0 +1	9/10 2/10 8/10 10/10
Chloroacetonitrile KF 5 (PG)	100-200	100 50	-4 +1	10/10 10/10
Azidoacetonitrile A-11014 (PG)	>25	25 10	0 0	10/10 10/10
Methylaminoacetonitrile sulfate A-8104 (H <sub>2</sub> O)	1,000	750 500	-3 +1	10/10 10/10
N-Methylene glycinonitrile DO-5 (PG)	200-300	200 100	+6 -1	10/10 10/10
3-Chloropropionitrile A-8798 (PG); DO-31 (H <sub>2</sub> O)	100-200 (A-8798) 25-50 (DO-31)	100 50 25 10	-5 +3 0 0	10/10 10/10 10/10 9/10
3-Bromopropionitrile DO-51 (PG)	50-100	50 25	+2 +3	10/10 10/10
Ethylene cyanohydrin RH-7 (H <sub>2</sub> O)	500-1,000	500 300	-1 -2	10/10 10/10

## (NITRILES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
$\beta$ -Aminopropionitrile A-8088 (H <sub>2</sub> O)	>1,000	500 200	-1 -1	10/10 10/10
Cyanoacetic acid KF-17 (H <sub>2</sub> O)	200-300	200 100	-7 +1	10/10 10/10
Methyl cyanoacetate KF-22 (PG)	200-300	200 100	0 +2	10/10 10/10
Ethyl cyanoacetate KF-25 (PG)	500-1,000	750 500	-1 -1	10/10 10/10
$\beta$ -Ethoxy acrylonitrile KF-27 (PG)	100-200	100 50	+2 -4	10/10 10/10
Acetone cyanohydrin RH-8 (H <sub>2</sub> O)	1-2	1 0.5	-1 -2	9/10 10/10
$\alpha$ -Methyl- $\alpha$ -nitropropionitrile A-13564 (PG)	10-15	10 5	-1 -1	10/10 10/10
4-Bromobutyronitrile DO-6 (PG)	100-200	50 25	+5 -0	10/10 10/10
3-Pentanone cyanohydrin A-17195 (PG)	1-5	1 0.5	-2 -2	10/10 10/10
2-Methyl-2-(2-hydroxyethylamino)- propionitrile A-3961 (H <sub>2</sub> O)	200-300	200 100	-5 -2	10/10 10/10
$\beta$ -(Bis-[2-chloroethylamino])- propionitrile UCTL-958 (H <sub>2</sub> O)	10-20	10 5 1	-3 -5 -6	10/10 10/10 10/10
Ethyl acetamidocyanacetate CB-23 (H <sub>2</sub> O)	>1,000	1,000 500	+2 -1	10/10 10/10
1-Ethoxy-1-(1-cyanoethoxy)- ethane A-10635 (H <sub>2</sub> O)	1-5	1 0.5	-1 -1	10/10 10/10
2,2-Dimethyl-3-dimethylamino- propionaldehyde cyanohydrin A-4642 (PG)	10-25	10 5	-8 +1	10/10 10/10
1-Butoxy-1-(cyanomethoxy)- ethane A-10636 (PG)	1-5	1 0.5	-1 +1	10/10 10/10



**(NITRILES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-Ethoxy-1-(1-cyano-2-butenyl- oxy)-ethane A-10637 (PG)	50-100	10 5	-4 0	10/10 10/10
Ethyl ethoxyethylidene cyano- acetate KF-6 (PG)	50-100	25 10	0 0	10/10 10/10
Malononitrile A-4600 (H <sub>2</sub> O); KF-19	25	10 7.5 5 2.5	0 0 0 -1	10/10 10/10 6/10 10/10
Succinonitrile A-9442 (H <sub>2</sub> O)	100-200	50 25	+3 0	10/10 10/10
Ethoxymethylene malononitrile A-9230 (PG); KF-10 (H <sub>2</sub> O)	50-200	100 50 50 25	-9 +2 +4 0	10/10 8/10 8/10 10/10
Ethoxyethylidene malononitrile KF-8 (H <sub>2</sub> O)	150-200	100 50	-4 -1	10/10 10/10
Ethoxypropylidene malononitrile KF-7 (PG)	50-100	50 25	0 +1	9/10 10/10
Bis-(2 cyanoethyl)amine A-8564 (H <sub>2</sub> O)	200	100 50	2 +1	10/10 10/10
$\beta,\beta'$ -Thiodipropionitrile EK-P-6562 (PG and H <sub>2</sub> O); HA-5 (PG)	500 EK-6562 300-400 HA-5	750 500 300 100	+4 0 2 -1	10/10 10/10 10/10 10/10
Dithiodipropionitrile HA-6 (PG)	100-200	100 50	-3 -2	10/10 10/10
Trithiodipropionitrile HA-7 (PG)	50-100	50 25	-2 0	10/10 10/10
4-Acetyl-4-(2-cyanoethylheptane) dinitrile B-122 (PG)	500-1,000	500 200	+3 3	10/10 10/10
$\alpha$ -Carbethoxy- $\beta,\beta'$ -bis-cyclo- propyl acrylonitrile A-15972 (PG)	100-200	200 100	-5 -6	10/10 10/10
2-Cyanocyclopentanone imine A-1967 (H <sub>2</sub> O)	200-300	100 50	+1 -2	10/10 10/10

**(NITRILES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
5-Methyl-5-cyano-2-pyrrolidone A-4641 (PG)	>1,000	1,000	-2	10/10
		750	0	8/10
		500	0	10/10
		250	0	9/10
Benzyl cyanide KF-21 (PG)	10-25	10	0	10/10
		5	3	10/10
Phenyl aceto-aceto nitrile PE-1 (PG)	200-300	200	-2	10/10
		50	+1	10/10
1-Cyano-1-phenyl-2-butanone EL-86 (PG)	100	50	+1	10/10
		25	+2	10/10
$\alpha$ -Carbethoxyphenylacetanilide A-5759 (PG)	25-50	20	-7	10/10
		10	0	10/10
p-Cyanobenzaldehyde KF-1 (PG)	100-200	100	-1	10/10
		50	+4	10/10
p-Methoxybenzaldehyde cyanohydrin A-13796 (PG)	25-50	20	+1	10/10
		10	0	10/10
$\alpha$ -Formyl-p-chlorophenyl acetonitrile EL-67 (PG)	50-100	50	0	10/10
		25	+2	10/10
$\beta$ -(p-Methoxy phenoxy) propionitrile EL-68 (PG)	500-1,000	500	+3	10/10
		300	+3	10/10
$\alpha$ -p-Chlorophenyl aceto acetonitrile EL-43 (PG)	25	10	+1	10/10
		5	0	10/10
$\alpha$ -(2,4-Dichlorophenyl) $\alpha$ -cyano aceto aldehyde EL-31 (PG)	100-200	100	-3	10/10
		50	2	10/10
Phthalonitrile ND-09 (PG)	25	10	-4	10/10
		5	2	10/10
o-Chlorobenzylidene malononitrile KF-11 (PG)	50-100	50	8	10/10
		25	5	10/10
2-Cyanoacetyl coumarone KF-1 (PG)	100-200	100	-2	10/10
		50	-7	10/10
Phthalimidoacetonitrile A-1932 (PG)	10-60	500	1	10/10
		100	-4	10/10

**(NITRILES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3-Indolacetonitrile CB-29 (PG and H <sub>2</sub> O)	200-300	200 100	-2 1	10/10 9/10
1-Cyano-1'-hydroxy-cyclohexyl ether A-17933 (PG)	200-300	200 100	-2 -1	10/10 10/10
Diphenyl acetonitrile KF-13 (PG)	200-300	200 100	-2 -3	10/10 10/10
$\alpha$ - $\beta$ -Diphenylacrylonitrile A-9789 (PG)	100-200	100 50	0 +1	10/10 10/10
$\alpha$ -(1-Piperidyl)- $\alpha$ -tolunitrile A-2217 (PG)	150-200	150 125 100 50	0 4 -1 -1	8/10 10/10 10/10 10/10
$\alpha$ -(4-Morpholinyl)- p-tolunitrile A-3730 (PG)	200-300	200 100	0 -1	10/10 10/10
$\epsilon$ -Sulfanilamidocapronitrile hydrochloride A-5907 (PG)	500-1,000	750 500 200	-7 -7 +3	10/10 9/10 10/10
3-Cyano-8-methyl-10-chloro- acridine A-14718	200-300	200 100	-6 -5	10/10 10/10
3-Chloro-8-methoxy-10-cyano- acridine A-13336 (PG)	100-200	100 50	-1 0	10/10 10/10

## HYDRAZINES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Benzylhydrazine hydrochloride EL-54 (H <sub>2</sub> O)	50	25 10	+1 0	10/10 10/10
N-Methyl-N-benzyl hydrazine phosphate LA-17 (H <sub>2</sub> O)	100-200	100 50	+1 -1	10/10 10/10
4-Methoxy-benzyl-hydrazine hydrochloride LA-7 (H <sub>2</sub> O)	50-100	50 25	+2 -1	10/10 10/10
2-Phenyl-ethyl hydrazine di- hydrochloride LA-10 (H <sub>2</sub> O)	100	50 25	+3 +1	10/10 9/10
1-Cyclohexyl-2-hydrazino propane hydrochloride LA-4 (H <sub>2</sub> O)	50-100	50 25	-2 +2	10/10 10/10
1-Hydrazino-2-phenyl propane phosphate LA-22 (H <sub>2</sub> O)	100	50 25	+1 +1	9/10 10/10
1-Phenyl-1-hydrazino propane hydrochloride LA-11 (H <sub>2</sub> O)	200-300	200 100	+1 -1	10/10 10/10
2-Phenyl-3-hydrazino butane hydrochloride LA-15 (H <sub>2</sub> O)	100-200	100 50	+3 -1	10/10 10/10
N-Dimethyl-N'-(1-methyl- 2-phenyl) ethyl hydrazine hydrochloride LA-13 (H <sub>2</sub> O)	100	50 25	+1 -1	10/10 10/10
1-Phenyl-2-hydrazino- ethanol hydrochloride LA-12 (H <sub>2</sub> O)	100-200	100 50	+3 -2	10/10 10/10
1-(2-Chloro)-phenyl-2-hydrazino propane hydrochloride LA-2 (H <sub>2</sub> O)	100-200	100 50	-2 +3	10/10 10/10
[1-Methyl-2(4'-methoxy) phenyl] ethyl hydrazine hydrochloride LA-18 (H <sub>2</sub> O)	50-100	50 25	+3 0	9/10 10/10

**(HYDRAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-(2'-Methyl) phenyl-2-hydrazino propane hydrochloride LA-6 (H <sub>2</sub> O)	100	50 25	0 +2	10/10 10/10
1-(3'-Chloro)-phenyl-2-hydrazino propane phosphate LA-3 (H <sub>2</sub> O)	100	50 25	0 0	10/10 10/10
2-(N-Methyl-N-benzyl) amino ethyl hydrazine dihydrochloride LA-21 (H <sub>2</sub> O)	50-100	50 25	+2 +1	10/10 10/10
2-(N-Methyl-N-m-methoxybenzyl) aminoethyl hydrazine dihydro- chloride LA-19 (H <sub>2</sub> O)	100-200	100 50	+2 +1	10/10 10/10
N-(m-Chloro-benzyl)-N-methyl- aminoethyl hydrazine di- hydrochloride LA-20 (H <sub>2</sub> O)	100-200	100 50	+2 +1	10/10 10/10
2-(N-Methyl-N-p-chlorobenzyl) aminoethyl hydrazine di- hydrochloride LA-14 (H <sub>2</sub> O)	50-100	50 25	+2 +1	10/10 10/10
(1-Methyl-2-phenyl ethyl)- hydrazine methylene sulfonic acid LA-16 (PG)	50-100	50 25	+2 +1	10/10 10/10
1-Carbethoxy-2(4-hydroxy phenyl)- isopropyl hydrazine LA-5 (PG)	400-500	400 200	-1 +2	10/10 10/10
1-(3'4'5'-Trimethoxy-phenyl) 2-hydrazino-propane hydro- chloride LA-8 (H <sub>2</sub> O)	50-100	50 25	+1 0	10/10 10/10
3-Amino-4(p-chlorophenyl)- pyrazole EL-83 (PG)	100-200	100 50	+2 +2	10/10 10/10
N,N'-Bis-(1-phenyl) isopropyl hydrazine hydrochloride LA-9 (PG)	200-300	200 100	-5 -7	10/10 10/10

# OXACYCLOPENTANES and OXACYCLOHEXANES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Furfurylamine Q-1 (H <sub>2</sub> O)	200	100 50	+1 +3	10/10 10/10
5-Nitro-2-furaldoxime EA-5 (PG)	100-200	100 50	+1 0	10/10 10/10
2,5-Bis(chloromercuri) furan UCTL-974 (H <sub>2</sub> O)	20-40	10 7.5 5	-7 0 -4	10/10 10/10 10/10
5-Nitro-2-furaldehyde semi- carbazone EA-4 (PG)	200-300	200 100	0 0	10/10 10/10
5-Nitro-2-furaldehyde-2- (2-hydroxyethyl) semicarbazone EA-3 (PG)	200	100 50	+2 +1	10/10 10/10
Tetrahydrofurfurylamine Q-2 (H <sub>2</sub> O)	200	100 50	+4 +3	10/10 10/10
Tetrahydrofurfural Q-4 (PG)	100-200	100 50	+3 -3	10/10 10/10
Methyl tetrahydrofuran Q-5 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -4	10/10 10/10
γ-Valerolactone Q-3 (H <sub>2</sub> O)	>500	500 200	+1 0	10/10 10/10
5-Nitro-2-furaldehyde thio- semicarbazone EA-14 (PG)	50-100	25 10	0 +2	10/10 10/10
1-(5-Nitrofurfurylideneamino)- 2-imidiazolidenethione EA-7 (PG)	200-300	200 100	-1 -2	10/10 10/10
2-Amino-5-(5-nitro-2-furfuryl)- 1,3,4-thiodiazole EA-11 (PG)	100-200	100 50	-2 0	8/10 10/10
1-(5-Nitrofurfurylideneamino)- 2-thiohydantoin EA-13 (PG)	50-100	50 25	-7 0	7/10 10/10
N-(5-Nitro-2-furfurylidene)- 3-amino-2-thioxazolidene EA-6 (PG)	>300	200 100	+1 -1	10/10 10/10

**(OXACYCLOPENTANES and OXACYCLOHEXANES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N-(5-Nitro-2-furfurylidene)- 3-amino-5-methyl-2-thio- oxazolidone EA-8 (PG)	200-300	200 100	-5 -5	10/10 10/10
N-(5-Nitro-2-furfurylidene)- 3-amino-2-oxazolidone (Furoxone) EA-1 (PG)	300	200 100	+2 -3	10/10 10/10
1-(5-Nitrofurfurylideneamino)- 3-methyl-2-thiohydantoin EA-12 (PG)	100-200	100 50	-5 0	10/10 10/10
1-(2-Hydroxyethyl)-3-(5-nitro- furfurylideneamino)-2- imidazolidinethione EA-9 (PG)	100-200	100 50	-6 -1	10/10 10/10
1-Hydroxymethyl-3-(5-nitro- furfurylideneamino)-2- imidazolidinethione EA-10 (PG)	200-300	200 100	0 +3	10/10 9/10
N-(5-Nitro-2-furfurylidene)- 1-aminohydantoin EA-2 (PG)	100-200	100 50	+3 +1	10/10 10/10
2-(2-Diethylaminoethylthio- methyl)-5-hydroxy-1,4-pyrone hydrochloride IN-14 (H <sub>2</sub> O)	200-300	200 100	-1 +1	10/10 10/10
Melilotol (Dihydrocoumarin) DO-12 (PG)	200	100 50	+1 -1	10/10 10/10

# THIACYCLOPENTANES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Thiophene EK-1860 (PG and H <sub>2</sub> O)	100-200	100 50	+1 -3	10/10 10/10
dl-Homocysteine thiolactone hydrochloride B-10 (H <sub>2</sub> O)	>1,000	1,000 750 500	0 +3 +4	10/10 8/10 10/10
N-Acetyl-dl-homocysteine thiolactone S-3 (H <sub>2</sub> O)	>1,000	500 200 100	-2 -1 +3	10/10 10/10 10/10
Dibenzothiophene EK-4594 (CMC)	>1,000	1,000 500	-1 +5	10/10 10/10
Benzidine sulfone ND-67 (PG)	200	100 50	+1 -3	9/10 10/10
Diphenylthiophthalide B-41 (Cottonseed oil); CY-12	>2,000	1,000 500	+1 +1	10/10 10/10



# AZACYCLOPENTANES and AZACYCLOHEXANES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Ethyl maleimide B-121 (H <sub>2</sub> O)	25-50	10 1	-5 +1	10/10 10/10
2-(3-Pyrrolidinopropylamino)- 4',5-dichloro-(1-diphenyl sulfide) monohydrochloride hemihydrate AB-31 (H <sub>2</sub> O)	50-100	50 20 5	+1 -3 +4	10/10 10/10 10/10
2-(β-Pyrrolidinopropionamido)- 4,4'-dichloro-(diphenyl sulfide) AB-27 (PG and H <sub>2</sub> O)	>1,000	1,000 750	0 +2	10/10 10/10
2-(3-Pyrrolidinopropionamido)- 4',5-dichlorodiphenyl sulfide AB-29 (PG and H <sub>2</sub> O)	200-300	200 100	+3 -2	10/10 10/10
Indole-3-acetic acid CB-16 (H <sub>2</sub> O and NaOH)	>1,000	750 500	-1 -2	10/10 10/10
Carbazole EK-600 (PG)	200-300	200 100	+1 +3	10/10 7/10
2-Triacetyl-nocohyl- octahydro pyrroزالine UCTL-847 (PG)	50-100	75 50 10	-6 -1 +2	10/10 10/10 10/10
Picolinic acid UCTL-3 (H <sub>2</sub> O)	>100	100 50 25	+2 +1 +1	16/16 16/16 16/16
Pyridine-3-sulfonic acid NR-2 (H <sub>2</sub> O)	>750	750 500 100 25	-4 -4 2 +4	10/10 10/10 10/10 10/10
Isonicotinic acid hydrazide (isoniazid) CB-2 (H <sub>2</sub> O)	100-200	100 50	+1 +2	10/10 10/10
3-Mercaptomethyl-4-oxymethyl- 5-oxy-6-methyl-pyridine SC-1 (H <sub>2</sub> O)	250-500	250 100	+4 0	10/10 10/10
1-(4-Pyridyl)-2-nitropropanol XR-5 (PG and H <sub>2</sub> O)	>400	300 200 100	0 -1 +2	10/10 10/10 10/10

(AZACYCLOPENTANES and AZACYCLOHEXANES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N-(2-Pyridyl)cinnamamide hydro- chloride IN-872 (PG)	100-200	100 50	+1 -1	8/10 10/10
N-(p-Nitrobenzyl)piperazine hydrochloride IN-821 (H <sub>2</sub> O)	200-300	100 50	0 -1	10/10 10/10
N-(2-Pyridyl)-α-hydroxy- phenethyl amine hydro- chloride IN-511 (H <sub>2</sub> O)	500-1,000	250 100	0 +1	10/10 10/10
1-Isosnicotiny1-2-isopropyl- hydrazine phosphate (Iproniazide) B-120 (H <sub>2</sub> O)	>300	200 100	0 +1	10/10 10/10
N-Phenyl-3-hydroxypyridinium chloride Q-8 (H <sub>2</sub> O)	750-1,000	750 500	0 -3	10/10 10/10
N-Methyl-4-[2-(phenylthio) ethyl]-pyridine methobromide IN-5 (H <sub>2</sub> O)	100	50 25	-1 -2	10/10 10/10
2-Methyl-3-hydroxy-4-hydroxy- methyl-5-isothioureidomethyl- pyridine dihydrochloride SC-3 (H <sub>2</sub> O)	300-500	300 100	0 +3	10/10 10/10
4-[2-(Benzylthio)ethyl] pyridine hydrochloride IN-4 (H <sub>2</sub> O)	200-300	100 50	0 -2	10/10 10/10
4-[2-(Phenylthio)ethyl]- pyridine hydrochloride IN-3 (H <sub>2</sub> O)	100-200	100 50	0 -1	10/10 10/10
4-[3-(Phenylthio)propyl]- pyridine hydrochloride IN-6 (H <sub>2</sub> O)	100	50 25	-2 +2	10/10 10/10
4-(N-Methyl-3-indolylethyl)- pyridinium hydrochloride IN-399 (PG)	200-300	200 100	-4 -3	10/10 8/10
N-(3-Trimethylaminopropyl)- 4-(N-methyl-3-indolylethyl)- pyridinium dibromide IN-391 (H <sub>2</sub> O)	25-50	15 5	+1 -1	10/10 10/10

## (AZACYCLOPENTANES and AZACYCLOHEXANES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Cinchoninic acid D-2 (H <sub>2</sub> O)	200-300	200 100	+1 0	10/10 10/10
3-Carboxy-4-hydroxy-7-chloro- quinoline KF-16 (PG)	100-200	100 50	-7 -3	10/10 10/10
Hexadecane-1,16-bis-iso- quinolinium chloride XR-39 (H <sub>2</sub> O)	10-20	5 2.5 1	-5 0 -4	10/10 10/10 10/10
6-Ethoxy-1,2-dihydro-2,2,4-tri- methyl quinoline B-24 (PG)	200-300	200 100	-6 +4	10/10 10/10
1,2-Dihydro-2,2,4-trimethyl- 6-phenylquinoline B-29 (PG)	200	200 100	-4 +2	10/10 10/10
2-(3-Piperidinopropionamido)- 4',5-dichloro-(1-diphenyl sulfide) AB-430 (PG and H <sub>2</sub> O)	100-200	100 50	+5 +2	10/10 10/10
2-(3-Piperidinopropylamino)- 4',5-dichlorodiphenyl sulfide monohydrochloride AB-432 (H <sub>2</sub> O)	200-300	200 50 10	--4 -2 +4	10/10 10/10 10/10
2-(3-Piperidinopropionamido)- 4,4'-dichlorodiphenyl sulfide AB-428 (PG and H <sub>2</sub> O)	100-200	100 50 10	+2 +3 --2	10/10 10/10 9/10
2-(3-Piperidinopropylamino)- 3,4-dichloro-(1-diphenyl sulfide) monohydrochloride hemihydrate AB-433 (H <sub>2</sub> O)	200-300	200 50	-3 -4	10/10 10/10
5-Hydroxytryptophane CB-96 (H <sub>2</sub> O)	200-400	300	+5	8/10
Scrotonin creatinine sulfate CB-32 (H <sub>2</sub> O)	>300	200 100 75 50 25	-5 -3  -2 -3	8/10 9/10 4/10 10/10 7/10
Adrenochrome UCTL-7 (H <sub>2</sub> O)	100-200	150 100 50	-6 +1 0	10/10 7/10 10/10

**(AZACYCLOPENTANES and AZACYCLOHEXANES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Adrenosem salicylate V-1 (H <sub>2</sub> O)	750-1,000	500	+1	8/10
		200	+1	9/10
Methyl ergonovine maleate UCTL-8 (H <sub>2</sub> O)	6	2	-2	10/10
3-Hydroxy-3-(4-chloro- 3-sulfamylphenyl) phthalimidine (Hygroton) GE-3 (H <sub>2</sub> O)	>500	500	-2	10/10
		200	+2	10/10
Reserpine CB-27 (PG)	50-100	25	-2	10/10
		10	0	10/10
D-Lysergic acid diethylamide SZ-2 (H <sub>2</sub> O)	50-100	50	-5	10/10
		25	-2	10/10
2-Brom-D-lysergic acid diethyl- amide SZ-1 (H <sub>2</sub> O)	25-50	25	-2	10/10
		10	0	10/10

# OXAZOLES and OXAZINES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3,4,5-Trimethylisoxazole CS-1340 (H <sub>2</sub> O)	1,000	500 300	0 -4	10/10 10/10
5-Amino-4-(p-chloro-phenyl)-isoxazole EL-65 (PG)	200	100 50	+1 +1	10/10 10/10
Benzoxazole EK-5017 (PG and H <sub>2</sub> O)	300-500	300 200	-2 +2	10/10 9/10
Benzoxazolone EK-5429 (CMC)	400-600	400 200	-4 +2	10/10 10/10
5-Chloro-3-(H)-2-benzoxazolone MA-10 (PG)	50-100	50 25	+3 +2	10/10 10/10
2-Benzoxazolethiol EK-5341 (CMC); XR-28 (H <sub>2</sub> O and NaOH)	>200	200 150 150 100 100	-3 +13 +4 +1 +2	10/10 5/10 10/10 10/10 8/10
2-Methylbenzoxazole EK-982 (PG and H <sub>2</sub> O)	400-500	300 100	-3 -1	10/10 10/10
2-Amino-5-chlorobenzoxazole MA-12 (PG)	100-200	100 50	+3 +1	10/10 10/10
2-(o-Hydroxyphenyl)-benzoxazole EK-6754 (Cottonseed oil)	2,000	1,000 500	0 -1	10/10 10/10
2,5-Diphenyloxazole EK-6775 (CMC)	750-1,000	750 500 200	-6 -3 0	10/10 10/10 10/10
3-Morpholinone DO-39 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -1	10/10 10/10
N,N-(3-Oxapentamethylene)-tert-butylthiosulfenamide B-27 (PG)	>2,000	500 200	+7 +8	8/10 9/10
Phenmetrazine hydrochloride (Preludin) GE-1 (H <sub>2</sub> O)	50-100	50 25	-2 0	10/10 10/10

**(OXAZOLES and OXAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
4,4'-Dithiodimorpholine EK-T-6645 B-17 (PG and H <sub>2</sub> O)	50-100	50	-5	10/10
		25	-2	9/10
1,4-Bis-(4-morpholinyl)-2- (phenylthio)-2-butene A-4890 (H <sub>2</sub> O)	600-1,000	200	+2	10/10
		50	-1	10/10

# THIAZOLES and THIAMORPHOLINES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Thiazolidine hydrochloride C-4 (H <sub>2</sub> O)	>750	500 200	+1 +1	10/10 10/10
2-Thiazolidinethione EK-P-5444 (CMC)	>600	600 400	+1 +2	10/10 10/10
Thiazolidine-4-carboxylic acid C-1 (H <sub>2</sub> O)	100-200	100 50	0 -1	10/10 10/10
2-Aminothiazole EK-P-5501 (PG)	200	100 50	-2 0	10/10 10/10
Pseudothiohydantoin BE-4-5 (PG); HA-9 (PG)	100-200 (BE-4-5) >1,000 (HA-9)	100 50 1,000 500	+3 0 -3 -3	10/10 10/10 10/10 10/10
Thiazoline-2-thiol A-10211 (PG)	300-500	300 100	+1 +1	10/10 10/10
Rhodanine HA-2 (PG)	200-300	100 50	+1 +1	9/10 10/10
2,4-Thiazolidinedione EK-5496 (H <sub>2</sub> O)	400-600	400 200	+1 +3	10/10 10/10
2-Amino-4-methyl thiazole monoformate PD-15 (H <sub>2</sub> O)	500	300 200	+2 -4	10/10 10/10
2-Amino-5-nitrothiazole EK-6561 (CMC)	200-300	200 100	+1 +2	10/10 10/10
2-Methyl thiazolidine-4- carboxylic acid hydrochloride C-5 (H <sub>2</sub> O)	>750	500 200	0 0	10/10 10/10
2-Ethyl thiazolidine carboxylic acid C-2 (H <sub>2</sub> O)	200-300	200 100	-2 0	10/10 10/10
Amino-tert-butyl thiazoyl sulfide B-36 (H <sub>2</sub> O)	>1,000	1,000 200	0 +1	10/10 10/10
Pseudothiohydantoin DM-1 (PG)	100-200	100 50	-4 +2	10/10 10/10

(THIAZOLES and THIAMORPHOLINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2-Amino-4-phenyl thiazole mono- hydrochloride PD-14 (H <sub>2</sub> O)	200-300	100 50	-4 +1	10/10 10/10
N-Ethyl-N-thiazylaniline ND-65 (PG)	400-500	400 200	0 -2	10/10 10/10
2-Aminobenzothiazole XR-27 (H <sub>2</sub> O and NaOH; EK-3940)	200	150 100 50	-4 -1 +3	10/10 10/10 10/10
2-Amino-6-methylbenzothiazole EK-5171 (CMC)	>100	100 75 50 25 10	+1 +5 +2 +4 +2	10/10 10/10 9/10 10/10 10/10
2,6-Diaminobenzothiazole A-7529 (PG)	>1,000	500 200	0 -1	10/10 10/10
2-Hydrazinobenzothiazole EK-3967 (PG)	100-200	100 50	-1 +2	9/10 10/10
Sulfathiazole SN-9 (PG)	400-500	400 200	0 -2	10/10 10/10
2-Amino-4-phenyl thiazole monohydrochloride PD-14 (H <sub>2</sub> O)	200-300	100 50	-4 +1	10/10 10/10
2-Amino-4-(4-biphenyl) thiazole EK-4373 (CMC)	150	100 50	+2 +3	10/10 10/10
Benzothiazole EK-4812 (PG and H <sub>2</sub> O)	100-200	100 50	-2 0	10/10 10/10
2-Chlorobenzothiazole EK-2784 (PG and H <sub>2</sub> O)	200-300	200 100 10	-3 -5 +1	10/10 10/10 9/10
2-Benzothiazolethiol (2-Mercaptobenzothiazole)	150-200 (XR-29)	150 100	+8 -2	10/10 10/10
XR-29 (H <sub>2</sub> O and NaOH) EK-2638 (CMC)	>300 (EK 2638)	400	-3	10/10
		200	+5	6/10
		150	+7	10/10
		100	+1	10/10
		100	-3	10/10



## (THIAZOLES and THIAMORPHOLINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
6-Amino-2-benzothiazolethiol XR-30 (H <sub>2</sub> O and NaOH) EK-P-3994 (CMC)	150-200 >300	150	+3	10/10
		100	0	10/10
		200	+1	10/10
		200	-3	10/10
		100	-3	10/10
2-Mercapto-6-nitrobenzothiazole EK-3991 (CMC)	25-100	50	+2	10/10
		25	-3	10/10
2-Methylbenzothiazole EK-1853 (PG and H <sub>2</sub> O)	300-500	200	-5	9/10
		100	0	10/10
5-Chloro-2-methylbenzothiazole EK-P-4382 (PG)	500	300	+2	10/10
		150	+1	9/10
2-Methyl mercaptobenzothiazole EK-4008 (PG and H <sub>2</sub> O)	200-300	200	-2	10/10
		100	-2	10/10
		50	+3	10/10
2-Carbethoxymethyl thiobenzo- thiazole T-4 (PG)	200-300	200	-2	10/10
		100	-3	10/10
4,6-Dichloro-7-( $\beta$ -diethylamino- ethyl)-amino benzothiazole dihydrochloride DU-1 (H <sub>2</sub> O)	100-200	100	+1	10/10
		25	0	10/10
N-Cyclohexyl-2-benzothiazole- sulfenamide B-16 (CMC)	>2,500	1,000	-8	10/10
		500	-2	10/10
2,2'-Dithio-bis(benzothiazole) or Benzothiazyl disulfide  (B-23, EK-5432) (CY-5)	100-200	1,000	-5	10/10
		500	0	10/10
		200	-2	10/10
		200	-1	10/10
		150	+7	10/10
		100	+1	10/10
		100	-1	10/10
Thiazane carboxylic acid hydrochloride C-3 (H <sub>2</sub> O)	>750	500	-6	10/10
		200	+1	10/10
N,N-Dimethylthiomorpholinium iodide A-5200 (H <sub>2</sub> O)	100	50	+3	10/10
		20	+1	10/10
4,5-Dimethyl-6-phenyl-3-thia- morpholinone PD-41 (PG)	200-300	200	+1	10/10
		100	-4	10/10

(THIAZOLES and THIAMORPHOLINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3,6-Bis[2-(4-thiomorpholinyl)- ethyl]-2,5-piperazine dione A-5205 (CMC)	>2,000	500	+4	10/10
Phenothiazine-5-oxide DO-58 (PG); DO-16 (PG)	>1,000	750	+2	10/10
	(DO-58)	500	+1	10/10
	100-200	100	-1	10/10
	(DO-16)	50	-2	10/10
3-Ethochloride of 9-dimethyl- amine 3-isophenothiazine ND-66 (PG)	50-100	100	-4	10/10
		50	-4	10/10
10-( $\alpha$ -Methyl- $\alpha$ -diethyl aminoethyl)-phenothiazine XR-9 (PG)	100-150	100	+1	10/10
		75	0	10/10
		50	0	10/10
10-( $\beta$ -Dimethylaminopropionyl)- phenothiazine XR-6 (H <sub>2</sub> O)	50-100	75	-1	10/10
		50	+2	10/10
10-( $\beta$ -Diethylaminopropionyl)- phenothiazine XR-7 (PG)	125-150	100	+1	10/10
		75	+2	10/10
		50	+1	10/10
10-(Pyrrolidinoacetyl)- phenothiazine XR-26 (PG)	150-200	150	+2	10/10
		100	-3	10/10
10-( $\alpha$ -Pyrrolidinopropionyl)- phenothiazine XR-8 (PG)	125-150	125	-4	10/10
		100	+5	10/10
		50	+2	10/10
2-Methylmercapto-10[2-(N-methyl- 2-piperidyl)ethyl] phenothiazine hydrochloride (Mellaril) SZ-3 (H <sub>2</sub> O)	100-200	100	-5	10/10
		50	+3	10/10
Thioethyl-3-[(methyl-4'-piper- azinyl)-3'-propyl]-10-pheno- thiazine dimaleinate SZ-4 (H <sub>2</sub> O)	100-200	100	-3	10/10
		50	+2	10/10

# DIAZOLES and DIAZINES

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
4-Aminopyrazole hydrochloride EL-53 (H <sub>2</sub> O)	300-500	300 100	-4 +1	10/10 10/10
3-Chloro-4-aminopyrazole hydrochloride EL-46 (H <sub>2</sub> O)	200-300	200 100	0 0	10/10 10/10
3-Amino-4-cyano-5-ethyl pyrazole EL-35 (H <sub>2</sub> O)	500-1,000	500 300	-2 -1	10/10 10/10
3-Amino-4-phenyl pyrazole EL-34 (H <sub>2</sub> O)	200-300	200 100	0 +1	10/10 10/10
1,3,4-Thiadiazole-2,5-dithiol A-8354 (PG)	200	100 50	0 +1	10/10 10/10
2-Amino-5-methyl-1,3,4-thiadiazole CY-3 (PG)	400-500	400 200	-2 +2	10/10 10/10
9-(β-Chlorethyl) carbazole UCTL-188 (PG)	50-100	75 50 10 2	-2 -2 -3 +5	10/10 10/10 10/10 10/10
2-Benzimidazolethiol XR-21 (H <sub>2</sub> O and NaOH) EK-6540	200	150 100	0 +2	10/10 10/10
5-Amino-2-benzimidazolethiol EK-5133 (CMC)	>300	400 200	-2 0	10/10 10/10
2-Aminobenzimidazole EK-4037 (PG)	100-200	100 50	0 +2	10/10 10/10
2-(2'-Dimethyl aminoethyl mercapto) benzimidazole dihydrochloride EL-56 (H <sub>2</sub> O)	200	100 50	+1 0	9/10 10/10
2-[3(Dimethylamino)propylthio]- benzimidazole IN-8 (H <sub>2</sub> O)	50-100	50 25	-1 1	10/10 10/10
Imidazole EK-4733 (H <sub>2</sub> O)	300-500	300 100	+2 0	10/10 10/10
2-Mercaptoimidazole EL-57 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	200-300	200 100	0 -1	10/10 10/10

**(DIAZOLES and DIAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
2-Mercaptoimidazoline EL-62 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	200-300	200 100	+1 0	10/10 10/10
2-Imidazolidinethione EK-P-5950 (PG and H <sub>2</sub> O)	>2,000	1,000 500	-5 +1	10/10 10/10
Hydantoin DO-66 (H <sub>2</sub> O)	>1,000	1,000 500	+1 -3	10/10 10/10
2-Thiohydantoin BE-25 (PG)	100-200	100 50	-1 0	10/10 10/10
2-Mercapto-4-imidazole carboxylic acid EL-98 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	>1,000	750 500	0 +1	10/10 10/10
1-Acetyl-2-thiohydantoin B-7 (PG and H <sub>2</sub> O)	750-1,000	500 200	0 +4	10/10 10/10
BE-0405 (PG)	200-300	200 100	+2 0	10/10 10/10
1-Methyl-2-mercaptoimidazole EL-30 (H <sub>2</sub> O)	500-1,000	750 500	+5 -2	10/10 10/10
1-Methyl-2-mercapto-5-imidazole carboxylic acid EL-97 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	200-300	200 100	0 +3	10/10 10/10
1-n-Butyl-2-mercaptoimidazole EL-64 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	200-300	200 100	-4 -2	10/10 10/10
1-sec-Butyl-2-mercapto- imidazole EL-59 (PG)	100-200	100 50	-1 +2	10/10 10/10
1-Isobutyl-2-mercaptoimidazole EL-66 (PG)	200-250	200 100	-2 -1	10/10 10/10
2-Mercapto-5-carbethoxy- imidazole EL-63 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	300-500	300 200	+2 +1	10/10 10/10
Histamine diphosphate B-132 (H <sub>2</sub> O)	>500	500 300	+1 +2	10/10 10/10
L-Thiohistidine B-1 (H <sub>2</sub> O)	1,000-1,500	1,000 500	+2 3	10/10 10/10

**(DIAZOLES and DIAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-(Dimethylaminoethyl)-2-mercapto imidazole hydrochloride EL-55 (H <sub>2</sub> O)	300-500	300 200	0 +2	10/10 10/10
2-(Carboxy methyl thio)-2- imidazoline chloroacetate PD-5 (H <sub>2</sub> O)	200-300	200 100	-3 +1	10/10 10/10
2-(3-Aminopropyl thio)-2- imidazoline dihydrobromide PD-4 (H <sub>2</sub> O)	200-300	100 50	-1 0	10/10 10/10
1,3-Ethylene-2-(3-trimethyl- amino)-propylisothiuronium dibromide IN-9 (H <sub>2</sub> O)	25-50	25 15	-5 +1	10/10 10/10
1-Isopropyl-2-(2-mercaptoethyl- amino)-4,4-dimethylimidazo- linium sulfate B-127 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -2	10/10 10/10
1-Isopropyl-4,4-dimethyl- imidazolidine CS-1751 (H <sub>2</sub> O)	300-500	300 200	+2 -2	10/10 10/10
1-Ergothionine hydrochloride B-26 (H <sub>2</sub> O)	500-1,000	500 200	-6 +6	10/10 10/10
1-2[1 (4,5-Dihydroimidazolyl) ]- ethyl-3-2[ 1-imidazolyl] ethyl- 2-thiourea A-6231 (PG)	500-750	500 400 200 100	-1 0 +1 -4	10/10 10/10 8/10 10/10
Kessco X-169 (high M.W. imidazoline) KE-6 (PG)	50-100	50 25	-5 1	10/10 10/10
1-Cyclohexyl-2-mercapto- imidazole EL-58 (PG)	100-200	100 50	+2 0	10/10 10/10
1-Phenyl-4,4-dimethylimidazo- lidine CS-1752 (PG)	100-200	100 50	-3 3	7/10 10/10
1-Phenylethyl-2-mercapto imidazole EL-60 (PG)	100-200	100 50	+1 -2	10/10 10/10

**(DIAZOLES and DIAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-(2'-Pyridyl)-2-mercapto- imidazole dihydrochloride EL-61 (PG)	500-1,000	400 200	-1 -2	10/10 10/10
1-Benzoyl-2-thiohydantoin B-14, EK-3881 (PG and H <sub>2</sub> O)	200-400	200 100	+2 -3	9/10 10/10
Pyrimidine CB-15 (PG)	>1,000	1,000 500	0 0	10/10 10/10
Uracil CB 4 (H <sub>2</sub> O)	>1,000	1,000 500	+1 0	10/10 10/10
2-Aminopyrimidine CB-6 (H <sub>2</sub> O)	>1,000	1,000 500	+2 +2	10/10 10/10
2-Amino-4-carboxy-5-chloro- pyrimidine CB-12 (PG)	>300	200 100	+1 -3	10/10 10/10
2-Amino-4-methyl pyrimidine U(TL-2 (H <sub>2</sub> O)	>400	400 200 100 50	+3 0 0 -4	14/16 16/16 16/16 16/16
2,4-Dihydroxy-6-amino pyrimidine KF-12 (PG)	200-300	200 100	-2 -1	10/10 10/10
4-Oxy-6-diethoxy-3-methyl- pyrimidine XR-4 (PG and H <sub>2</sub> O)	>200	300 200 100	+1 0 0	10/10 10/10 10/10
Thymine S-2 (H <sub>2</sub> O)	>1,000	1,000 400	0 -1	10/10 10/10
5-Methyl-5-β-isothioureido- ethyl barbituric acid hydro- bromide EL-87 (H <sub>2</sub> O)	750-1,000	500 200	-1 +2	10/10 10/10
2-Thiobarbituric acid EK-660 (CMC)	600-1,000	400 200	+1 -2	10/10 10/10
2-Amino-4-methyl-5-iodo- 6-pyrimidinethiol EL-25 (PG and H <sub>2</sub> O)	300-400	300 100	+1 +3	10/10 10/10
2,4-Dithiopyrimidine CB-14 (PG)	250-500	100 50	+4 -1	8/10 10/10

(DIAZOLES and DIAZINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
6-Methyl-2-thiouracil EK-6454 (PG)	200	500 100	0 0	9/10 10/10
2-Thio-4-methyl-6-oxypyrimidine (Na Salt) EL-100 (H <sub>2</sub> O)	500	300 200	+2 -1	10/10 10/10
5-Carbethoxythiouracil XR-1 (H <sub>2</sub> O)	>200	150 100	+2 +4	10/10 10/10
2-Mercapto-4-oxy-6-diethoxy- 3-methyl pyrimidine XR-3 (PG and H <sub>2</sub> O)	>200	300 200 100	-1 -2 +1	10/10 10/10 10/10
2-Thio-4,4,6-trimethyl dihydro- pyrimidine K-1795 (PG)	100-200	100 50	-3 +3	10/10 10/10
2-Thio-1,4,4,6-tetramethyl dihydropyrimidine K-1338 (PG)	200	100 50	-1 -1	10/10 10/10
1-β-Hydroxyethyl-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1797 (PG)	200-300	200 100	+3 -1	10/10 10/10
2-Ethylmercapto-4-oxy-6-diethoxy- 3-methyl pyrimidine XR-2 (PG and H <sub>2</sub> O)	>400	300 200 100	-4 +1 +2	10/10 10/10 10/10
1-(n-Butyl)-2-thio-4,4,6-tri- methyl dihydropyrimidine K-1339 (PG)	100-200	100 50	+2 -1	10/10 10/10
2-(Acetamido-tert-butyl)- 6-propyl-isothiouracil B-50 (PG)	200	100 50	0 +1	10/10 10/10
5-Allyl-5-(1-methylbutyl)-4-imino- 2-thiobarbituric acid (Na salt) EL-22 (H <sub>2</sub> O)	300-500	300 100 50	-7 -3 +4	10/10 10/10 10/10
2-Thio-4-methyl-5-(γ-diethyl- aminopropyl)-6-oxy-pyrimidine EL-2 (PG and H <sub>2</sub> O)	500-1,000	300 100	-1 +1	10/10 10/10

## (DIAZOLES and DIAZINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
4-Amino-6-oxypyrimidine- 2-thioglycollic acid EL-10 (H <sub>2</sub> O)	20-30	25 5	-1 +1	10/10 10/10
2-Mercapto-4-amino-5-carbethoxy- pyrimidine EI-24 (PG and H <sub>2</sub> O)	>1,000	500 100	-1 +2	10/10 10/10
1-Butyl-3,4,5,6-tetrahydro- 2-pyrimidinethione PD-1 (PG)	100-200	100 50	-1 0	10/10 10/10
Thiamine hydrochloride CB-20 (H <sub>2</sub> O)	200	100 50	0 0	10/10 10/10
p-Mercapto sulfadiazine (TSD) I.O-3 (PG)	100	50 25	-1 +2	10/10 10/10
1-(Cyclohexyl)-2-thio-4,4,6-tri- methyldihydropyrimidine K-1861 (PG)	100-200	100 50	-2 0	10/10 10/10
1-Phenyl-2-thio-4,4,6-trimethyl dihydropyrimidine K-1796 (PG)	200	100 50	0 -1	10/10 10/10
1-(2-Hydroxyphenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1344 (PG)	200-300	200 100	+3 -1	10/10 10/10
1-(m-Hydroxyphenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1345 (PG)	100-200	100 50	+1 -1	10/10 10/10
1-(4-Hydroxyphenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1346 (PG)	200-300	200 100	-3 +1	10/10 10/10
1-(2-Nitrophenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1351 (PG)	200-400	200 100	-1 -1	10/10 8/10
1-(3-Nitrophenyl)-2-thio- 4,4,6 trimethyl dihydro- pyrimidine K-1352 (PG)	200-300	200 100	+1 +2	9/10 10/10



## (DIAZOLES and DIAZINES)

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-(m-Tolyl)-2-thio-4,4,6-tri- methyl dihydropyrimidine K-1341 (PG)	200-400	200 100 50	0 +4 +1	9/10 7/10 10/10
1-(o-Tolyl)-2-thio-4,4,6-tri- methyl dihydropyrimidine K-1340 (PG)	200	100 50	-3 -2	10/10 10/10
1-(2-Chlorophenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1347 (PG)	100-200	100 50	-1 +3	9/10 10/10
1-(3-Chlorophenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1348 (PG)	200-300	200 100	-2 -1	10/10 7/10
1-(p-Chlorophenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1349 (PG)	200	100 50	-1 +1	10/10 10/10
1-(p-Sulfo phenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-2598 (PG)	200-300	200 100	-1 -2	10/10 10/10
1-(3-Sulfo phenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1563 (PG)	50-100	50 25	3 -1	10/10 10/10
1-(2-Sulfo 4-methylphenyl)- 2-thio-4,4,6-trimethyl dihydropyrimidine K-2600 (PG)	200-300	200 100	0 +2	10/10 10/10
1-[p-(Dimethyl amino)phenyl]- 2-thio-4,4,6-trimethyl dihydropyrimidine K-1355 (PG)	200	100 50	2 1	10/10 10/10
1-(2,5-Dichlorophenyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1350 (PG)	100-200	100 50	2 0	10/10 10/10

**(DIAZOLES and DIAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
m-Phenylene-bis-1,1'-(2-thio- 4,4,6-trimethyl dihydro- pyrimidine) K-1359 (PG)	100-200	100 50	+2 -5	10/10 10/10
p,p'-Diphenylene bis-1,1'- (2-thio-4,4,6-trimethyl dihydropyrimidine) K-1358 (PG)	100-200	100 50	-1 -1	10/10 10/10
1-Methyl-2,4-phenylene bis- 1,1'-(2-thio-4,4,6-trimethyl- dihydropyrimidine) K-1360 (PG)	100-200	100 50	+4 0	10/10 10/10
1-[p-(Phenylazo)phenyl]-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1354 (PG)	200-300	200 100	-2 0	10/10 10/10
1-(o-Bicyclohexyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1562 (PG)	100-200	100 50	-2 0	10/10 10/10
1-(α-Naphthyl)-2-thio-4,4,6-tri- methyl dihydropyrimidine K-1356 (PG)	300-400	300 100	-1 -1	10/10 10/10
1-(β-Naphthyl)-2-thio-4,4,6-tri- methyl dihydropyrimidine K-1357 (PG)	400-500	200 100	+2 0	9/10 9/10
1-(6-Sulfo-1-naphthyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-1565 (PG)	100-200	100 50	-1 +2	10/10 10/10
1-(1-Sulfo-2-naphthyl)-2-thio- 4,4,6-trimethyl dihydro- pyrimidine K-2601 (PG)	200-500	100 50	0 -1	10/10 9/10
1-(4,8-Disulfo-1-naphthyl)- 2-thio-4,4,6-trimethyl dihydropyrimidine K-2602 (PG)	200-300	200 100	+2 -3	10/10 10/10

**(DIAZOLES and DIAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
1-[2-(6,8-Disulfonaphthyl)]- 2-thio-4,4,6-trimethyl dihydropyrimidine K-1566 (PG)	200-300	200 100	-1 -3	10/10 10/10
Adenine CB-18 (PG)	100-200	100 50	-1 0	10/10 10/10
Xanthine CB-17 (H <sub>2</sub> O)	500-1,000	500 200	+1 0	10/10 10/10
8-Aza-2-thioxanthine CB-25 (PG)	200-300	200 100	+1 -1	10/10 10/10
8-Azaxanthine (2,6-Dioxy-8-azapurine) CB-26 (PG)	200-300	200 100	+1 0	10/10 10/10
8-Chloroxanthine UCTL-1 (H <sub>2</sub> O)	>400	400 200 100 50	+5 +6 +5 +4	16/16 16/16 16/16 16/16
Folic acid CB-13 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	100-200	100 50	-3 -1	10/10 10/10
Adenylic acid CB-8 (H <sub>2</sub> O)	>1,000	1,000 500	-2 +1	10/10 10/10
Adenosine CB-10 (PG and H <sub>2</sub> O)	500-1,000	500 200	+1 +2	10/10 10/10
Guanosine CB-11 (PG and H <sub>2</sub> O)	500-1,000	500 200	+1 0	10/10 10/10
Piperazine hexahydrate A-3803 (H <sub>2</sub> O)	300-400	300 200	-9 +1	10/10 10/10
1,4-Dinitrosopiperazine DO-36 (PG)	100-200	100 50	-4 -5	10/10 10/10
N-(2-Aminoethyl)piperazine DO-46 (PG)	250-500	250 100	-7 -1	10/10 10/10
1-Piperazine ethanol DO-22 (PG)	100-200	100 50	-3 -1	10/10 10/10

**(DIAZOLES and DIAZINES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
N,N'-Dioxide of 1,4-diazabicyclo- (2.2.2) octane HO-1 (H <sub>2</sub> O)	>1,000	1,000 500	0 +3	10/10 10/10
1,4-Bis-(2,3-ethoxypropyl)- piperazine EL-26 (H <sub>2</sub> O)	75-125	70 50	-6 -1	10/10 10/10
Tetradecane-1, 4-bis-isoquino- linium methosulfate XR-38 (H <sub>2</sub> O)	10	10 5	+1 0	10/10 10/10
2-Hydroxy-3-methyl quinoxaline EL-7 (PG)	30-50	25 10	+4 -5	10/10 10/10
2,3-Dihydroxyquinoxaline EK-6232 (CMC)	200	100 50	-4 +2	10/10 10/10

# **TRIAZOLES and DIOXANES**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
3-Amino-1,2,4-triazole XR-22 (H <sub>2</sub> O)	200	150 100	+1 0	10/10 10/10
4-Ketobenzotriazine MA-2 (PG)	50-100	50 25	-2 +1	10/10 10/10
6-Azaauracil CB-30 (PG)	200-300	200 100	+1 0	10/10 10/10
6-Methyl-1,2,4-triazine-3,5- dione (6-azathymine) CB-28 (PG)	200-300	200 100	+3 0	10/10 10/10
4,6-Diamino-1,3,5-triazine 2-thione B-47 (PG)	500	300 100 50	-4 -1 +5	10/10 10/10 10/10
Dithioammelide B-42 (Cottonseed oil); CY-14	2,000	500 200 100	-1 -2 +4	10/10 10/10 10/10
Thioammelide B-45 (PG); CY-14	200	100 50	+2 -2	10/10 10/10
5-Amino-1,2,4-triazine-3-thiol A 6338 (PG)	100-200	100 50	2 2	10/10 10/10
Benzoguanamine RH 5 (PG)	100-200	100 50	+2 +2	10/10 10/10
1,3,5-Triazine 2,4,6-trimercaptan (Trithiocyanuric acid) TH 3 (H <sub>2</sub> O and NaHCO <sub>3</sub> )	200-300	200 100	4 0	10/10 10/10
Alkylated 2-hydroxyphenyl benzotriazole (Tinuvin P-661) GE 2 (PG)	1,000	500 200	6 7	10/10 10/10
Dihydroxyacetone (1,3-dihydroxy 2-propanone) WA 1 (H <sub>2</sub> O)	1,000	1,000 500	3 0	10/10 10/10
Phenothiazin DO 17 (PG)	200	100 50	2 0	10/10 10/10

**(TRIAZOLES and DIOXANES)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
p-Oxathiane-4,4-dioxide DO-38 (PG)	200	100 50	0 +1	10/10 10/10
2-Aminomethyl benzodioxane hydrochloride EL-48 (H <sub>2</sub> O)	200-300	150 100	+1 +1	10/10 10/10
2-Butylaminomethyl benzodioxane hydrochloride EL-38 (H <sub>2</sub> O)	100	50 25	+1 +2	10/10 10/10
2-Butylaminomethyl-8-ethoxy benzodioxane EL-32 (H <sub>2</sub> O)	100-200	100 50	+3 0	10/10 10/10
5-Chloro-8-ethoxy-2-butyl aminomethyl benzodioxane hydrochloride EL-51 (H <sub>2</sub> O)	100-200	100 25	+2 -1	10/10 10/10

# MISCELLANEOUS

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Benzotrifluoride MA-16 (PG)	100-200	100 50	-1 0	10/10 10/10
m-Nitrobenzotrifluoride MA-5 (PG)	100-200	100 50	-5 +1	10/10 10/10
3-Chloro-1-iodopropyne DO-18 (PG)	25	10 5	-2 -2	10/10 10/10
Ethylene di bunte salt TH-13 (H <sub>2</sub> O)	>1,000	1,000 500	-1 +1	10/10 10/10
Benzyl bunte salt TH-15 (H <sub>2</sub> O)	>1,000	500 300	+2 +2	10/10 10/10
Ether di bunte salt TH-14 (H <sub>2</sub> O)	>1,000	1,000 500	-2 -1	10/10 10/10
2-Ethylhexene-1 DO-21 (PG)	100	50 25	-1 -3	10/10 10/10
Sodium hydroxy-x-propane sulfonate DO-33 (H <sub>2</sub> O)	>1,000	1,000 500	2 0	10/10 10/10
α-dl-Methadol EL-33 (H <sub>2</sub> O)	100-200	50 25	+1 -1	10/10 10/10
Hesperidin CF-3 (H <sub>2</sub> O)	1,000	500 200	0 0	10/10 10/10
Sulphocol sol. MU-1 (H <sub>2</sub> O)	>150	150 100	0 -1	10/10 10/10
Cytidylic acid NB-3 (H <sub>2</sub> O)	>1,000	500	0	10/10
Anthracene EK-480 (Cottonseed oil)	>2,000	1,000 500	-1 +1	10/10 10/10
Lomidine isoeithionate XR-10 (H <sub>2</sub> O)	100-150	75 50 20	-3 -1 +2	10/10 10/10 10/10

**(MISCELLANEOUS)**

Compound, USAF number, and vehicle used for toxicity and radiation tests	Toxicity	Radiation studies		
	Approx. LD <sub>50</sub> in mg./kg.	Dose mg./kg.	Change in ST <sub>50</sub> in days	Mortality at 30 days
Antioxidant G-15 G-7 (PG)	100-200	200	0	10/10
		100	-1	10/10
Antioxidant G-16 G-8 (PG)	300-400	300	-3	10/10
		100	-1	10/10
Neomycin sulfate CB-19 (H <sub>2</sub> O)	300-500	200	+3	10/10
		100	-2	10/10
Bacitracin CB-7 (H <sub>2</sub> O)	300-400	300	-4	10/10
		100	+3	10/10
Griseofulvin SC-2 (PG)	200	100	+2	10/10
		50	+6	10/10
Anhydroerythromycin-N-oxide EL-99 (PG)	200-300	200	-1	10/10
		100	-1	9/10
Parathyridin EL-27	>50 Units	0.5 c.c.	-4	10/10
Protamine sulfate D-4	100-200	100	-4	10/10
		50	1	10/10
Nucleic acid (yeast) CB-1	>1,000	1,000	-2	10/10
		500	+3	10/10
Uvinul P-49 U-49	>1,000	1,000	-2	10/10
		500	+4	9/10
Uvinul M-40 U-40	>1,000	1,000	-2	10/10
		750	5	10/10



## ACKNOWLEDGMENT

Most of the compounds tested in this program have been provided by the research laboratories of various chemical and pharmaceutical industries. A partial listing of these contributors is given below:

Dr. R. U. Schock	Abbott Laboratories, North Chicago, Ill.
Dr. W. Minnis	Allied Chemical Corporation, New York, N.Y.
Dr. A. Hanchett	Allied Chemical and Dye Corp., Syracuse, N.Y.
Dr. E. Groth	American Cyanamid Company, Bound Brook, N.J.
Dr. I. D. Roseman	Ames Laboratories, Inc., South Norwalk, Conn.
Dr. T. J. Bardos	Armour and Company, Chicago, Ill.
Dr. J. E. Jackson	Archer Daniels Midland Company, Minneapolis, Minn.
Dr. W. F. Ringk	Benzol Products Company, Newark, N.J.
Dr. R. A. Lehman	Campbell Pharmaceutical Company, New York, N.Y.
Dr. E. J. Hall	Celanese Corporation of America, New York, N.Y.
Dr. J. M. Holbert	Chattanooga Medicine Company, Chattanooga, Tenn.
Dr. E. B. Hodge	Commercial Solvents Corporation, Terre Haute, Ind.
Dr. P. K. Massey	Delta Chemical Works, Inc., New York, N.Y.
Dr. A. W. Hart	Dow Chemical Company, Midland, Mich.
Dr. L. I. Duiguld	Du-Good Chemical Laboratory, St. Louis, Mo.
Dr. L. C. Curtin	E. I. DuPont de Nemours and Co., Wilmington, Del.
Dr. R. G. Main	Eaton Laboratories, Norwich, N.Y.
Dr. R. E. McMahon	Eli Lilly and Company, Indianapolis, Ind.
Dr. S. B. Williams	Evans, Chemicals, Inc., New York, N.Y.
Dr. J. R. Fisher	Fisher Chemical Company, Inc., New York, N.Y.
Dr. W. G. Stuck	Food Machinery and Chemical Corporation, New York, N.Y.
Dr. M. Weiner	Gelco Chemical Corporation, Ardsley, N.Y.
Dr. L. Cakindos	General Aniline and Film Corp., Calvert City, Ky.
Dr. J. G. Lichty	Goodyear Tire and Rubber Company, Akron, Ohio
Dr. L. A. Hall	Griffith Laboratories, Inc., Chicago, Ill.
Dr. E. G. Najjar	Hampshire Chemical Corporation, Nashua, N.H.
Dr. G. Zbinden	Hoffmann-LaRoche, Inc., Nutley, N.J.
Dr. P. A. Burghart	Houdry Process Corporation, Philadelphia, Pa.
Dr. C. J. Cavallito	Irwig Neisler and Company, Decatur, Ill.
Dr. R. L. Eriksen	Kay Fries Chemicals, Inc., New York, N.Y.
Dr. W. J. Maxcy	Keusler Chemical Company, Inc., Philadelphia, Pa.
Dr. G. Thiesen	Koppers Company, Inc., Verona, Pa.
Dr. J. H. Biel	Lakeside Laboratories, Milwaukee, Wis.
Dr. C. D. Proctor	Loyola University, Chicago, Ill.
Dr. F. P. Hallett	Mallinckrodt Chemical Works, St. Louis, Mo.
Dr. P. E. Carman	Massey-Hill Company, Bristol, Tenn.
Dr. J. D. Drumbheller	Maumee Chemical Company, Toledo, Ohio
Dr. E. J. Murray	Wm. S. Merrell Company, Cincinnati, Ohio
Dr. H. Rosenstein	Meta Chemical Company, Carlstadt, N.J.
Dr. A. E. McKay	Monsanto Canada Limited, Montreal, Canada
Dr. W. S. Guthman	Morton Chemical Company, Ringwood, Ill.
Dr. H. Miack	Nopco Chemical Company, Newark, N.J.
Dr. J. R. Dice	Parke Davis and Company, Ann Arbor, Mich.
Dr. L. C. Curtin	L. Perrigo Company, Allegan, Mich.
Dr. W. E. Langeland	Pennsalt Chemicals Corporation, Philadelphia, Pa.
Dr. C. M. Snow	Phillips Petroleum Company, Bartlesville, Okla.
Dr. W. R. Graham	Quaker Oats Company, Barrington, Ill.
Dr. R. Brecher	Sandoz, Inc., Hanover, N.J.
Dr. D. R. Schwarz	Schwarz Laboratories, Mount Vernon, N.Y.
Dr. M. M. Winbury	Schering Corporation, Bloomfield, N.J.
Dr. J. K. McGowan	G. D. Searle and Company, Chicago, Ill.
Dr. N. A. Rosenthal	Tennessee Corporation, College Park, Ga.
Dr. W. C. Duckworth	Thiokol Chemical Corporation, Trenton, N.J.
Dr. R. M. Dowben	USAF School of Aviation Medicine, Randolph Field, Tex.
Dr. G. G. Collins	U. S. Borax and Chemical Corp., Anaheim, Calif.
Dr. F. J. Haley	University of California, Los Angeles, Calif.
Dr. I. M. K. Geiling	University of Chicago, Chicago, Ill.
Dr. C. G. Mackenzie	University of Colorado, Denver, Colo.
Dr. A. Burger	University of Virginia, Charlottesville, Va.
Dr. F. Wolf	Wallenstein Company, Staten Island, N.Y.

# INDEX

	<i>Page</i>
Acetaldehyde oxime .....	17
Acetanilid .....	32
2-(Acetamido-tert-butyl)-isothiosemicarbazide .....	54
2-(Acetamido-tert-butyl)-6-propyl-isothiouacil .....	91
2-Acetamido-4'-chlorodiphenyl sulfide .....	16
5-(p-Acetamidophenylazo)-8-quinolinol hydrochloride .....	7
2-Acetamidophenyl thioacetate .....	28
Acetoacetanilide .....	32
Acetol .....	19
Acetone cyanohydrin .....	66
Acetone diethyl acetal .....	19
Acetonitrile .....	65
Acetophenone .....	19
Acetophenone, $\alpha$ -chloro-o-cyano .....	20
1-Acetyl-2-(acetamido-tert-butyl) isothiohydantoin .....	55
p-Acetyl-amino-N-dimethylaminopropiophenone hydrochloride .....	20
1-Acetyl-2-(2-aminoethyl) isothiuronium acetate .....	52
2-(Acetyl-aminoethyl)-isothiobarbituric acid .....	54
1-Acetyl-2-(2-aminoethyl)-isothiuronium dichloride .....	51
1-Acetyl-2-(2-aminoethyl)-isothiuronium sulfate .....	51
1-Acetyl-2-(2-butylaminoethyl)-isothiuronium sulfate .....	50
4-Acetyl-4-2(cyanoethylheptane) dinitrile .....	67
N-Acetyl-dl-homocysteine thiolactone .....	75
Acetyl isothiuronium chloride .....	49
Acetylmercaptoacetic acid .....	23
1-Acetyl-2-(2-methylaminoethyl)-isothiuronium sulfate .....	50
8-Acetyl-1-phenyl thiourea .....	50
1-Acetyl-2-thiohydantoin .....	88
1-Acetyl-2-thiourea .....	43
Adenine .....	95
Adenosine .....	95
Adenylic acid .....	95
Adrenochrome .....	79
Adrenosem salicylate .....	80
1-Allyl-2-(2-aminoethyl)-isothiuronium sulfate .....	52
Allyl-isothiourea hydrobromide .....	56
5-Allyl-5-(1-methylbutyl)-4-imino-2-thiobarbituric acid .....	91
2-Allyloxyethanol .....	5
Allyl phenyl ether .....	13
Alkylated 2-hydroxyphenyl benzotriazole .....	97
Amino acetanilid .....	32
m-Aminoacetophenone .....	20
p-Aminoacetophenone .....	20
p-Aminoazobenzene .....	64
p-Aminobenzene sulfonylamide .....	32
p-Aminobenzenesulphonyltauramide .....	33
o-Aminobenzenethiol .....	11
2-Aminobenzenethiol hydrochloride .....	11

	<i>Page</i>
2-Aminobenzimidazole .....	87
5-Amino-2-benzimidazoethiol .....	87
2-Aminobenzothiazole .....	84
6-Amino-2-benzothiazolethiol .....	85
p-Aminobenzophenone .....	21
m-Aminobenzotrifluoride .....	63
2-Amino-4-(4-biphenyl) thiazole .....	84
dl-Threo-3-amino-2-butyl isothiuronium sulfate .....	54
D(-) Erythro-3-amino-2-butyl isothiuronium sulfate .....	54
2-Aminobutyl isothiuronium sulfate .....	54
Amino-tert-butyl thiazoyl sulfide .....	83
4-Amino-4-carboxy-n-butyliothiuronium dibromide .....	57
2-Amino-4-carboxy-5-chloropyrimidine .....	90
3-Amino-4-chlorobenzotrifluoride .....	63
2-Amino-5-chlorobenzoxazole .....	81
2-Amino-2'-chlorodiphenyl sulfide .....	15
5-Amino-4-(p-chloro-phenyl)-isoxazole .....	81
3-Amino-4(p-chlorophenyl)-pyrazole .....	72
3-Amino-4-cyano-5-ethyl pyrazole .....	87
2-Amino-3,4'-dichlorodiphenyl sulfide hydrochloride .....	16
2-Amino-4,4'-dichlorodiphenyl sulfide .....	14
2-Aminoethanol .....	5
$\beta$ -Aminoethyl carbamate .....	37
2-Amino-ethyl-cysteine monohydrochloride .....	13
S,2-Aminoethyl-cysteine dihydrochloride .....	14
S,2-Aminoethyl-homocysteine monohydrochloride .....	13
$\beta$ -Aminoethylisothiuronium acetate .....	49
2-Aminoethylisothiuronium diacetate .....	49
$\beta$ -Aminoethylisothiuronium dibromide .....	49
$\beta$ -Aminoethylisothiuronium dichloride .....	49
2-Aminoethylisothiuronium diiodide .....	49
2-Aminoethylisothiuronium dinitrate .....	49
2-Aminoethylisothiuronium perchlorate .....	49
2-Aminoethylisothiuronium phosphate .....	49
2-Aminoethylisothiuronium sulfate .....	49
N-(2-Aminoethyl)piperazine .....	95
4-Amino-2'-ethoxy diphenylamine-2-sulfonic acid .....	13
2-Amino-3-hexanol .....	5
2-Amino-4-iodo benzenethiol .....	12
Aminomercaptothiadiazole .....	41
2-Aminomethyl benzodioxane hydrochloride .....	98
2-Amino-6-methylbenzothiazole .....	84
3-Amino-3-methyl-2-butyl isothiuronium sulfate .....	55
2-Amino-2-methyl-3-hexanol .....	5
4-Amino-2-methyl-3-hexanol .....	5
2-Amino-4-methyl-5-iodo-6-pyrimidinethiol .....	90
2-Amino-2-methyl-1-phenyl-1-propanol .....	6
2-Amino-2-methylpropyl-isothiuronium sulfate .....	54
2-Amino-4-methyl pyrimidine .....	90
2-Amino-5-methyl-1,3,4-thiadiazole .....	87

	<i>Page</i>
2-Amino-4-methyl thiazole monoformate .....	83
2-Amino-5-(5-nitro-2-furfuryl)-1,3,4-thiodiazole .....	73
2-Amino-5-nitrothiazole .....	83
4-Amino-6-oxypyrimidine-2-thioglycollic acid .....	92
1-Amino-2-pentanol .....	5
2-Amino-pentyl-isothiuronium sulfate .....	55
1-p-Aminophenylbiguanide hydrochloride .....	59
2-Amino-1-phenyl-1-butanol .....	6
1-Amino-1-phenylhexane hydrochloride .....	62
2-Amino-1-phenyl-1-propanol .....	6
2-Amino-1-phenyl-propyl isothiuronium sulfate .....	55
3-Amino-4-phenyl pyrazole .....	87
2-Amino-4-phenyl thiazole monohydrochloride .....	84
1-Amino-1-propane sulfonic acid .....	61
6-Aminopropionitrile .....	66
2-Aminopropylisothiuronium sulfate .....	54
2-(3-Aminopropyl thio)-2-imidazoline dihydrobromide .....	89
4-Aminopyrazole hydrochloride .....	87
2-Aminopyrimidine .....	90
1-Amino-2-sulfo-4(4'-amino-3'-sulfoanilino) anthraquinone .....	22
2-Aminothiazole .....	83
5-Amino-1,2,4-thiadiazole-3-thiol hydrochloride .....	39
4-(2-Aminothiazolyl)methylisothiuronium dichloride .....	50
5-Amino-1,2,4-triazine-3-thiol .....	97
3-Amino-1,2,4-triazole .....	97
Ammonium thiocyanate .....	65
Ammonium thioglycolate .....	9
Anhydroerythromycin-N-oxide .....	100
Aniline hydrochloride .....	63
Anthracene .....	99
Antioxidant G-15 .....	100
Antioxidant G-16 .....	100
8-Aza-2-thioxanthine .....	95
6-Azauracil .....	97
8-Azaxanthine (2,6-dioxy 8-azapurine) .....	95
Azidoacetonitrile .....	65
Azobenzene .....	64
 Bacitracin .....	 100
Benzene boronic acid .....	24
Benzenethiol .....	11
Benzidine sulfone .....	75
2-Benzimidazolethiol .....	87
Benzoguanamine .....	97
Benzophenone .....	20
2,1'-Benzophenone dicarboxylic acid .....	21
Benzothiazole .....	84
2-Benzoethiazolethiol .....	84
2-Benzoethiazolyl diethyldithiocarbamate .....	40
Benzoethiazyl disulfide .....	85

	<i>Page</i>
Benzotrifluoride .....	99
Benzoxazole .....	81
2-Benzoxazolethiol .....	81
Benzoxazolone .....	81
1-Benzoyl-2-(acetamido-tert-butyl) isothiohydantoin .....	55
3-Benzoyl-1-(o-bicyclohexyl)-2-thiourea .....	46
3-Benzoyl-1-(p-biphenyl)-2-thiourea .....	46
3-Benzoyl-1-(o-chlorophenyl)-2-thiourea .....	45
3-Benzoyl-1-(m-chlorophenyl)-2-thiourea .....	45
3-Benzoyl-1-(p-chlorophenyl)-2-thiourca .....	46
3-Benzoyl-1-(2,5-di-chlorophenyl)-2-thiourea .....	46
3-Benzoyl-1-(p-dimethylaminophenyl)-2-thiourea .....	45
3-Benzoyl-1-(o-hydroxyphenyl)-2-thiourea .....	45
3-Benzoyl-1-(p-hydroxyphenyl)-2-thiourea .....	45
Benzoyl- $\alpha$ -naphthyl thiourea .....	46
3-Benzoyl-1-(beta-naphthyl)-2-thiourea .....	46
3-Benzoyl-1-[p-(phenyl-azo)-phenyl]-2-thiourea .....	46
1-Benzoyl-2-thiohydantoin .....	90
3-Benzoyl-1-(o-tolyl)-2-thiourea .....	45
3-Benzoyl-1-(p-tolyl)-2-thiourea .....	45
Benzylamine hydrochloride .....	61
Benzyl bunte salt .....	99
Benzyl N(3-carboxypropyl) dithiocarbamate .....	40
Benzyl cyanide .....	68
S-Benzyl cysteine .....	14
Benzylhydrazine hydrochloride .....	71
2-Benzylisothiuronium chloride .....	56
S-Benzylisothiuronium pantothenate .....	56
Benzylmalonic acid .....	24
$\beta$ -Benzylmethylamino propiophenone hydrochloride .....	21
$\alpha$ -Benzyl- $\alpha$ -phenylhydrazine hydrochloride .....	64
N-[2-(3-Benzylthiazolidylidene)]-aniline .....	54
$\mu$ -(Benzylthio) ethylamine hydrochloride .....	14
4-[2-(Benzylthio)ethyl] pyridine hydrochloride .....	78
1-(o-Bicyclohexyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	94
p,p'-Biphenol .....	7
o-Biphenyl-2-(2-aminoethyl)isothiuronium sulfate .....	53
4,4'-Biphenyl dicarboxylic acid .....	25
2-Brom-D-lysergic acid diethylamide .....	80
4-Bromo-acetanilide .....	32
4-Bromobenzophenone .....	20
4-Bromobutyronitrile .....	66
2-Bromo-2-nitro-1-phenyl-1-ethanol .....	6
3-Bromopropionitrile .....	65
N,N'-Bis(2-acetoxyethyl)dithiooxamide .....	35
(Bis)-2-acrylamido-4-chlorophenyl sulfide .....	16
Poly-1,4-bis(aminomethylcyclohexane) dithiooxamide .....	36
Bis-(2-aminophenyl) disulfide .....	16
Bis-(2-amino-2-phenylethyl) disulfide dihydrochloride .....	16
N,N'-Bis(armeen CD)-dithiooxamide .....	34

	<i>Page</i>
N,N'-Bis(arneen TD)-dithiooxamide .....	34
1,3-Bis-(2-benzothioxolylmercaptomethyl) urea .....	43
1,2-Bis(2-bromoethylthio)ethane .....	13
Bis-(p-bromophenyl) ether .....	13
N,N'-Bis(carbethoxymethyl)dithiooxamide .....	35
N,N'-Bis(1-carboxyethyl) dithiooxamide .....	34
N,N'-Bis(carboxymethyl) dithiooxamide .....	34
Bis(carboxymethyl)ethylene dithiocarbamate .....	40
N,N'-Bis(5-carboxypentyl) dithiooxamide .....	35
1,3-Bis-(5-carboxypentyl)-thiourea .....	44
N,N'-Bis(1-carboxypropyl) dithiooxamide .....	34
N,N'-Bis(3-carboxypropyl) dithiooxamide .....	34
1,3-Bis-(3-carboxypropyl)-thiourea .....	44
$\beta$ -(Bis-[2-chloroethylamino])-propionitrile .....	66
N,N'-Bis(o-chlorobenzyl) dithiooxamide .....	36
N,N'-Bis(p-chlorobenzyl) dithiooxamide .....	36
2,5-Bis(chloromercuri) furan .....	73
N,N-Bis(cyanoethyl) benzene sulfonamide .....	33
Bis-(2-cyanoethyl)amine .....	67
N,N'-Bis(2-dimethylaminoethyl) dithiooxamide .....	34
1,4-Bis(dimethylamine)-2-(phenyl-thio)-2-butene .....	14
N,N'-Bis(3-dimethylaminopropyl) dithiooxamide .....	34
4,4'-Bis(dimethylamino)thiobenzophenone .....	21
Bis(dimethylthiocarbamyl) disulfide .....	32
N,N'-Bis(4,7-dioxo-9-hydroxy-1-monyl) dithiooxamide .....	35
N,N'-Bis(p-dodecylbenzyl) dithiooxamide .....	36
N,N'-Bis(dodecyloxycarbonylmethyl) dithiooxamide .....	35
1,4-Bis-(2,3-ethoxypropyl)piperazine .....	96
N,N'-Bis[2-(N-ethyl-m-toluidine)ethyl] dithiooxamide .....	36
3,6-Bis-(2-guanylthioethyl)-2,5-diketopiperazine dihydrochloride .....	55
N,N-Bis-(2-guanylthioethyl) methylamine trihydrochloride .....	51
N,N'-Bis(3-hexylundecyl) dithiooxamide .....	34
3-[Bis(2-hydroxyethyl) aminoethyl]-2-thiazolidine thione .....	40
N,N'-Bis(2-hydroxyethyl) dithiooxamide .....	34
N,N'-Bis-(2-hydroxy-1-propyl) dithiooxamide .....	34
Bis-[p,p'-(isothioureidomethyl)phenyl] sulfone dihydrochloride .....	57
N,N'-Bis(3-methoxy-1-propyl) dithiooxamide .....	35
N,N'-Bis( $\alpha$ -methylbenzyl) dithiooxamide .....	36
1,4-Bis(4-morpholinyl)-2-(phenylthio)-2-butene .....	82
1,3-Bis(p-nitro-phenyl)-2-p-ethoxyphenylguanidine .....	60
Bis(2-nitro-4-trifluoromethyl phenyl) disulfide .....	16
Bis(pentamethylenethiuram)-tetrasulfide .....	41
N,N'-Bis-(1-phenyl) isopropyl hydrazine hydrochloride .....	72
2,5-Bis(phenyl thio)-p-benzoquinone .....	22
1,3-Bis(2-pyridyl)-2-(2-dimethylaminoethyl)guanidinium trichloride .....	59
1,3-Bis(3-pyridyl)-2-(2-hydroxyethyl)guanidine .....	59
N,N'-Bis(2-pyridylmethyl)dithiooxamide .....	36
N,N'-Bis(2-sulfoethyl)dithiooxamide disodium salt .....	35
N,N'-Bis-thiocarbamyl hydrazine .....	44
p,p'-Bis( $\alpha$ -thiol carbamylacetamido) biphenyl .....	38

	<i>Page</i>
3-6-Bis[2-(4-thiomorpholinyl)-ethyl]-2,5-piperazine dione	86
Bis 4,4'-thio sulfonamide	32
N,N'-Bis(3-triethoxysilylpropyl) dithiooxamide	35
1-Butoxy-1-(cyanomethoxy)-ethane	66
t-Butylaminoethanol	5
N-Butyl-2-aminoethylisothiurea dihydrochloride	50
N-Butyl-2-aminoethylisothiuronium sulfate	50
2-Tert-butylaminoethyl isothiuronium sulfate	50
2-Butylaminomethyl-8-ethoxy benzodioxane	98
2-Butylaminomethyl benzodioxane hydrochloride	98
Butyl carbamate	37
4-Tert-butyl cyclohexanol (Padaryl)	6
4-t-Butyl-1-ethynyl cyclohexyl carbamate	37
S-(n-Butyl)isothiurea hydrochloride	56
1-n-Butyl-2-mercaptoimidazole	88
1-sec-Butyl-2-mercaptoimidazole	88
N-(Butyl)-2-methyl-1,2-propanediamine	61
1-Butyl-3,4,5,6-tetrahydro-2-pyrimidinethione	92
1-(n-Butyl)-2-thio-4,4,6-trimethyl dihydropyrimidine	91
n-Butylthiurea	43
n-Butyraldehyde oxime	17
Calcium cyanamide	66
Carbanilide	43
Carbazole	77
Carbazole, 9-( $\beta$ -chloroethyl)	87
$\alpha$ -Carbethoxy- $\mu,\mu$ -bis-cyclopropyl acrylonitrile	67
1-Carbethoxy-2(4-hydroxyphenyl)-isopropyl hydrazine	72
Carbethoxymethyl p-chlorophenyldithiocarbamate	41
Carbethoxymethylmorpholinyl dithiocarbamate	41
2-Carbethoxymethyl thiobenzothiazole	85
$\alpha$ -Carbethoxyphenylacetanilide	68
5-Carbethoxythiouracil	91
Carbo-4-chloro-phenoxyethyl dimethyl dithiocarbamate	39
Carbomethoxymethyl benzylmethyl dithiocarbamate	41
3-Carboxy-4-hydroxy-7-chloroquinoline	79
Carboxymethylpyrrolidyl dithiocarbamate	41
N-Carboxymethylrhodanine	41
2-(Carboxy methyl thio)-2-imidazoline chloroacetate	89
Chloroacetamide	31
Chloroacetonitrile	65
4-Chloroacetophenone	19
N-(Chloroacetyl) methionine	24
2-Chloro-4-aminobenzoic acid	24
3-Chloro-4-aminopyrazole hydrochloride	87
o-Chlorobenzaldehyde	17
p-Chlorobenzene sulfonamide	33
2-Chlorobenzothiazole	84
5-Chloro-3-(H)-2-benzoxazolone	81
4-Chlorobenzyl N,N-dimethylamino dithiocarbamate	39

	Page
N-(m-Chlorophenyl)-N-methylaminoethyl hydrazine dihydrochloride .....	72
o-Chlorobenzylidene malononitrile .....	68
a-Chloro-o-tolyl acetophenone .....	20
2-Chloro-4,4-dinitrophenol .....	6
5-Chloro-8-methoxy-2-butyl aminomethyl benzodioxane hydrochloride .....	98
3-Chloro-1-methylpropyne .....	99
p-Chloro-m-cresylic benzoic acid .....	24
3-Chloro-8-methoxy-10-cyanoacridine .....	69
N-(5-Chloro-2-methoxyphenylazo) sarcosine .....	25
2-Chloro-N-methyl acetamide .....	31
5-Chloro-2-methylbenzothiazole .....	85
a-Chloro-m-nitroacetophenone .....	20
2-Chloro-2-nitro-1-butanol .....	5
2-Chloro-2-nitro-3-nonanol .....	5
a-p-Chlorophenyl acetoacetonitrile .....	68
m-Chlorophenyl-2-(2-aminoethyl)isothiouronium sulfate .....	53
m-Chlorophenyl carbamic acid isopropyl ester .....	38
3-(p-Chlorophenyl)-1,1-dimethylurea .....	43
2-p-Chlorophenyl-2-methyl-butane-2,3-diol .....	6
1-(3'-Chloro)-phenyl-2-hydrazino propane phosphate .....	72
1-(2-Chloro)-phenyl-2-hydrazino propane hydrochloride .....	71
N-(4-Chlorophenyl)rhodanine .....	41
1-(p-Chlorophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
1-(3-Chlorophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
1-(2-Chlorophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
3-Chloropropyl isocyanate .....	65
p-Chloropropyl acetophenone .....	20
8-Chlorooxatholine .....	95
Cinchonine .....	79
Copper allyl dithiocarbamate .....	38
Crude thioglycolamide (sol. of thioglycolamide and ammonium thiocyanate) .....	31
Cyanamide .....	65
Cyanooethyl bromide .....	31
Cyanooethyl thiazole .....	31
Cyanooethyl acid .....	66
2-Cyanooethyl isocyanate .....	68
p-Cyanobenzaldehyde .....	68
2-Cyano-2-pentanone imine .....	67
1-Cyano-1-cyclohexyl ether .....	69
3-Cyano-8-methyl-10-chloroacridine .....	69
1-Cyano-1-phenyl-2-butanone .....	68
Cyclohexanemethanol .....	3
1-Cyclohexylamino-2-propanol .....	6
N-Cyclohexyl-4,5-dithiazole-sulfenamide .....	85
Cyclohexyl carbonate .....	37
1-Cyclohexyl-2-hydrazino propane hydrochloride .....	71
1-Cyclohexyl-3-mercaptimidazole .....	89
1-(Cyclohexyl)-2-thio-4,4,6-trimethyldihydropyrimidine .....	92
Cysteine methyl ester .....	9



	<i>Page</i>
Cysteine-S-a-propionic acid .....	23
Cytidylic acid .....	99
1,10-Decane bis-(1,3,3-tri-methyl-2-isothiouraea)dihydrobromide .....	51
Decane-1,10-diisothiouraea dihydrobromide .....	51
d-Desoxyephedrine hydrochloride .....	62
1,3-Diacetyl-a-triphenylguanidine .....	60
N,N'-Diallyl dithiooxamide .....	34
4,4'-Diamidinodiphenylamine dihydrochloride .....	64
2,6-Diaminobenzothiazole .....	84
2,2'-Diamino-5,5'-dichlorophenyl sulfide hydrochloride hydrate .....	14
4,6-Diamino-1,3,5-triazine-2-thione .....	97
2,5-Di-tert-amylh <sub>2</sub> iroquinone .....	7
o,o'-Dibenzamido-diphenyl-disulfide .....	32
Dibenzothiophene .....	75
Dibenzylethylene .....	21
1-(Dibenzylamino)-2,3-butanedione-2-oxime .....	19
N,N'-Dibenzylidithiooxamide .....	35
N,N'-Dibenzylethylene diamine .....	63
N,N-Dibenzyl-2-imidazolinyllamine hydroiodide .....	60
Dibenzyline .....	64
Dibromopropamide isothionate .....	31
2,3-Dibromo-1-propanol .....	5
3,5-Dibromo-4-pyridinethiol .....	12
1,3-Di-n-butyl-2-(2-aminoethyl) isothiuronium sulfate .....	52
3-Di-n-butylaminopropyl-p-aminothiobenzoate .....	28
1,3-Di-n-butyl-2-thiourea .....	44
1,2-Dicarbamate ethane .....	37
4,4'-Dichlorobenzophenone .....	21
4,6-Dichloro-7-( $\beta$ -diethylaminoethyl)-amino benzothiazole dihydrochloride .....	85
$\alpha$ -(2,4-Dichlorophenyl)- $\alpha$ -cyano aceto aldehyde .....	68
1-(3,4-Dichlorophenyl)-1,1-dimethylurea .....	43
$\beta$ -3,4-Dichlorophenylethylamine hydrochloride .....	62
1-(2,5-Dichlorophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
3,5-Dichlorosalicylic acid .....	25
N,N'-Dicyclohexyldithiooxamide .....	35
N,N'-Didodecyldithiooxamide .....	33
Diethyl acetamidomalonate .....	27
N,N-Diethyl, 2(o-acetamidophenylthio) ethylamine methiodide .....	14
N,N-Diethyl, $\beta$ (p-acetamidophenylthio) ethylamine methiodide .....	15
Diethylaminoethanethiol hydrochloride .....	9
2-Diethylaminoethyl p-aminothiobenzoate .....	28
1,3-Diethyl-2-(2-aminoethyl)-isothiuronium dibromide .....	52
2-Diethylaminoethylisothiuronium chloride .....	50
1,3-Diethyl-2-(2-aminoethyl)isothiuronium sulfate .....	52
2-Diethylaminoethylguanidinium sulfate .....	59
2-(2-Diethylaminoethylthiomethyl)-5-hydroxy-1,4-pyrone hydrochloride .....	74
10-( $\beta$ -Diethylaminopropionyl)-phenothiazine .....	86
3-Diethylaminopropylisothiouraea .....	56

	<i>Page</i>
N,N-Diethyl, $\beta$ (o-anisylthio)ethylamine hydrochloride .....	15
N,N-Diethyl, $\beta$ (p-anisylthio)ethylamine hydrochloride .....	15
N,N'-Diethylcarbanilide .....	43
N,N-Diethyl, $\beta$ (o-chlorophenylthio) ethylamine .....	15
N,N-Diethyl, $\beta$ (p-chlorophenylthio) ethylamine hydrochloride .....	15
Diethylcyanamide .....	65
Diethyl dithiocarbamic acid (sodium salt) .....	40
Diethyldithiocarbamic acid diethylammonium salt .....	40
Diethyl dithiol oxalate .....	28
N,N'-Diethyldithiooxamide .....	33
Diethylene glycol monostearate .....	27
N,N-Diethyl ethylenediamine .....	61
Di-2-ethylhexyl isosebacate .....	27
N,N-Diethyl-2-[3-(o-phthalamido)-n-propylthio] ethylamine .....	15
Diethyl (mono) propargyl malonate .....	27
N,N-Diethylselenourea .....	47
2,2'-Diethylthiocarbanilide .....	45
1-3-Diethyl-2-thiourea .....	44
N,N-Diethyl 2-(p-toluene sulfonyl thio) ethylamine hydrochloride .....	63
N,N-Diethyl, $\beta$ (o-tolylthio) ethylamine .....	15
N,N-Diethyl, $\beta$ (p-tolylthio)ethylamine hydrochloride .....	15
N,N'-Difurfuryl dithiooxamide .....	35
N,N'-Diglucityl dithiooxamide .....	35
N,N'-Di-n-hexyldithiooxamide .....	33
Dihydrocoumarin (Melilotol) .....	74
1-2-[1(4,5-Dihydroimidazolyl)]-ethyl-3-2-[1-imidazolyl]ethyl- 2-thiourea .....	89
dl- $\mu$ -(3,4-Dihydrophenyl)alanine .....	24
dl-Dihydro- $\alpha$ -6-thioctic acid .....	10
1,2-Dihydro-2,2,4-trimethyl-6-phenylquinoline .....	79
Dihydroxyacetone (1,3-dihydroxy-2-propanone) .....	97
2,4-Dihydroxy-6-aminopyrimidine .....	90
1,8-Dihydroxyanthraquinone .....	22
2,4-Dihydroxybenzophenone .....	21
2,2'-Dihydroxy-4-n-octoxybenzophenone .....	21
3,4-Dihydroxy-phenethylamine hydrobromide .....	7
dl-2-(3,4-Dihydroxyphenyl)-glycine .....	24
2-(2,5-Dihydroxyphenyl)-2-thiopseudourea monohydrochloride .....	56
2,3-Dihydroxyquinoxaline .....	96
3,5-Diiodo-4-pyridine thioglycolic acid .....	11
3,5-Diiodo-4-pyridinethiol .....	12
2-(Di-isopropylamino)ethane thiol .....	9
1,3-Di-isopropyl-2-(2-aminoethyl)-isothiuronium sulfate .....	52
N,N-Diisopropyl ethylenediamine .....	61
Diisopropyl thiomalate .....	10
Dilauryl thiomalate .....	10
2,6-Dimethoxy-acetophenone .....	20
1,3-Dimethyl-2-(2-aminoethyl)isothiuronium sulfate .....	52
2-(2-Dimethylaminoethyl mercapto) benzimidazole dihydrochloride .....	87
1-(Dimethylaminoethyl)-2-mercapto imidazole hydrochloride .....	89

	<i>Page</i>
Dimethylaminoethyl methacrylate .....	27
2-Dimethylamino-2-methyl-1-propanol .....	5
1-[p(Dimethyl amino)phenyl]-2-thio-4,4,6-trimethyl dihydropyrimidine .....	98
3-Dimethylamino-1-phenyl-1-propanol .....	6
2-(3-Dimethylaminopropionamide)-4',5-dichlorodiphenyl sulfide .....	16
10-( $\beta$ -Dimethylaminopropionyl)phenothiazine .....	86
2-(N,N-Dimethylaminopropyl)-4,4'-dichlorodiphenyl sulfide hydrochloride .....	16
2-[3(Dimethylamino)propylthio]-benzimidazole .....	87
2-(3-Dimethyl aminopropyl)-2-thiopseudourea dihydrochloride .....	56
N,N-Dimethyl, $\beta$ (m-anisylthio)-n-propylamine hydrochloride .....	15
N,N-Dimethyl, $\beta$ (o-anisylthio)-n-propylamine hydrochloride .....	15
Dimethylbenzylamine hydrochloride .....	61
N,N'-Dimethyl-tert-butylsulfenyldithiocarbamate .....	39
N,N-Dimethyl-tert-butylsulfenamide .....	32
Dimethyl carbonate .....	27
N,N-Dimethyl, $\beta$ (p-chlorophenylthio)-n-propylamine hydrochloride .....	16
N,N-Dimethyl-3-(p-chlorophenyl)propylamine hydrochloride .....	63
2,2-Dimethyl-3-dimethylaminopropionaldehyde cyanohydrin .....	66
Dimethyldithiocarbamic acid dimethylammonium salt .....	38
2-Dimethyl dithiocarbamyl benzothiazole .....	39
N,N'-Dimethyldithiooxamide .....	33
N,N'-Dimethyl- $\gamma$ -(n-dodecylthio)-allylamine .....	14
3,5-Dimethyl-1-ethynyl cyclohexyl carbamate .....	37
Dimethylglyoxime sodium salt .....	19
N,N-Dimethylelevulinamide .....	31
N,N-Dimethyl-p-phenylazoaniline .....	64
N,N-Dimethyl- $\mu$ -phenyl ethylamine hydrochloride .....	61
N,N-Dimethyl- $\gamma$ -phenyl propylamine hydrochloride .....	62
4,6-Dimethyl-6-phenyl-3-thiamorpholinone .....	85
N,N'-Dimethyl- $\gamma$ -(phenylthio)allylamine .....	14
Trans-2,5-dimethyl-1-piperazine-carbodithioic acid .....	40
2-(N,N-Dimethylpropylamino)-4',5-dichlorodiphenyl sulfide hydrochloride .....	16
N-Dimethyl-N'-(1-methyl-2-phenyl)ethyl hydrazine hydrochloride .....	71
2,3-Dimethyl-1,4-naphthoquinone .....	21
Dimethylol thiourea .....	44
4,4'-Dimethylthiocarbanilide .....	45
2,2'-Dimethylthiocarbanilide .....	45
Dimethyl thioamate .....	10
N,N-Dimethylthiomorpholinium iodide .....	85
N,N-Dimethyl, $\gamma$ (p-tolylthio)-allylamine .....	15
N,N'-Dimethyl- $\gamma$ -(p-tolylthio)allylamine .....	14
2,4-Dinitrophenyl-dimethyldithiocarbamate .....	39
1,4-Dinitrosopiperazine .....	95
N,N'-Di(10-nonadecyl)dithiooxamide .....	33
N,N'-Dioctadecyl dithiooxamide .....	33
N,N'-Dioctyl dithiooxamide .....	33
N,N'-Dioxide of 1,4-diazabicyclo (2:2:2) octane .....	96
N,N'-Di-n-pentyl dithiooxamide .....	33

	<b>Page</b>
Diphenyl acetonitrile .....	69
<i>a,s</i> -Diphenylacrylonitrile .....	69
Diphenylamine .....	63
Diphenylamine sulfate .....	64
1,2-Diphenyl-3-aminopropane hydrochloride .....	63
N,N'-Diphenylbenzidine .....	64
Diphenyl disulfide .....	16
<i>p,p'</i> -Diphenylene bis-1,1'-(2-thio-4,4,6-trimethyl dihydropyrimidine) .....	94
Diphenylguanidine .....	59
1,3-Diphenyl-2-methylaminopropane hydrochloride .....	63
2,5-Diphenyloxazole .....	81
N,N'-Diphenyl- <i>p</i> -phenylene diamine .....	64
Diphenyl phosphate dihydrate .....	29
Diphenylthiocarbazon .....	47
1,5-Diphenyl-3-thiocarbohydrazide .....	47
Diphenylthiophthalide .....	75
1,1-Diphenyl-2-thiourea .....	45
N,N'-Di- <i>n</i> -propyldithiooxamide .....	33
1-(4,8-Disulfo-1,naphthyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	94
1-[2-(6,8-Disulfonaphthyl)]-2-thio-4,4,6-trimethyl dihydropyrimidine .....	95
Dithiol .....	12
Dithioammide .....	97
2,2'-Dithio-bis(benzothiazole) .....	85
4,4'-Dithio-bis- <i>n</i> -diaziryl sulfonamide .....	32
Dithiobiuret .....	44
Dithiodiglycol .....	10
Dithiodiglycolamide .....	31
4,4'-Dithiodimorpholine .....	82
Dithiodipropionitrile .....	67
Dithioglycerol, 2,3-dimercapto propanol (BAL) .....	9
Dithiooxamide .....	33
2,4-Dithiopyrimidine .....	90
N,N'-Di- <i>o</i> -tolyl- <i>p</i> -phenylene diamine .....	64
N,N'-Ditriyl dithiooxamide .....	36
N,N'-Di(9-xanthenyl) dithiooxamide .....	36
Dodecyl carbamate .....	37
 Epinephrine .....	 62
1-Ergothionine hydrochloride .....	89
Ethane 1,2-dicarbamate .....	37
Ethanethiol .....	9
Ether di bunte salt .....	99
dl-Ethionine .....	24
3-Ethochloride of 9-dimethylamine 3-isophenothiazine .....	86
<i>p</i> -Ethoxy acrylonitrile .....	66
1-Ethoxy-1-(1-cyano-2-butenyloxy)-ethane .....	67
1-Ethoxy-1-(1-cyanoethoxy)ethane .....	66
6-Ethoxy-1,2-dihydro-2,2,4-trimethyl quinoline .....	78
Ethoxyethylidene malononitrile .....	67
Ethoxymethylene malononitrile .....	67

	<i>Page</i>
Ethoxypropylidene malononitrile .....	67
Ethyl acetamidocyanoacetate .....	66
Ethyl allyl acetoacetate .....	27
N-Ethyl-2-aminoethylisothiuronium diacetate .....	50
1-Ethyl-2-(2-aminoethyl)-isothiuronium dibromide .....	51
N-Ethyl-2-aminoethylisothiuronium sulfate .....	50
1-Ethyl-2-(2-aminoethyl)isothiuronium sulfate .....	51
2-Ethylanthraquinone .....	22
Ethyl cyanoacetate .....	66
1-Ethyl cyclohexyl carbamate .....	37
S-Ethyl cysteine .....	13
Ethyl-di(isothioureethyl)amine trihydrochloride .....	51
Ethylene-2-(2-aminoethyl)-isothiuronium dichloride .....	54
Ethylene cyanohydrin .....	65
Ethylene di bunte salt .....	99
N,N'-Ethylene diimino di (o-cresol) .....	7
Ethylene glycol monostearate .....	27
1,3-Ethylene-2-(3-trimethylamino)-propylisothiuronium dibromide .....	80
Ethyl ethoxyethylidene cyanoacetate .....	67
4-Ethyl-3,5-heptanedione dioxime .....	19
2-Ethylhexene-1 .....	99
2-Ethylhexyl salicylate .....	28
Ethyl isothiurea hydrobromide .....	57
Ethyl maleimide .....	77
Ethylmercapto acetic acid .....	13
2-Ethylmercapto-4-oxy-6-diethoxy-3-methyl pyrimidine .....	91
1-Ethyl-1-( $\alpha$ -naphthyl)-2-(2-aminoethyl)-isothiuronium sulfate .....	54
1-Ethyl-1-(1-naphthyl)-2-thiourea .....	46
Ethyl propionate .....	27
2-Ethyl-5,6,7,8-tetrahydroanthraquinone .....	22
2-Ethyl thiazolidine carboxylic acid .....	83
N-Ethyl-N-thiazylaniline .....	84
Ethylthiourea .....	43
2-Ethynyl-2-butyl-carbamate .....	37
1-Ethynylcyclohexyl carbamate .....	37
(9-Ethynyl fluorenyl) carbamate .....	38
 Ferrous dimethyl $\alpha$ thiocarbamate .....	 38
Folic acid .....	95
$\alpha$ -Formyl-p-chlorophenyl acetonitrile .....	68
Fumaric acid .....	23
Furacin (5-Nitro-2-furaldehyde semicarbazone) .....	73
Furadantin [N-(5-Nitro-2-furfurylidene)-1-aminohydantoin] .....	74
Furadroxyl [5-Nitro-2-furaldehyde-2-(2-hydroxyethyl) semicarbazone] .....	73
Furan, 2,5-bis(chloromercuri) .....	73
Furfuryl amine .....	73
Furfuryl mercaptan .....	10
Furoxone .....	74

	<i>Page</i>
Gallic acid .....	7
1-(L-Glucose)-2-(2-aminoethyl)-isothiuronium dibromide .....	54
L-Glucosethiourea .....	44
Glycerol monostearate .....	27
Glycidyl dimethyldithiocarbamate .....	38
Glycine ethyl ester hydrochloride .....	27
Glycocyanine .....	23
Griseofulvin .....	100
Guanidine hydrochloride .....	59
Guanidine thiocyanate .....	59
$\alpha$ -(Guanidino)hydrocinnamic acid .....	59
Guanidoethyl disulfide .....	59
Guanine hydrochloride .....	60
Guanosine .....	95
Guanyl disulfide dihydrochloride .....	54
1-Guanyl-mercapto-3-mercaptobenzimidazole propane dihydrochloride .....	57
1-Heptanethiol .....	10
Heptanoyl-2-(2-aminoethyl)-isothiuronium sulfate .....	52
Heptanoyl thiourea .....	44
Hesperidin .....	99
Hexachloro-2,5-cyclohexadien-1-one .....	19
Hexadecane-1,16-bis-isoquinolinium chloride .....	79
1,6-Hexane dithiol .....	10
1-Hexanethiol .....	10
Hexanoyl-2-(2-aminoethyl)-isothiuronium sulfate .....	52
Hexanoyl thiourea .....	43
Histamine diphosphate .....	88
dl-Homocysteine .....	9
dl-Homocysteine thiolactone hydrochloride .....	75
Hydantoic acid .....	43
Hydantoin .....	88
2-Hydrazinobenzothiazole .....	84
1-Hydrazino-2-phenyl propane phosphate .....	71
Hydroquinone dimethyl ether .....	13
Hydroxyacetonitrile .....	65
o-Hydroxyacetophenone .....	19
p-Hydroxyacetophenone .....	19
p-Hydroxybenzaldehyde .....	17
3-Hydroxy-3-(4-chloro-3-sulfamylphenyl) phthalimidine .....	80
$\gamma$ -Hydroxy- $\gamma$ -cyano valeramide .....	31
(2-Hydroxyethyl imino)-diacetic acid .....	23
1-(2-Hydroxyethyl)-3-(5-nitro-furfurylideneamino)-2-imidazolidinethione .....	74
Hydroxylamine hydrochloride .....	61
1- $\beta$ -Hydroxyethyl-2 thio-4,4,6-trimethyl dihydropyrimidine .....	91
2-Hydroxy-4-methoxy benzophenone .....	21
1-Hydroxymethyl-3-(5-nitrofurfurylideneamino)-2-imidazolidinethione .....	74
2-Hydroxy-3-methyl quinoxaline .....	96
1-(p-Hydroxyphenyl)-2-(2-aminoethyl)-isothiuronium sulfate .....	53
2-Hydroxyphenyl benzotriazole .....	97

	<i>Page</i>
2-(o-Hydroxyphenyl) benzoxazole .....	81
2-Hydroxy-5-phenyl-propiofenone .....	21
1-(2-Hydroxyphenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	92
1-(4-Hydroxyphenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	92
1-(m-Hydroxyphenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	92
p-Hydroxyphenylthiourea .....	44
p-Hydroxypropiofenone .....	20
5-Hydroxytryptamine .....	7
5-Hydroxytryptophane .....	79
3-Hydroxytyramine .....	7
 Imidazole .....	 87
2-Imidazolidinethione .....	88
Iminodiacetic acid .....	23
Indole-3-acetic acid .....	77
3-Indolacetonitrile .....	69
Iodoacetamide .....	31
Iodoacetic acid sodium salt .....	23
o-Iodobenzoic acid .....	24
1-Isobutyl-2-mercaptoimidazole .....	88
Isobutyraldehyde oxime .....	17
Isonicotinic acid hydrazide (isoniazid) .....	77
1-Isonicotinoyl-2-isopropyl-hydrazine phosphate (iproniazide) .....	78
Isooctyl palmitate .....	28
Iso-octylthioglycolate .....	10
2-Isopropylaminoethylisothiuronium sulfate .....	50
1-Isopropyl-4,4-dimethylimidazolidine .....	80
N-Isopropyl-2-hydroxy-2-(o-chloro-phenyl) ethylamine hydrochloride .....	6
1-Isopropyl-2-(2-mercaptoethylamino)-4,4-dimethylimidazolinium sulfate .....	80
Isopropyl-p-methyl carbanilate .....	38
Isopropyl-o-methyl carbanilate .....	37
Isopropyl palmitate .....	27
Isopropyl-N-phenyl carbamate .....	37
Isopropylthiourea .....	43
Isothionic acid .....	5
3-[2-(Isothioureido)ethyl thio] propyl isothiurea dihydrochloride .....	51
dl-Isovaline .....	23
 Keryl mercaptan .....	 10
Kessco X-169 (high M.W. imidazoline) .....	89
Kessco X-188 (fatty alkylolamide) .....	36
Kessco X-159 (fatty alkylolamide) .....	36
4-Ketobenzotriazine .....	97
 N-Lauroyl-amino caproic acid .....	 24
N-Lauroyl caprolactam .....	29
N-Lauryl caprolactam .....	28
Lomidine isoethionate .....	93
D-Lysergie acid diethylamide .....	80

	<i>Page</i>
Malonic acid	23
Malononitrile	67
Manganous methyl dithiocarbamate	38
Mellilotol (Dihydrocoumarin)	74
Menthane-1,8-diamine	61
$\alpha$ -Mercaptoacetanilide	11
$\alpha$ -Mercaptoacetanilide carbamate	32
Mercaptoacetic acid (sodium salt)	9
2-Mercapto-4-amino-5-carbethoxy pyrimidine	92
p-Mercaptobenzene sulfonamide	12
o-Mercaptobenzoic acid	11
2-Mercaptobenzothiazole	40
2-Mercapto-5-carbethoxyimidazole	88
2-Mercaptoethanol	9
Mercaptoethylamine hydrochloride	9
2-Mercaptoimidazole	87
2-Mercapto-4(or 5) imidazolecarboxylic acid	88
2-Mercaptoimidazoline	83
3-Mercaptomethyl-4-oxy-methyl-5-oxy-6-methyl-pyridine	77
$\alpha$ -Mercapto-N-2-naphthylacetanilide	11
2-Mercapto-6-nitrobenzothiazole	85
2-Mercapto-4-oxy-6-diethoxy-3-methyl pyrimidine	91
Mercaptopropionic acid	9
p-Mercapto sulfadiazine	92
Mercaptosuccinic acid	10
Methacrylamide	31
$\alpha$ -dl-Methadol	99
dl-Methionine	24
Methionine sulfoxide	24
p-Methoxybenzaldehyde cyanohydrin	68
4-Methoxy-benzyl-hydrazine hydrochloride	71
Methoxyethyl phthalate	28
p-Methoxyphenethylamine	62
$\mu$ -(p-Methoxy phenoxy) propionitrile	68
2-Methylalanine	23
Methyl allophanate	43
Methylaminoacetonitrile sulfate	65
2-Methylaminoethanol	5
N-Methylaminoethyl isothiuronium sulfate	50
1-Methyl-2-(2-aminoethyl)isothiuronium sulfate	51
4-Methyl benzophenone	21
2-Methylbenzothiazole	85
2-Methylbenzoxazole	81
N-Methylbenzylamine hydrochloride	61
2-Methylbenzylamine hydrochloride	61
2-(N-Methyl-N-benzyl) aminoethyl hydrazine dihydrochloride	72
N-Methyl-N-benzyl hydrazine phosphate	71
2-(N-Methyl-N-p-chlorobenzyl) aminoethylhydrazine dihydrochloride	72
N-Methyl-3-(p-chlorophenyl) propylamine hydrochloride	62
Methyl-3-chloropropionate	27



	<i>Page</i>
Methyl cyanoacetate .....	66
5-Methyl-5-cyano-2-pyrrolidone .....	68
S-Methyl-L-cysteine .....	23
10-( $\alpha$ -Methyl- $\alpha$ -diethyl aminoethyl)-phenothiazine .....	86
Methylene bis(dimethyl-dithiocarbamate) .....	39
2,2'-Methylene bis-(4-ethyl-6-tertiary) butyl phenol .....	7
N-Methylene glycinonitrile .....	65
Methylene isothiurea dihydrobromide .....	51
Methyl ergonovine maleate .....	80
Methyl ethyl ketoxime .....	19
2-Methyl-2-(2-hydroxyethylamino)propionitrile .....	66
2-Methyl-3-hydroxy-4-hydroxymethyl-5-isothioureidomethyl- pyridine dihydrochloride .....	78
2,2'-(Methyl imino) diethanol .....	5
4-(N-Methyl-3-indolylethyl)pyridinium hydrochloride .....	76
Methyl isoamyl ketoxime .....	10
Methyl isobutyl ketoxime .....	19
5-Methyl-5-p-isothioureidoethyl barbituric acid hydrobromide .....	90
dl-2-Methyl leucine .....	23
Methyl mercaptoacetate .....	9
Methyl-o-mercaptobenzoate .....	11
2-Methyl mercaptobenzothiazole .....	85
1-Methyl-2-mercaptoimidazole .....	88
1-Methyl-2-mercapto-5-imidazole carboxylic acid .....	88
3-Methyl-3-(mercaptomethyl)oxetane (polymer of) .....	13
2-Methylmercapto-10[2-(N-methyl-2-piperidyl)ethyl] phenothiazine hydrochloride (Mellaril) .....	86
N-Methyl-N-methyl-2-(2-aminoethyl)-isothiuronium sulfate .....	52
N-Methyl-N'-methallyl thiourea .....	44
2-(N-Methyl-N-m-methoxy benzyl) aminoethyl hydrazine dihydrochloride .....	72
[1-Methyl-2-(4'-methoxy)phenyl] ethyl hydrazine hydrochloride .....	71
4-Methyl-5-methylimino-1,2,4-dithiazolidine-3-thione monohydrobromide .....	39
$\alpha$ -Methyl- $\alpha$ -nitropropionitrile .....	60
2-Methyl pentaldehyde .....	17
N-Methyl phenethylamine hydrochloride .....	62
1-Methyl-3-phenyl-2-(2-aminoethyl)-isothiuronium sulfate .....	53
1-Methyl-2,4-phenylene bis-1,1'-(2-thio-4,4,6-trimethyl dihydropyrimidine) .....	94
1-Methyl-2,4-phenylene bis-1,1'-(2-thiourea) .....	43
(1-Methyl-2-phenyl ethyl)-hydrazine methylene sulfonic acid .....	72
1-(2'-Methyl) phenyl-2-hydrazine propane hydrochloride .....	72
N-Methyl-3-phenyl propylamine hydrochloride .....	62
N-Methyl-4-[2-(phenylthio)ethyl]-pyridine methobromide .....	78
2-Methylprocaine hydrochloride .....	63
N-Methyl-N-propargylbenzylamine hydrochloride .....	62
$\alpha$ -Methyl- $\beta$ -propyl aminoethyl isothiuronium sulfate and $\alpha$ -propyl- $\beta$ -methyl aminoethyl isothiuronium sulfate (mixture of) .....	55
N-Methyl rhodanine .....	41
Methyl tetrahydrofuran .....	73
4-Methyl-1-tetralone-3-carboxylic acid .....	22

	<i>Page</i>
dl-8-Methyl- $\alpha$ -6-thioctic acid .....	14
2-Methyl thiazolidine-4-carboxylic acid hydrochloride .....	83
6-Methyl-2-thiouracil .....	91
6-Methyl-1,2,4-triazine-3,5-dione .....	97
3-Morpholinone .....	81
2-(4-Morpholinyl-thio)benzothiazole .....	40
$\alpha$ -(4-Morpholinyl)-p-tolunitrile .....	69
Monothiohydroquinone .....	11
Naphthionic acid .....	64
1,4-Naphthoquinone .....	21
$\beta$ -Naphthylamine .....	63
1-( $\alpha$ -Naphthyl)-2-(2-aminoethyl)isothiuronium sulfate .....	53
1-( $\beta$ -Naphthyl)-2-(2-aminoethyl)isothiuronium sulfate .....	53
2-Naphthylenethiol .....	12
1-(1-Naphthyl)-2-thiourea .....	46
1-( $\alpha$ -Naphthyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	94
1-( $\beta$ -Naphthyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	94
Naringin .....	22
Neomycin sulfate .....	100
m-Nitroacetophenone .....	19
6-Nitroanthranilic acid .....	25
m-Nitrobenzotrifluoride .....	90
N-(p-Nitrobenzyl)piperazine hydrochloride .....	78
5-Nitro-2-furaldehyde thiosemicarbazone .....	73
5-Nitro-2-furaldehyde-2-(2-hydroxyethyl)semicarbazone .....	73
5-Nitro-2-furaldoxime .....	73
1-(5-Nitrofurfurylideneamino)-2-imidiazolidenethione .....	73
1-(5-Nitrofurfurylideneamino)-3-methyl-2-thiohydantoin .....	74
N-(5-Nitro-2-furfurylidene)-3-amino-5-methyl-2-thio-oxazolidone .....	74
1-(5-Nitrofurfurylideneamino)-2-thiohydantoin .....	73
N-(5-Nitro-2-furfurylidene)-3-amino-2-thiooxazolidone .....	73
N-(5-Nitro-2-furfurylidene)-3-amino-2-oxazolidone .....	74
N-(5-Nitro-2-furfurylidene)-1-aminohydantoin .....	74
2-Nitro-2-methyl trimethylene sulfite .....	20
1-(p-Nitrophenyl)-2-(2-aminoethyl)-isothiuronium sulfate .....	53
2-Nitrophenyl thiodimethyl dithiocarbamate .....	39
1-(2-Nitrophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	92
1-(3-Nitrophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	92
4-Nitro-3-trifluoromethylphenol .....	6
Nucleic acid (yeast) .....	100
Octanoyl-2-(2-aminoethyl)-isothiuronium sulfate .....	52
Octanoyl thiourea .....	44
Octyl carbamate .....	37
Octyl phenol .....	6
2-Octyl-2-thiopseudourea monohydrochloride .....	56
Oleoyl acetone .....	19
Orthophenylphenol .....	7
Oxamic dihydrazide .....	35

	<i>Page</i>
<b>N,N-(3-Oxapentamethylene)-tert-butyl-thiosulfenamide</b>	81
<b>p-Oxathiane-4,4-dioxide</b>	98
<b>2,2'-Oxybis-(p-phenylene-methylene)-bis-2-thiopseudourea dihydrochloride</b>	57
<b>4-Oxy-6-diethoxy-3-methylpyrimidine</b>	90
<b>Paraminopropiophenone</b>	20
<b>Parathyridin</b>	100
<b>Pantoyl taurine</b>	24
<b>d-N-(Pantoyltauryl)amino-octadecane</b>	5
<b>Pentachlorothiophenol</b>	12
<b>3-n-Pentadecyl catechol</b>	6
<b>3,3',4',5,7-Pentahydroxy flavonone (Quercetin)</b>	22
<b>Pentamethylene isothiurea dihydrobromide</b>	57
<b>3-Pentanone cyanohydrin</b>	66
<b>Penicillamine hydrochloride</b>	9
<b>2-Phenacylamino-1-ethylisothiurea hydrochloride</b>	50
<b>N-Phenacyl ethyl urethane</b>	38
<b>Phenacyl isothiurea hydrochloride</b>	56
<b>Phenmetrazine hydrochloride (Preludin)</b>	81
<b>Phenothiazine-5-oxide</b>	86
<b>Phenothioxin</b>	97
<b>4-Phenoxy-N-butylamine hydrochloride</b>	13
<b>Phenyl aceto-aceto nitrile</b>	68
<b>2-Phenyl-1-aminobutane hydrochloride</b>	62
<b>1-Phenyl-2-aminobutylisothiuronium sulfate</b>	55
<b>1-Phenyl-2-(2-aminoethyl)-isothiuronium dibromide</b>	53
<b>α-Phenyl aminoethylisothiuronium sulfate</b>	55
<b>1-Phenyl-2-(2-aminoethyl)-isothiuronium sulfate</b>	53
<b>Phenyl o-aminothiobenzoate</b>	28
<b>1-[p-(Phenylazo)phenyl]-2-thio-4,4,6-trimethyl dihydropyrimidine</b>	94
<b>Phenyl-benzoyl-thiourea</b>	45
<b>Phenyl cyclohexyl ketone</b>	20
<b>α-Phenyl-β,β-dimethyl aminoethyl isothiuronium sulfate</b>	55
<b>1-Phenyl-4,4-dimethylimidazolidine</b>	89
<b>β-Phenylethylamine hydrochloride</b>	62
<b>1-Phenylene bis-1,1'-(3-benzoyl-2-thiourea)</b>	46
<b>m-Phenylene-bis-benzoyl-thiourea</b>	46
<b>m-Phenylene-bis-1,1'-(2-thio-4,4,6-trimethyl dihydropyrimidine)</b>	94
<b>p-Phenylene diamine</b>	63
<b>2,2'-(p-Phenylene dimethylene) bis(2-thiopseudourea) dihydrochloride</b>	56
<b>2-Phenyl-ethyl hydrazine dihydrochloride</b>	71
<b>1-Phenylethyl-2-mercaptoimidazole</b>	89
<b>2-Phenyl hexylamine hydrochloride</b>	63
<b>2-Phenyl-3-hydrazino butane hydrochloride</b>	71
<b>1-Phenyl-2-hydrazino-ethanol hydrochloride</b>	71
<b>1-Phenyl-1-hydrazino propane hydrochloride</b>	71
<b>N-Phenyl-3-hydroxypyridinium chloride</b>	78
<b>Phenyl isothiocyanate</b>	65
<b>4-Phenyl-6-oxypyrimidine-2-thioglycolic acid (sodium salt)</b>	56
<b>α-Phenylphenol</b>	7

	<i>Page</i>
$\gamma$ -Phenyl propylamine hydrochloride .....	62
3-Phenylsalicylic acid .....	25
4-[2-(Phenylthio)ethyl] pyridine hydrochloride .....	78
1-Phenyl- $\alpha$ -thiohydantoic acid .....	45
4-[3(Phenylthio) propyl] pyridine hydrochloride .....	78
4-Phenyl-3-thiosemicarbazide .....	47
1-Phenyl-2-thio-4,4,6-trimethyl dihydropyrimidine .....	92
1-Phenyl-2-thiourea .....	44
Phthalimidoacetonitrile .....	68
Phthalimidomethylisothiuronium bromide .....	56
3-Phthalimidopropylisothiuronium bromide .....	57
Phthalonitrile .....	68
Picolinic acid .....	77
1-Piperazine ethanol .....	95
Piperazine hexahydrate .....	95
$\alpha$ -(1-Piperidyl)- $\alpha$ -tolunitrile .....	69
2-(3-Piperidinopropionamido)-4,4'-dichlorodiphenyl sulfide .....	79
2-(3-Piperidinopropionamido)-4',5-dichloro-(1-diphenyl sulfide) .....	79
2-(3-Piperidinopropylamino)-4',5-dichlorodiphenyl sulfide monohydrochloride .....	79
2-(3-Piperidinopropylamino)-3,4-dichloro-(1-diphenyl sulfide) monohydrochloride hemihydrate .....	79
Polyethylene glycol monostearate #200 .....	28
Polyethylene glycol monostearate #1000 .....	28
Polyethylene glycol monostearate #6000 .....	28
Propionitrile, $\mu$ -[bis-(2-chloroethylamino)] .....	66
Propionohydroxamic acid .....	23
1-[4(p-Propionylphenylazo)-3-hydroxyphenyl]2-(2-amino-ethyl)-isothiuronium sulfate .....	53
Propiophenone .....	20
$\alpha$ -Propyl- $\beta$ , $\beta$ -dimethylaminoethyl isothiuronium sulfate .....	55
Propylene glycol monostearate .....	27
$\alpha$ -dl-Propoxyphene carbinol .....	6
Protamine sulfate .....	100
Pseudothiohydantoin .....	83
Pseudothiohydantoin (R=C <sub>10</sub> straight chain alkyl group) .....	83
Pyridine-3-sulfonic acid .....	77
N-(2-Pyridyl) cinnamamide hydrochloride .....	78
N-(2-Pyridyl)- $\alpha$ -hydroxy-phenethyl amine hydrochloride .....	78
1-(2'-Pyridyl)-2-mercaptoimidazole dihydrochloride .....	90
1-(4-Pyridyl)-2-nitropropanol .....	77
Pyrimidine .....	90
Pyromellitic acid .....	25
10-(Pyrrolidinoacetyl)-phenothiazine .....	86
2-( $\mu$ -Pyrrolidinopropionamido)-4,4'-dichloro-(diphenyl sulfide) .....	77
2-(3-Pyrrolidinopropionamido)-4',5-dichlorodiphenyl sulfide .....	77
10-( $\alpha$ -Pyrrolidinopropionyl)-phenothiazine .....	86
2-(3-Pyrrolidinopropylamino)-4',5-dichloro-(1-diphenyl sulfide) monohydrochloride hemihydrate .....	77
Pyrroزالine, 2-triacetyl-nacholyl-octahydro .....	77

	<i>Page</i>
Quercetin, 3,3',4',5,7-Pentahydroxy flavonone .....	22
Quercetin rhamnoglucoside (Rutin) .....	22
Quercitrin .....	22
Quinoxaline 1,4-di-N-oxide .....	22
 Reserpine .....	 80
Rhodanine .....	83
Rutin .....	22
 Sebacic acid .....	 24
Serotonin creatinine sulfate .....	79
Sodium dibutyl dithiocarbamate .....	40
Sodium hydroxy-x-propane sulfonate .....	99
Sodium iminodiacetate monohydrate .....	23
Sodium N-methyl tauride of cocoanut oil .....	61
Sodium pyruvate .....	23
Succinonitrile .....	67
Sulfanilamide .....	32
-Sulfanilamidocapronitrile hydrochloride .....	69
Sulfathiazole .....	84
1-Sulfo-3-guanylurea .....	59
1-(2-Sulfo-4-methylphenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
1-(1-Sulfo-2-naphthyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	94
1-(6-Sulfo-1-naphthyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	94
1-(3-Sulfophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
1-(p-Sulfophenyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93
Sulphoccol sol .....	99
 Taurine .....	 61
Tetrachlorohydroquinone .....	7
Tetradecane-1,4-bis-isoquinolinium methosulfate .....	96
Tetra ethoxy propane .....	17
Tetraethyl ammonium bromide .....	61
N,N,N',N'-Tetraethyl-4,4'-diaminobenzophenone .....	21
N,N,N',N'-Tetraethyl dithiooxamide .....	34
Tetra-ethylthiuram disulfide .....	40
Tetrahydrofurfural .....	73
Tetrahydrofurfurylamine .....	73
Tetramethyl-2-aminoethyl isothiuronium dibromide .....	52
Tetramethylene bis-guanidinium sulfate .....	59
Tetra-methylthiuram monosulfide .....	38
1,3,4-Thiadiazole-2,5-dithiol .....	87
Thiamine hydrochloride .....	92
Thiazane carboxylic acid hydrochloride .....	85
Thiazolidine hydrochloride .....	83
Thiazolidine-4-carboxylic acid .....	83
2,4-Thiazolidinedione .....	83
Thiazoline-2-thiol .....	83
2-Thiazolidinethione .....	83
Thioacetamide .....	32

	<i>Page</i>
Thioacetanilide .....	32
Thioammeline .....	97
2-Thiobarbituric acid .....	90
Thiobenzanilide .....	32
2,2'-Thiobis(4,6-dichlorophenol) .....	16
4,4'-Thiobis-(6-tert-butyl-m-cresol) .....	16
dl- $\alpha$ -5-Thioctic acid .....	14
dl- $\alpha$ -6-Thioctic acid .....	14
$\alpha$ -(Thiocarbamyl) acetanilide .....	38
Thiocarbamylguanidinium orthophosphate .....	44
Thiocarbanilide .....	45
Thiocarbohydrazide .....	47
Thiocyanic acid (sodium salt) .....	65
2,2'-Thiodiethanol .....	13
Thiodiglycolic acid .....	13
Thiodipropionamide .....	31
$\beta,\beta'$ -Thiodipropionitrile .....	67
Thioethyl-3-[(methyl-4'-piperaziny)-3'-propyl]-10-phenothiazine dimaleinate .....	86
Thiogel .....	10
1-Thioglycerol .....	9
Thioglycolamide .....	31
L-Thiohistidine .....	88
2-Thiohydantoin .....	88
Thiolacetic acid .....	23
Thiomalic acid .....	10
2-Thio-4-methyl-5-( $\gamma$ -diethylaminopropyl)-6-oxy-pyrimidine .....	91
2-Thio-4-methyl-6-oxypyrimidine .....	91
Thio- $\beta$ -naphthol .....	12
Thiophene .....	75
Thiosalicylic acid .....	11
Thiosemicarbazide .....	46
1-Thiosorbitol .....	10
2-Thio-1,4,4,6-tetramethyl dihydropyrimidine .....	91
2-Thio-4,4,6-trimethyl dihydropyrimidine .....	91
Thiourea .....	43
p-Thiourea benzoic acid .....	45
6,6'-Thioureylene dihexanoic acid or (1,3-Bis(5-carboxy-pentyl)-thiourea) .....	44
Thiuret hydrochloride .....	39
Thymine .....	90
1-(p-Toluenesulfonyl)-4-n-butyl-thiosemicarbazide .....	47
$\alpha$ -Toluenethiol .....	10
m-Toluenethiol .....	11
o-Toluenethiol .....	11
p-Toluenethiol .....	11
1-(m-Tolyl)-2-(2-aminoethyl)-isothiuronium sulfate .....	53
1-p-Tolyl-2-(2-aminoethyl)isothiuronium sulfate .....	53
Di-o-Tolylguanidine .....	59
N(o-Tolyl)mercaptoacetamide .....	11
2-Triacetyl-nocholyl-octahydro pyrroزالine .....	77
1-(m-Tolyl)-2-thio-4,4,6-trimethyl dihydropyrimidine .....	93

	Page
1-(o-Tolyl)-2-thio-4,4,6-trimethyl dihydropyrimidine	93
1,3,5-Triazine-2,4,6-trimercaptan (trithiocyanuric acid)	97
Triethyl orthoformate	27
m-Trifluoromethyl acetanilide	22
Trihexylene glycol bborate	29
2,4,5-Trihydroxybutyrophenone	20
Triisopropanolamine borate	23
1-(3,4,5-Trimethoxy-phenyl)-2-hydrazino propane hydrochloride	72
Trimethoxy ethoxy propane	17
N-(5-Trimethylaminopropyl)-4-(N-methyl-3-indolyethyl)pyridinium dibromide	78
Trimethyleneisothiuronium bromide	51
3,4,5-Trimethylisoxazole	81
2,4,5-Trimethyl-m xylylene isothiourea dihydrochloride	56
4,4,4-Trinitrobutyric acid	24
$\beta,\beta,\beta$ -Triphenylethylamine hydrochloride	63
2,4,6-Trisbromoaniline	63
Tris(2-chloro-2-nitro-1-butyl)phosphate	29
Tris(2,3-dibromopropyl) phosphate	28
N-Tris(hydroxymethyl) methyl lauramide	31
$\alpha$ -Tris-(p-nitrophenyl)guanidine	59
Tris(propionoxymethyl) nitromethane	27
Trithiodipropionamide	31
Trithiodipropionitrile	67
Uracil	90
Urea	43
Uvinul M-40	100
Uvinul P-49	100
$\gamma$ -Valerolactone	73
1-Vinylcyclohexyl carbamate	37
Xanthine	95
p-Xenyl-2-thioglycolic acid	11
Zinc benzothiazyl-2-mercaptide	49
Zinc dibutyl dithiocarbamate	38
Zinc dimethyl dithiocarbamate	38
Zinc salt of 3-amino-4-mercaptobenzotrifluoride	12
Zinc thioacetate	28
Zinc thiobenzoate	28